THE GENERAL ASSEMBLY OF PENNSYLVANIA

HOUSE RESOLUTION

No. 955

Session of 2014

INTRODUCED BY FABRIZIO, COHEN, HENNESSEY, READSHAW, SONNEY, DAVIS, V. BROWN, McNEILL, BIZZARRO, MIRABITO, LONGIETTI, KIRKLAND, BAKER, J. HARRIS, CALTAGIRONE, SCHLOSSBERG, THOMAS, O'BRIEN, YOUNGBLOOD, McGEEHAN, MARSICO, GIBBONS, FLECK, ROSS, NEUMAN, FRANKEL, ROCK, McCARTER, SABATINA, MURT, GOODMAN, CONKLIN, LUCAS, VEREB, NEILSON, KORTZ, R. BROWN, FREEMAN, HANNA, DeLUCA, KIM, PARKER, PASHINSKI, FLYNN AND MAHONEY, AUGUST 5, 2014

INTRODUCED AS NONCONTROVERSIAL RESOLUTION UNDER RULE 35, AUGUST 5, 2014

A RESOLUTION

- 1 Recognizing the month of August 2014 as "National Medicine Abuse 2 Awareness Month" in Pennsylvania.
- 3 WHEREAS, Over-the-counter and prescription medicines approved
- 4 by the Food and Drug Administration have been determined to be
- 5 safe and effective when used properly; and
- 6 WHEREAS, The misuse or abuse of these medicines can be
- 7 extremely dangerous and produce serious side effects; and
- 8 WHEREAS, The Office of National Drug Control Policy reports
- 9 that medicine abuse is the fastest-growing drug problem in the
- 10 United States, and the Centers for Disease Control and
- 11 Prevention (CDC) has classified medicine abuse as an epidemic;
- 12 and
- 13 WHEREAS, According to a report by the Trust for America's
- 14 Health (TFAH), prescription drug abuse has quickly become a top

- 1 public health concern, as prescription drug-related deaths now
- 2 outnumber those from heroin and cocaine combined, and drug
- 3 overdose deaths exceed motor vehicle-related deaths in 29
- 4 states; and
- 5 WHEREAS, The United States Substance Abuse and Mental Health
- 6 Services Administration's 2012 National Survey on Drug Use and
- 7 Health found that over the past decade, the nonmedical use of
- 8 prescription drugs among persons 12 years of age or older rose
- 9 from 1.9 million in 2002 to 11.1 million in 2011; and
- 10 WHEREAS, According to the CDC, nationally, sales of
- 11 prescription painkillers per capita have quadrupled since 1999,
- 12 and the number of fatal poisonings due to prescription
- 13 painkillers has also quadrupled; and
- 14 WHEREAS, According to the Johns Hopkins Center for Injury
- 15 Research and Policy, 50 Americans die each day from prescription
- 16 drug overdoses and more than six million suffer from
- 17 prescription drug abuse disorders; and
- 18 WHEREAS, Pennsylvania has the 14th highest drug overdose
- 19 mortality rate in the United States, with 15.3 per 100,000
- 20 people suffering drug overdose fatalities, according to a new
- 21 TFAH report, Prescription Drug Abuse: Strategies to Stop the
- 22 Epidemic; and
- 23 WHEREAS, In view of this, a nationwide prevention and
- 24 education campaign has been launched by the Community Anti-Drug
- 25 Coalitions of America, a national organization that represents
- 26 5,000 antidrug coalitions nationwide, along with the Consumer
- 27 Healthcare Products Association, to provide local coalitions
- 28 with tools, training and outreach strategies to engage and
- 29 educate parents, grandparents, teachers, law enforcement
- 30 officials, retailers, doctors and other health care

- 1 professionals about the potential harms of over-the-counter
- 2 medicine abuse; and
- 3 WHEREAS, In addition, the Drug Enforcement Administration and
- 4 many State and local law enforcement agencies have established
- 5 drug disposal programs, commonly referred to as take-back
- 6 programs, to facilitate the collection and destruction of
- 7 unused, unwanted or expired medications, thereby helping to take
- 8 outdated or unused medications off household shelves and out of
- 9 the reach of children and teenagers; and
- 10 WHEREAS, National Medicine Abuse Awareness Month promotes the
- 11 message that over-the-counter and prescription medicines are to
- 12 be taken only as labeled or prescribed and that using such
- 13 medicines to "get high" or in large doses can cause serious or
- 14 life-threatening consequences; and
- 15 WHEREAS, Observance of National Medicine Abuse Awareness
- 16 Month should be encouraged at the national, state and local
- 17 levels to increase awareness of the abuse of medicines; and
- 18 WHEREAS, Educating the public about the dangers of medicine
- 19 abuse, encouraging parents to talk about medicine abuse with
- 20 their teenagers, mobilizing parents to safeguard their home
- 21 medicine cabinets and promoting abuse prevention are critical
- 22 components of what must be a multi-pronged effort to curb over-
- 23 the-counter and prescription medicine abuse; therefore be it
- 24 RESOLVED, That the House of Representatives recognize the
- 25 month of August 2014 as "National Medicine Abuse Awareness
- 26 Month" in Pennsylvania, and urge communities to carry out
- 27 appropriate programs and activities to educate parents and youth
- 28 of the potential dangers associated with medicine abuse.