

Regular Session, 2010

HOUSE BILL NO. 339

BY REPRESENTATIVE MONTOUCET

FIRE PROTECTION: Provides relative to smoke detectors

1 AN ACT

2 To amend and reenact R.S. 40:1581(A), relative to smoke detectors; to require one- or two-
3 family dwellings to contain an operable ten-year, sealed lithium battery photoelectric
4 type smoke detector; and to provide for related matters.

5 Be it enacted by the Legislature of Louisiana:

6 Section 1. R.S. 40:1581(A) is hereby amended and reenacted to read as follows:

7 §1581. Smoke detectors; one- or two-family dwellings

8 A. Effective January 1, 2011, all existing one- or two-family dwellings at the
9 time of sale or lease, shall contain, at a minimum, an operable ten-year, sealed
10 lithium battery photoelectric type smoke detector.

11 * * *

DIGEST

The digest printed below was prepared by House Legislative Services. It constitutes no part of the legislative instrument. The keyword, one-liner, abstract, and digest do not constitute part of the law or proof or indicia of legislative intent. [R.S. 1:13(B) and 24:177(E)]

Montoucet

HB No. 339

Abstract: Requires one- or two-family dwellings to contain an operable 10 year, sealed lithium battery photoelectric type smoke detector.

Present law provides that, effective Jan. 1, 2011, all existing one- or two-family dwellings at the time of sale or lease shall contain, at a minimum, an operable 10 year, sealed lithium battery smoke detector.

Proposed law retains present law but requires that the smoke detector shall also be a photoelectric type smoke detector.

(Amends R.S. 40:1581(A))

Summary of Amendments Adopted by House

Committee Amendments Proposed by House Committee on Commerce to the original bill.

1. Deleted requirements that hotels and motels have sleeping rooms equipped with an operable 10 year sealed lithium battery photoelectric type smoke detector.