## **HOUSE . . . . . . . . . . . . . . . . No. 788**

### The Commonwealth of Massachusetts

PRESENTED BY:

#### Michelle M. DuBois

To the Honorable Senate and House of Representatives of the Commonwealth of Massachusetts in General Court assembled:

The undersigned legislators and/or citizens respectfully petition for the adoption of the accompanying bill:

An Act protecting public drinking water by further regulating solid waste disposal facilities.

PETITION OF:

NAME:	DISTRICT/ADDRESS:	DATE ADDED:
Michelle M. DuBois	10th Plymouth	1/19/2023

### HOUSE . . . . . . . . . . . . . No. 788

By Representative DuBois of Brockton, a petition (accompanied by bill, House, No. 788) of Michelle M. DuBois for legislation to further regulate the building or expansion of solid waste disposal facilities. Environment and Natural Resources.

# [SIMILAR MATTER FILED IN PREVIOUS SESSION SEE HOUSE, NO. 759 OF 2019-2020.]

#### The Commonwealth of Massachusetts

In the One Hundred and Ninety-Third General Court (2023-2024)

An Act protecting public drinking water by further regulating solid waste disposal facilities.

Be it enacted by the Senate and House of Representatives in General Court assembled, and by the authority of the same, as follows:

SECTION 1. Section 150A of chapter 111 of the General Laws, as appearing in the 2020

- Official Edition, is hereby amended by inserting after the second paragraph, on line 37, the
- 3 following paragraph:-

2

5

6

7

8

9

10

4 No site shall be assigned as a place for a new facility or for the expansion of an existing

facility if the site is located within a zone of 400 feet of: (1) a public water supply well or well

field; (2) that area of an aquifer which: (i) contributes water to a to a well under recharge and

pumping conditions that allow safe yield of the well for 180 days without any natural recharge

occurring, and (ii) is bounded by the groundwater divides which result from pumping the well

and by contact of the edge of the aquifer with less permeable materials; or (3) that area of an

aguifer which contributes water to a spring under naturally flowing conditions. Such zone may

- include streams or lakes that act as recharge boundaries. Such zone shall be considered to extend
- 12 up-gradient to its point of intersection with prevailing hydrogeologic boundaries.
- SECTION 2. The department of environmental protection may promulgate rules and
- regulations necessary to carry out the requirements of this act.