

House _____ Amendment NO. _____

Offered By

1 AMEND House Committee Substitute for House Bill No. 1597, Page 2, Section 2, Line 25, by
2 inserting after all of said section and line the following:

3
4 "Section 3. 1. Notwithstanding any other provision of law to the contrary, the department of
5 natural resources shall comply with any final judgment of a court of Missouri with the highest
6 jurisdiction regarding the sale of property under this section and the department of natural resources
7 may sell all interest of the department of natural resources in property located in the County of
8 Oregon, which contains an easement described under 16 U.S.C. 23 Sec. 1274(a)(2). The property to
9 be conveyed is more particularly described as follows:

10 TRACT 1:

11 TOWNSHIP 22 NORTH, RANGE 2 WEST:

12 Section 3: All that part lying West of, or right bank of, the Eleven Point River;

13 Section 4: All that part of the East Half lying West of, or right bank of, the Eleven Point
14 River; All of Lot 1 of the NW1/4;

15 Section 5: All of Lot 1 of the NE1/4; All of Lots 1 and 2 of the NW1/4; All that part of the
16 E1/2 of Lot 3 of the NW1/4 of Section 5 which lies South and West of Billmore Hollow,
17 EXCEPT therefrom that part lying north of Hwy "Y"; All of the W1/2 of Lot 3 of the
18 NW1/4;

19 Section 6: All of the E1/2 of Lots 2 and 3 of the NE1/4;

20 Section 9: All of the North Fractional Half of the NE Fractional Quarter lying West of, or
21 right bank of, the Eleven Point River;

22 TOWNSHIP 23 NORTH, RANGE 2 WEST:

23 Section 33: All of the SE1/4;

24 Section 34: All of the SW1/4 lying West of, or right bank of, the Eleven Point River.

25 PARCEL I:

26 An easement for ingress and egress over and across an existing private road, 50 feet in width,
27 running Southeasterly from Highway "Y" to a point near the South line of Section 32,
28 Township 23, Range 2, and thence East along the South line of Sections 32 and 33, in
29 Township 23, Range 2 to the West line of the above described property.

30 TRACT 2:

Action Taken _____ Date _____

All of Lot One (1) of the Northeast Quarter (NE1/4) and all that part of the Northwest Quarter (NW1/4) of the Southeast Quarter (SE1/4) lying South and East of Highway Y, in Section Six (6), Township Twenty-two (22), Range Two (2) West. The East Half (E1/2) of the Southeast Quarter (SE1/4) of Section Six (6), Township Twenty-two (22) North, Range Two (2) West. All the Southwest Quarter (SW1/4) of the Southeast Quarter (SE1/4) of Section Six (6), Township Twenty-two (22) North, Range Two (2) West of the Fifth Principal Meridian, except therefrom a strip of land 10 feet wide (being the south ten feet) of SE1/4 of said Section 6 for roadway, and except right of way for State Highway Y as shown recorded in Book 172 at Page 86 of the records of Oregon County, Missouri.

TOWNSHIP 22 NORTH, RANGE 2 WEST

Section 5: All of the North Half of the Southeast Quarter; Block 2 in Charles W. Melton and wife and E. W. Sitton and wife Subdivision of the SE 1/4 of the SE1/4 of Section 5 as shown in Plat Book 8 at Page 21 of the records of Oregon County, Missouri; All of the Southwest Quarter of the Southeast Quarter; All of the Southwest Quarter;

Section 7: All of the East Half of the Northeast Quarter; Block 1 of J. F. Melton Subdivision of the SW1/4 of the NE1/4 of Section 7 as shown in Plat Book 6 at Page 5 of the records of Oregon County, Missouri; All of the Northwest Quarter of the Northeast Quarter;

Section 8: Block 5 in S. D. Melton's Subdivision of the NE1/4 of the NE1/4 of Section 8 as shown in Plat Book 7 at Page 16 of the records of Oregon County, Missouri; Lot 2 Block 1 in S. D. Melton's Subdivision of the SW1/4 of the NE1/4 of Section 8 as shown in Plat Book 7 at Page 16 of the records of Oregon County, Missouri; All of the Northwest Quarter of the Northeast Quarter; All of Block 1 in G. T. Thomasson and wife's Subdivision of the NE1/4 of the SW1/4 of Section 8 as shown in Plat Book 6 at Page 38 of the Records of Oregon County, Missouri; All of Lot 1 of Block 1 in G. T. Thomasson and wife's former Subdivision of the NW1/4 of the SW1/4 of Section 8 as shown in Plat Book 7 at Page 17 of the Records of Oregon County, Missouri; All of the Northwest Quarter.

2. The commissioner of administration shall set the terms and conditions for the conveyance as the commissioner deems reasonable. Such terms and conditions may include, but not be limited to, the number of appraisals required and the time, place, and terms of the conveyance.

3. The attorney general shall approve the form of the instrument of conveyance.

Section 4. 1. Notwithstanding any other provision of law to the contrary, the department of natural resources shall comply with any final judgment of a court of Missouri with the highest jurisdiction regarding the sale of property under this section and the department of natural resources may sell all interest of the department of natural resources in property located in the County of Oregon, which contains an easement described under 16 U.S.C. 23 Sec. 1274(a)(2). The property to be conveyed is more particularly described as follows:

Tract 1:

Township 23 North, Range 2 West

Section 20: That part of the Northeast Quarter of the Southeast Quarter lying North and East

1 of a line beginning at C-E-E 1/64th corner, thence in a Southeasterly direction to N-S 1/64th
2 corner, Sections 20 and 21. All that part of the following described tracts lying East of
3 Highway Y: The Southeast Quarter, the North Half of the Southwest Quarter, and the South
4 Half of the Northwest Quarter: EXCEPT that part of the Northeast Quarter of the Southeast
5 Quarter lying North and East of a line beginning at C-E-E 1/64th corner, thence in a
6 Southeasterly direction to N-S 1/64th corner, Sections 20 and 21.

7 Section 21: All of the East Fractional Half of the Southeast Fractional Quarter lying west of,
8 or right bank of, the Eleven Point River All that part of the Southwest Fractional Quarter of
9 the Southeast Fractional Quarter lying west of, or right bank of, the Eleven Point River; All
10 of the Southeast Quarter of the Southwest Quarter; All that part of the West Fractional Half
11 of the Southwest Quarter of Section 21 that lies south of, or right bank of, the Eleven Point
12 River; All that part of the NE1/4 of the SW1/4 and all that part of the NW1/4 of the SE1/4
13 lying west of, or the right bank of the Eleven Point River.

14 Section 27: All that part of Section 27 lying west of, or right bank of, the Eleven point river
15 EXCEPT THAT PART of the West Fractional Half of the Southwest Fractional Quarter
16 south and west and being right bank of Eleven Point River lying north of the 1/64th line east
17 to Eleven Point River from the N-S 1/64th corner of Sections 27 and 28;

18 Section 28: All that part of Section 28 lying west of, or right bank of the Eleven Point River
19 EXCEPT THAT PART of the Northeast Fractional Quarter of the Southeast Fractional
20 Quarter west and being right bank of Eleven Point River lying east of the 1/64th line
21 beginning at C-E-E 1/64th corner, thence south along E-E 1/64th line to C-S-NE-SE 1/256th
22 corner;

23 Section 29: All that part of the following described tracts lying East of Highway Y: The
24 South Half of the North Half, the North Half of the Southeast Quarter. All that part of the
25 following described tracts lying East of Highway Y: The North Half of the North Half.

26 Section 33: NE1/4 of Section 33

27 Section 34: All that part of the N1/2 lying west of, or right bank of the Eleven Point River.

28 Tract 2:

29 A Tract of land located in part of the NW1/4 of Section 33, Township 23 North, Range 2
30 West, 5th P.M., more particularly described as follows: BEGINNING at the Northwest
31 corner of the NW1/4 of said Section 33, a 5/8" rebar with an aluminum cap stamped
32 "Norsworthy PLS 2235"; THENCE South 88 degrees 54 minutes 38 seconds East along the
33 North line of the NW1/4 of said Section 33, a distance of 2685.46 feet to the Northeast
34 corner of the NW1/4 of said Section 33; THENCE South 01 degrees 59 minutes 05 seconds
35 West along the East line of the NW1/4 of said Section 33; THENCE South 01 degrees 59
36 minutes 05 seconds West along the East line of the NW1/4 of said Section 33, a distance of
37 2095.82 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
38 North 88 degrees 07 minutes 05 seconds West, a distance of 1623.93 feet to a 5/8" rebar with
39 a plastic cap stamped "Norsworthy PLS 2235"; THENCE North 29 degrees 22 minutes 35

1 seconds West, a distance of 405.72 feet to a 5/8" rebar with a plastic cap stamped
2 "Norsworthy PLS 2235"; THENCE North 77 degrees 45 minutes 53 seconds West, a
3 distance of 857.10 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235" set
4 on the West line of the NW1/4 of said Section 33; THENCE North 01 degrees 44 minutes 27
5 seconds East along the West line of the NW1/4 of said Section 33, a distance of 1557.81 feet
6 to the point of beginning. Contains 118.804 acres, more or less.

7 Also One Hundred (100) feet off the North end of the E1/2 of Section 32, Township 23
8 North Range 2 West lying east of State Highway Y. Contains 5.32 acres, more or less.

9 Tract 3:

10 A Tract of land located in part of the W1/2 of Section 33, Township 23 North, Range 2 West,
11 5th P.M., more particularly described as follows: COMMENCING at the Northwest corner
12 of the NW1/4 of said Section 33, a 5/8" rebar with an aluminum cap stamped "Norsworthy
13 PLS 2235"; THENCE S01°44'27"W along the West line of the W1/2 of said Section 33, a
14 distance of 1557.81 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235",
15 the true POINT OF BEGINNING; THENCE S77°45'53"E, a distance of 857.10 feet to a
16 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S29°22'35"E, a
17 distance of 405.72 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235";
18 THENCE S88°07'05"E, a distance of 1623.93 feet to a 5/8" rebar with a plastic cap stamped
19 "Norsworthy PLS 2235" set on the East line of the W1/2 of said Section 33; THENCE
20 S01°59'05"W along the East line of the W1/2 of said Section 33, a distance of 3198.69 feet
21 to the Southeast corner of the W1/2 of said Section 33, a 5/8" rebar with an aluminum cap
22 stamped "Norsworthy PLS 2235"; THENCE N88°46'02"W along the South line of the W1/2
23 of said Section 33, a distance of 2376.56 feet; THENCE N88°59'23"W, continuing along the
24 South line of the W1/2 of said Section 33, a distance of 286.30 feet to the Southwest corner
25 of the W1/2 of said Section 33, a 5/8" rebar with an aluminum cap stamped "Norsworthy
26 PLS 2235"; THENCE N01°44'27"E along the West line of the W1/2 of said Section 33, a
27 distance of 3730.78 feet to the point of beginning.

28 ALSO a tract of land located in part of the E1/2 of Section 32, Township 23 North, Range 2
29 West, 5th P.M. lying East of State Highway "Y" more particularly described as follows:
30 BEGINNING at the Northeast corner of the E1/2 of said Section 32, a 5/8" rebar with an
31 aluminum cap stamped "Norsworthy PLS 2235"; THENCE S01°44'27"W along the East line
32 of the E1/2 of said Section 32, a distance of 5288.59 feet to the Southeast corner of the E1/2
33 of said Section 32, a 5/8" rebar with an aluminum cap stamped "Norsworthy PLS 2235";
34 THENCE N88°59'23"W along the South line of the E1/2 of said Section 32, a distance of
35 1174.89 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235" set in the
36 centerline of a road; THENCE Northwesterly along the centerline of said road, the following
37 7 courses and distances:

38 1) N53°07'50"W, a distance of 232.94 feet;

39 2) Northwesterly along the arc of a curve to the right, a distance of 329.08 feet, said curve

1 having a radius of 853.54 feet and a central angle of 22°05'25";
 2 3) N31°02'27"W, a distance of 174.37 feet;
 3 4) Northwesterly along the arc of a curve to the right, a distance of 114.74 feet, said curve
 4 having a radius of 376.24 feet and a central angle of 17°28'24";
 5 5) N13°34'03"W, a distance of 60.83 feet;
 6 6) Northwesterly along the arc of a curve to the left, a distance of 116.41 feet, said curve
 7 having a radius of 135.37 feet and a central angle of 49°16'19";
 8 7) N62°50'22"W, a distance of 45.54 feet to a 5/8" rebar with a plastic cap stamped
 9 "Norsworthy PLS 2235" set in the Easterly right-of-way line of said Highway "Y";
 10 THENCE Northerly along the Easterly right-of-way line of said Highway "Y" the following
 11 11 courses and distances:
 12 1) N10°58'49"E, a distance of 596.72 feet;
 13 2) Northerly along the arc of a curve to the left, a distance of 532.04 feet, said curve having
 14 a radius of 1202.90 feet and a central angle of 25°20'30";
 15 3) N14°53'34"W, a distance of 443.59 feet;
 16 4) Northerly along the arc of a curve to the right, a distance of 188.16 feet, said curve
 17 having a radius of 929.48 feet and a central angle of 11°35'55";
 18 5) N03°08'38"W, a distance of 881.47 feet;
 19 6) N02°01'44"W, a distance of 385.89 feet;
 20 7) Northerly along the arc of a curve to the right, a distance of 294.42 feet, said curve
 21 having a radius of 1020.52 feet and a central angle of 16°31'47";
 22 8) N13°33'40"W, a distance of 411.18 feet;
 23 9) Northerly along the arc of a curve to the right, a distance of 145.39 feet, said curve
 24 having a radius of 872.95 feet and a central angle of 09°32'33";
 25 10) N04°25'44"W, a distance of 542.80 feet;
 26 11) Northerly along the arc of a curve to the right, a distance of 136.94 feet, said curve
 27 having a radius of 531.11 feet and a central angle of 14°46'23" to a 5/8" rebar with a plastic
 28 cap stamped "Norsworthy PLS 2235" set on the North line of the E1/2 of said Section 32;
 29 THENCE S88°50'26"E along the North line of the E1/2 of said Section 32, a distance of
 30 2306.26 feet to the point of beginning.
 31 EXCEPT One Hundred (100) feet off the North end of the E1/2 of Section 32, Township 23
 32 North Range 2 West lying east of State Highway Y.
 33 EXCEPT FROM THE ABOVE DESCRIBED TRACTS: A Tract of land located in part of
 34 the NW1/4 of the SW1/4, the S1/2 of the SW1/4 and the SW1/4 of the SE1/4 of Section 28
 35 and in part of the E1/2 of Section 32 and in part of the NW1/4 of the NE1/4 and the W1/2 of
 36 Section 33, all in Township 23 North, Range 2 West, 5th P.M., more particularly described as
 37 follows: BEGINNING at the Northwest corner of said Section 33, a 5/8" rebar with an
 38 aluminum cap stamped "Norsworthy PLS 2235"; THENCE N01°28'21"E along the West line
 39 of the S1/2 of the SW1/4 of said Section 28, a distance of 1321.75 feet to the Southwest

1 corner of the NW1/4 of the SW1/4 of said Section 28, a 5/8" rebar with a plastic cap stamped
2 "Norsworthy PLS 2235"; THENCE N06°33'11"E, a distance of 44.17 feet to a 5/8" rebar
3 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S87°39'26"E, a distance of
4 43.01 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235";
5 THENCE S37°01'33"E, a distance of 292.00 feet to a 5/8" rebar with a plastic cap stamped
6 "Norsworthy PLS 2235"; THENCE S47°29'15"E, a distance of 714.87 feet to a 5/8" rebar
7 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S00°01'21"E, a distance of
8 577.93 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
9 N60°33'51"E, a distance of 819.53 feet to a 5/8" rebar with a plastic cap stamped
10 "Norsworthy PLS 2235"; THENCE N65°56'00"E, a distance of 855.43 feet to a 5/8" rebar
11 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S06°39'52"W, a distance of
12 167.32 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
13 S17°27'52"E, a distance of 240.29 feet to a 5/8" rebar with a plastic cap stamped
14 "Norsworthy PLS 2235"; THENCE S34°34'14"E, a distance of 384.45 feet to a 5/8" rebar
15 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S86°58'59"E, a distance of
16 193.42 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
17 S09°39'02"E, a distance of 800.21 feet to a 5/8" rebar with a plastic cap stamped
18 "Norsworthy PLS 2235"; THENCE S70°21'17"W, a distance of 409.82 feet to a 5/8" rebar
19 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S59°26'51"W, a distance of
20 587.94 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
21 S52°00'37"W, a distance of 269.32 feet to a 5/8" rebar with a plastic cap stamped
22 "Norsworthy PLS 2235"; THENCE S15°30'30"E, a distance of 647.94 feet to a 5/8" rebar
23 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S09°04'42"E, a distance of
24 779.77 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
25 S08°27'07"E, a distance of 508.03 feet to a 5/8" rebar with a plastic cap stamped
26 "Norsworthy PLS 2235"; THENCE S13°19'43"W, a distance of 201.64 feet to a 5/8" rebar
27 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S01°05'15"E, a distance of
28 787.24 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE
29 S03°53'24"E, a distance of 881.25 feet to a 5/8" rebar with a plastic cap stamped
30 "Norsworthy PLS 2235"; THENCE S13°15'24"W, a distance of 288.39 feet to a 5/8" rebar
31 with a plastic cap stamped "Norsworthy PLS 2235" set on the South line of the W1/2 of said
32 Section 33; THENCE N88°46'02"W along the South line of the W1/2 of said Section 33, a
33 distance of 1981.28 feet; THENCE N88°59'23"W continuing along the South line of the
34 W1/2 of said Section 33, a distance of 286.30 feet to the Southwest corner of the W1/2 of
35 said Section 33, a 5/8" rebar with an aluminum cap stamped "Norsworthy PLS 2235";
36 THENCE continuing N88°59'23"W along the South line of the E1/2 of said Section 32, a
37 distance of 1174.98 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"
38 set in the centerline of an existing road; THENCE Northwesterly along the centerline of said
39 existing road, the following 7 courses and distances:

1) N53°07'50"W, a distance of 232.94 feet;
 2) Northwesterly along the arc of a curve to the right, a distance of 329.08 feet, said curve having a radius of 853.54 feet and a central angle of 22°05'25";
 3) N31°02'27"W, a distance of 174.37 feet;
 4) Northwesterly along the arc of a curve to the left, a distance of 114.74 feet, said curve having a radius of 376.24 feet and a central angle of 17°28'24";
 5) N13°34'03"W, a distance of 60.83 feet;
 6) Northwesterly along the arc of a curve to the left, a distance of 116.41 feet, said curve having a radius of 135.37 feet and a central angle of 49°16'19";
 7) N62°50'22"W, a distance of 45.54 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235" set in the Easterly right-of-way line of State Highway "Y";
 THENCE Northerly along the Easterly right-of-way line of said Highway "Y" the following 12 courses and distances:
 1) N10°58'49"E, a distance of 596.72 feet;
 2) Northerly along the arc of a curve to the left, a distance of 532.04 feet, said curve having a radius 1202.90 feet and a central angle of 25°20'30";
 3) N14°53'34"W, a distance of 443.59 feet;
 4) Northerly along the arc of a curve to the right, a distance of 188.16 feet, said curve having a radius of 929.48 feet and a central angle of 11°35'55";
 5) N03°08'38"W, a distance of 881.47 feet;
 6) N02°01'44"W, a distance of 385.89 feet;
 7) Northerly along the arc of a curve to the left, a distance of 294.42 feet, said curve having a radius of 1020.52 feet and a central angle of 16°31'47";
 8) N13°33'40"W, a distance of 411.18 feet;
 9) Northerly along the arc of a curve to the right, a distance of 145.39 feet, said curve having a radius of 872.95 feet and a central angle of 09°32'33";
 10) N04°25'44"W, a distance of 542.80 feet;
 11) Northerly along the arc of a curve to the right, a distance of 129.35 feet, said curve having a radius of 676.80 feet and a central angle of 10°57'00" to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235" set on the North line of the E1/2 of said Section 32;
 12) N06°30'24"E, a distance of 7.44 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235" set on the North line of the E1/2 of said Section 32;
 THENCE S88°50'26"E along the North line of the E1/2 of said Section 32, a distance of 2306.00 feet to the point beginning. Contains 547.327 acres, more or less.

2. The commissioner of administration shall set the terms and conditions for the conveyance as the commissioner deems reasonable. Such terms and conditions may include, but not be limited to, the number of appraisals required and the time, place, and terms of the conveyance.

3. The attorney general shall approve the form of the instrument of conveyance."; and

- 1 Further amend said bill by amending the title, enacting clause, and intersectional references
- 2 accordingly.