

SENATE BILL NO. 318—SENATORS PARKS; AND MANENDO

MARCH 21, 2011

---

JOINT SPONSORS: ASSEMBLYMEN PIERCE;  
AND OHRENSCHALL

---

Referred to Committee on Education

**SUMMARY**—Establishes provisions governing permissible flammability of certain components in school buses.  
(BDR 34-781)

**FISCAL NOTE:** Effect on Local Government: May have Fiscal Impact.  
Effect on the State: Yes.

~

EXPLANATION – Matter in ***bolded italics*** is new; matter between brackets **[omitted material]** is material to be omitted.

---

---

AN ACT relating to motor vehicles; establishing provisions governing the permissible flammability of occupant seating in school buses and plastic components contained within the engine compartments of school buses; providing a penalty; and providing other matters properly relating thereto.

**Legislative Counsel's Digest:**

1 Existing law establishes safety standards for school buses by setting forth the  
2 required condition and equipment of those school buses. Under existing law, it is a  
3 misdemeanor to violate a provision of law relating to the safety of school buses.  
4 (NRS 392.400, 392.410, 394.190) This bill provides that, on and after  
5 January 1, 2014, school buses must meet certain enumerated standards relating to:  
6 (1) the flammability of occupant seating; and (2) the flammability of plastic  
7 components contained within the engine compartment.

---



\* S B 3 1 8 \*

THE PEOPLE OF THE STATE OF NEVADA, REPRESENTED IN  
SENATE AND ASSEMBLY, DO ENACT AS FOLLOWS:

1      **Section 1.** Chapter 392 of NRS is hereby amended by adding  
2 thereto a new section to read as follows:

3      *On and after January 1, 2014, with respect to any school bus  
4 which is purchased or used by a school district to transport pupils,  
5 the school bus must meet the following standards in addition to  
6 being equipped as required by the regulations of the State Board:*

7      *1. Occupant seating within the school bus must be tested in  
8 accordance with the ASTM International Standard ASTM E1537,  
9 "Standard Test Method for Fire Testing of Upholstered  
10 Furniture." Such testing must be conducted on a complete seat  
11 assembly inside a test room or school bus. For the purposes of this  
12 subsection, occupant seating shall be deemed to have failed the  
13 ASTM E1537 test if:*

14      *(a) The seat assembly exhibits a weight loss of 3 pounds or  
15 greater during the first 10 minutes of the test; or*

16      *(b) The seat assembly exhibits a heat release rate of 80  
17 kilowatts or greater.*

18      *2. Each plastic component contained in the engine  
19 compartment of the school bus must meet a V-0 classification  
20 when tested in accordance with the Underwriters Laboratories  
21 Inc. Standard 94, "the Standard for Safety of Flammability of  
22 Plastic Materials for Parts in Devices and Appliances testing."*

23      **Sec. 2.** NRS 392.400 is hereby amended to read as follows:

24      392.400    1. All vehicles used in the transportation of pupils  
25 must be:

26      (a) In good condition and state of repair.

27      (b) Well equipped, and must contain sufficient room and seats  
28 so that the driver and each pupil being transported have a seat inside  
29 the vehicle. Each pupil shall remain seated when the vehicle is in  
30 motion.

31      (c) Inspected semiannually by the Department of Public Safety  
32 to ensure that the vehicles are mechanically safe and meet the  
33 minimum specifications established by the State Board. The  
34 Department of Public Safety shall make written recommendations to  
35 the superintendent of schools of the school district wherein any such  
36 vehicle is operating for the correction of any defects discovered  
37 thereby.

38      2. If the superintendent of schools fails or refuses to take  
39 appropriate action to have the defects corrected within 10 days after  
40 receiving notice of them from the Department of Public Safety, the  
41 superintendent is guilty of a misdemeanor, and upon conviction  
42 thereof may be removed from office.



\* S B 3 1 8 \*

1       3. Except as otherwise provided in subsection 4, all vehicles  
2 used for transporting pupils must meet the specifications established  
3 by regulation of the State Board.

4       4. **[Any] Except as otherwise provided in this subsection, any**  
5 bus which is purchased and used by a school district to transport  
6 pupils to and from extracurricular activities is exempt from the  
7 specifications adopted by the State Board if the bus meets the  
8 federal safety standards for motor vehicles which were applicable at  
9 the time the bus was manufactured and delivered for introduction in  
10 interstate commerce. ***On and after January 1, 2014, any school bus***  
***which is purchased or used by a school district to transport pupils***  
***must meet the standards set forth in section 1 of this act.***

13      5. Any person violating any of the requirements of this section  
14 is guilty of a misdemeanor.

15      **Sec. 3.** NRS 392.410 is hereby amended to read as follows:

16       392.410 1. Except as otherwise provided in this subsection,  
17 every school bus operated for the transportation of pupils to or from  
18 school must be equipped with:

19       (a) A system of flashing red lights of a type approved by the  
20 State Board and installed at the expense of the school district or  
21 operator. Except as otherwise provided in subsection 2, the driver  
22 shall operate this signal:

- 23           (1) When the bus is stopped to unload pupils.  
24           (2) When the bus is stopped to load pupils.  
25           (3) In times of emergency or accident, when appropriate.

26       (b) A mechanical device, attached to the front of the bus which,  
27 when extended, causes persons to walk around the device. The  
28 device must be approved by the State Board and installed at the  
29 expense of the school district or operator. The driver shall operate  
30 the device when the bus is stopped to load or unload pupils. The  
31 installation of such a mechanical device is not required for a school  
32 bus which is used solely to transport pupils with special needs who  
33 are individually loaded and unloaded in a manner which does not  
34 require them to walk in front of the bus. The provisions of this  
35 paragraph do not prohibit a school district from upgrading or  
36 replacing such a mechanical device with a more efficient and  
37 effective device that is approved by the State Board.

38       2. A driver may stop to load and unload pupils in a designated  
39 area without operating the system of flashing red lights required by  
40 subsection 1 if the designated area:

- 41           (a) Has been designated by a school district and approved by the  
42 Department;  
43           (b) Is of sufficient depth and length to provide space for the bus  
44 to park at least 8 feet off the traveled portion of the roadway;  
45           (c) Is not within an intersection of roadways;



\* S B 3 1 8 \*

1       (d) Contains ample space between the exit door of the bus and  
2 the parking area to allow safe exit from the bus;

3       (e) Is located so as to allow the bus to reenter the traffic from its  
4 parked position without creating a traffic hazard; and

5       (f) Is located so as to allow pupils to enter and exit the bus  
6 without crossing the roadway.

7       3. In addition to the equipment required by subsection 1 and  
8 except as otherwise provided in subsection 4 of NRS 392.400, each  
9 school bus must ~~be~~:

10      (a) *Be* equipped and identified as required by the regulations of  
11 the State Board ~~;~~; and

12      (b) *On and after January 1, 2014, meet the standards set forth  
13 in section 1 of this act.*

14       4. The agents and employees of the Department of Motor  
15 Vehicles shall inspect school buses to determine whether the  
16 provisions of this section concerning equipment and identification  
17 of the school buses have been complied with, and shall report any  
18 violations discovered to the superintendent of schools of the school  
19 district wherein the vehicles are operating.

20       5. If the superintendent of schools fails or refuses to take  
21 appropriate action to correct any such violation within 10 days after  
22 receiving notice of it from the Department of Motor Vehicles, the  
23 superintendent is guilty of a misdemeanor, and upon conviction  
24 must be removed from office.

25       6. Any person who violates any of the provisions of this  
26 section is guilty of a misdemeanor.

27      **Sec. 4.** NRS 394.190 is hereby amended to read as follows:

28       394.190 1. The provisions of NRS 392.400 and 392.410  
29 relating to the condition, equipment and identification of vehicles  
30 used for the transportation of pupils apply to private schools.

31       2. *On and after January 1, 2014, the standards for school  
32 buses set forth in section 1 of this act apply to private schools.*

33       3. All such vehicles are subject to inspection at all times by  
34 agents and employees of the Department of Motor Vehicles, who  
35 shall report any violations discovered thereby to the executive head  
36 of the private school.

37       ~~3.~~ 4. If the executive head of the private school fails or  
38 refuses to take appropriate action to correct any such violation  
39 within 10 days after receiving the report from the Department of  
40 Motor Vehicles, the executive head is guilty of a misdemeanor.

41      **Sec. 5.** This act becomes effective on July 1, 2011.

