

General Assembly

January Session, 2023

## Raised Bill No. 6580

LCO No. **3299** 

Referred to Committee on PUBLIC SAFETY AND SECURITY

Introduced by: (PS)

## AN ACT REVISING THE REQUIREMENTS OF THE SMOKE AND CARBON MONOXIDE DETECTOR AFFIDAVIT.

Be it enacted by the Senate and House of Representatives in General Assembly convened:

Section 1. Section 29-453 of the general statutes is repealed and the
 following is substituted in lieu thereof (*Effective October 1, 2023*):

3 (a) Prior to transferring title to any real property containing a 4 residential building designed to be occupied by one or two families, the 5 transferor of such real property shall present to the transferee an 6 affidavit certifying (1) that such residential building is equipped with 7 smoke detection and warning equipment complying with this section, 8 the Fire Safety Code, the State Fire Prevention Code and the State 9 Building Code, and (2) that such residential building is equipped with 10 carbon monoxide detection and warning equipment complying with 11 this section or does not pose a risk of carbon monoxide poisoning 12 because such residential building does not contain a fuel-burning 13 appliance, fireplace or attached garage. Nothing in the affidavit shall 14 constitute a warranty beyond the transfer of title.

15 (b) Any transferor who fails to comply with the provisions of

subsection (a) of this section shall credit the transferee with the sum oftwo hundred fifty dollars at closing.

(c) Any smoke detection and warning equipment required pursuantto subsection (a) of this section shall be:

20 (1) Capable of sensing visible or invisible smoke particles;

(2) Installed in accordance with the manufacturer's instructions andin the immediate vicinity of each bedroom; <u>and</u>

23 (3) Capable of providing an alarm suitable to warn occupants when
24 such equipment is activated. [;]

[(4) Powered by the household electrical service, except such
equipment may be battery powered in a residential building for which
a building permit for new occupancy was issued prior to October 1,
1976;

(5) In a residential building for which a building permit for new
occupancy was issued on or after October 16, 1989, interconnected in
such a manner that the activation of the alarm on any smoke detection
and warning equipment in the residential building causes the alarm on
all smoke detection and warning equipment in such building to activate;
and

(6) In a residential building for which a building permit for new
occupancy was issued on or after May 1, 1999, located in all sleeping
areas.]

(d) Any carbon monoxide detection and warning equipment required pursuant to subsection (a) of this section shall be (1) capable of sensing carbon monoxide present in parts per million, (2) installed in accordance with the manufacturer's instructions, and (3) capable of providing an alarm suitable to warn occupants when such equipment is activated. Such equipment may be operated using batteries.

44 (e) The following shall be exempt from the requirements of

45 subsections (a) and (b) of this section: (1) Any transfer from one or more 46 coowners solely to one or more of the other coowners; (2) transfers made 47 to the spouse, mother, father, brother, sister, child, grandparent or 48 grandchild of the transferor where no consideration is paid; (3) transfers 49 pursuant to an order of the court; (4) transfers by the federal government 50 or any political subdivision thereof; (5) transfers by deed in lieu of 51 foreclosure; (6) any transfer of title incident to the refinancing of an 52 existing debt secured by a mortgage; (7) transfers by mortgage deed or 53 other instrument to secure a debt where the transferor's title to the real 54 property being transferred is subject to a preexisting debt secured by a 55 mortgage; and (8) transfers made by executors, administrators, trustees 56 or conservators.

This act shall take effect as follows and shall amend the following sections:

Section 1	October 1, 2023	29-453

## Statement of Purpose:

To revise requirements of the smoke and carbon monoxide detector affidavit.

[Proposed deletions are enclosed in brackets. Proposed additions are indicated by underline, except that when the entire text of a bill or resolution or a section of a bill or resolution is new, it is not underlined.]