23 LC 39 3648

House Bill 189

By: Representatives Meeks of the 178<sup>th</sup>, Burchett of the 176<sup>th</sup>, Corbett of the 174<sup>th</sup>, Frye of the 122<sup>nd</sup>, Dickey of the 145<sup>th</sup>, and others

## A BILL TO BE ENTITLED AN ACT

- 1 To amend Article 2 of Chapter 6 of Title 32 of the Official Code of Georgia Annotated,
- 2 relating to dimensions and weight of vehicles and loads, so as to provide for an allowable
- 3 variance for weight limitations upon a vehicle or load; to repeal certain exceptions which
- 4 allow for excess weight for vehicles and loads; to provide for related matters; to repeal
- 5 conflicting laws; and for other purposes.

6

## BE IT ENACTED BY THE GENERAL ASSEMBLY OF GEORGIA:

7 SECTION 1.

- 8 Article 2 of Chapter 6 of Title 32 of the Official Code of Georgia Annotated, relating to
- 9 dimensions and weight of vehicles and loads, is amended in Code Section 32-6-26, relating
- 10 to weight of vehicle and load, by revising subsection (g) as follows:
- (g)(1) The weight limitations provided for in this Code section, except the limitation in
- subsections (f) and (h) of this Code section, may be exceeded on any public road within
- this state which is not an interstate highway, or when making a pickup or delivery on any
- public road of a county road system, without a permit only when the load on any single
- axle does not exceed 23,000 pounds, the load on any tandem axle does not exceed
- 46,000 pounds, and the maximum total gross weight of the vehicle and load does not

23 LC 39 3648

17 exceed 80,000 pounds when: provided, however, that a 12.5 percent variance of such 18 weight limitations shall be permitted. 19 (A) Hauling forest products from the forest where cut to the first point of marketing or 20 processing; 21 (B) Hauling live poultry or cotton from a farm to a processing plant: 22 (C) Hauling feed from a feed mill to a farm; 23 (D) Hauling granite, either block or sawed, or any other naturally occurring raw ore or 24 mineral for further processing, from the quarry or stockpile area to a processing plant 25 located in the same or an adjoining county and construction aggregates hauled to any 26 point, unless otherwise prohibited; 27 (E) Hauling solid waste or recovered materials from points of generation to a solid waste handling facility or other processing facility; 28 29 (F) Hauling concrete that is in a freshly mixed and unhardened state for delivery to a 30 customer; or 31 (G) Hauling poultry waste from the point of origin to a farm. 32 (2) No lift axle may be used in computing the maximum total gross weight authorized 33 for any vehicle or load under this paragraph subsection. 34 (2) A vehicle which is hauling the products listed in subparagraphs (A) through (F) of 35 paragraph (1) of this subsection or which is hauling any other agricultural or farm product 36 from a farm to the first point of marketing or processing shall be permitted a 5 percent variance from the weight limitations in paragraph (1) of this subsection within a 100 mile 37

radius of the farm or point of origin. Any person who violates the load limitations

provided for in this paragraph by exceeding the 5 percent variance per single axle,

tandem axle, or maximum total gross weight shall be fined on the basis of the weight

limitations of paragraph (1) of this subsection, including the variance allowed by this

38

39

40

41

42

paragraph.

23 LC 39 3648

(3) A vehicle which is hauling the products listed in subparagraph (G) of paragraph (1) of this subsection shall be permitted a 5 percent variance from the weight limitations in paragraph (1) of this subsection within a 250 mile radius of the farm or point of origin. Any person who violates the load limitations provided for in this paragraph by exceeding the 5 percent variance per single axle, tandem axle, or maximum total gross weight shall be fined on the basis of the weight limitations of paragraph (1) of this subsection and not on the basis of the variance allowed by this paragraph.

(4)(3) Any vehicle carrying a load as authorized in this subsection at night shall be equipped with lights clearly visible for a distance of not less than 300 feet from the front and rear of the vehicle."

53 SECTION 2.

All laws and parts of laws in conflict with this Act are repealed.