

IN THE HOUSE OF REPRESENTATIVES

HOUSE BILL NO. 435

BY HEALTH AND WELFARE COMMITTEE

AN ACT

RELATING TO UNIFORM CONTROLLED SUBSTANCES; AMENDING SECTION 37-2705, IDAHO CODE, TO REVISE PROVISIONS REGARDING SCHEDULE I CONTROLLED SUBSTANCES; PROVIDING SEVERABILITY; AND DECLARING AN EMERGENCY.

Be It Enacted by the Legislature of the State of Idaho:

SECTION 1. That Section 37-2705, Idaho Code, be, and the same is hereby amended to read as follows:

37-2705. SCHEDULE I. (a) The controlled substances listed in this section are included in schedule I.

(b) Any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, unless specifically excepted, whenever the existence of these isomers, esters, ethers and salts is possible within the specific chemical designation:

- (1) Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);
- (2) Acetylmethadol;
- (3) Acetyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
- (4) Acryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide);
- (5) Allylprodine;
- (6) Alphacetylmethadol (except levo-alphacetylmethadol also known as levo-alpha-acetylmethadol, levomethadyl acetate or LAAM);
- (7) Alphameprodine;
- (8) Alphamethadol;
- (9) Alpha-methylfentanyl;
- (10) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
- (11) Benzethidine;
- (12) Betacetylmethadol;
- (13) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-piperidinyl]-N-phenylpropanamide);
- (14) Beta-hydroxythiofentanyl;
- (15) Beta-hydroxy-3-methylfentanyl (N-(1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl)-N-phenylpropanamide);
- (16) Betameprodine;
- (17) Betamethadol;
- (18) Beta-methyl fentanyl;
- (19) Beta'-phenyl fentanyl;
- (20) Betaprodine;
- (21) Brorphine (1-(1-(1-(4-Bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[D]imidazol-2-one);

- 1 (22) Butonitazene (2-(2-(4-butoxybenzyl)-5-nitro-1hbenzimidazol-1-yl)-N,N-diethylethan-1-amine);
2
3 (23) Clonitazene;
4 (24) Crotonyl fentanyl ((E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide);
5
6 (25) Cyclopentyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide);
7
8 (26) Cyclopropyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopropanecarboxamide);
9
10 (27) Dextromoramide;
11 (28) Diampromide;
12 (29) Diethylthiambutene;
13 (30) Difenoxy;
14 (31) Dimenoxadol;
15 (32) Dimepheptanol;
16 (33) Dimethylthiambutene;
17 (34) Dioxaphetyl butyrate;
18 (35) Dipipanone;
19 (36) Ethylmethylthiambutene;
20 (37) Etodesnitazene; Etazene (2-(2-(4-ethoxybenzyl)-1hbenzimidazol-1-yl)-N,N-diethylethan-1-amine);
21
22 (38) Etonitazene;
23 (39) Etoxadine;
24 (40) Fentanyl-related substances. "Fentanyl-related substances"
25 means any substance not otherwise listed and for which no exemption or
26 approval is in effect under section 505 of the federal food, drug, and
27 cosmetic act, 21 U.S.C. 355, and that is structurally related to fentanyl
28 by one (1) or more of the following modifications:
29 i. Replacement of the phenyl portion of the phenethyl group by any
30 monocycle, whether or not further substituted in or on the monocycle;
31
32 ii. Substitution in or on the phenethyl group with alkyl, alkenyl,
33 alkoxy, hydroxy, halo, haloalkyl, amino, or nitro groups;
34 iii. Substitution in or on the piperidine ring with alkyl,
35 alkenyl, alkoxy, ester, ether, hydroxy, halo, haloalkyl, amino,
36 or nitro groups;
37 iv. Replacement of the aniline ring with any aromatic monocycle,
38 whether or not further substituted in or on the aromatic monocycle;
39 and/or
40 v. Replacement of the N-propionyl group by another acyl group;
41 (41) Fentanyl carbamate;
42 (42) Flunitazene (N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1h-benzimidazol-1-yl)ethan-1-amine);
43
44 (43) 4-Fluoroisobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide);
45
46 (44) 2'-fluoro ortho-fluorofentanyl;
47 (45) Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylfuran-2-carboxamide);
48
49 (46) Furethidine;
50 (47) Hydroxypethidine;

1 (48) Isobutyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
 2 phenylisobutyramide);
 3 (49) Isotonitazene (N,N-diethyl-2-(2-(4isopropoxybenzyl)-5-ni-
 4 tro-1h-benzimidazol-1-yl)ethan-1-amine);
 5 (50) Ketobemidone;
 6 (51) Levomoramide;
 7 (52) Levophenacilmorphan;
 8 ~~(53) Methoxetamine;~~
 9 ~~(54)~~ (53) Methoxyacetyl fentanyl (2-methoxy-N-(1-phenethylpiperidin-
 10 4-yl)-N-phenylacetamide);
 11 ~~(55)~~ (54) 4'-methyl acetyl fentanyl;
 12 ~~(56)~~ (55) 3-Methylfentanyl;
 13 ~~(57)~~ (56) 3-methylthiofentanyl (N-[(3-methyl-1-(2-thienyl)ethyl-4-
 14 piperidinyl]-N-phenylpropanamide);
 15 ~~(58)~~ (57) Metodesnitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-1h-
 16 benzimidazol-1-yl)ethan-1-amine);
 17 ~~(59)~~ (58) Metonitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-ni-
 18 tro-1hbenzimidazol-1-yl)ethan-1-amine);
 19 ~~(60)~~ (59) Morpheridine;
 20 ~~(61)~~ (60) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
 21 ~~(62)~~ (61) MT-45 (1-cyclohexyl-4-(1,2-diphenylethyl)piperazine);
 22 ~~(63)~~ (62) N-(4-chlorophenyl)-N-(1-phenethylpiperdin-4-yl) Isobutyra-
 23 mide (para-chloroisobutyryl fentanyl);
 24 ~~(64)~~ (63) Noracymethadol;
 25 ~~(65)~~ (64) Norlevorphanol;
 26 ~~(66)~~ (65) Normethadone;
 27 ~~(67)~~ (66) Norpipanone;
 28 ~~(68)~~ (67) N-pyrrolidino etonitazene (2-(4-ethoxybenzyl)-5-ni-
 29 tro-1-(2-(pyrrolidin-1-yl)ethyl)1hbenzimidazole);
 30 ~~(69)~~ (68) Ocfentanil (N-(2-fluorophenyl)-2-methoxy-N-(1-phenethyl-
 31 piperidin-4-yl)acetamide);
 32 ~~(70)~~ (69) Ortho-fluoroacryl fentanyl;
 33 ~~(71)~~ (70) Ortho-fluorobutyryl fentanyl;
 34 ~~(72)~~ (71) Ortho-fluorofentanyl;
 35 ~~(73)~~ (72) Ortho-fluoroisobutyryl fentanyl;
 36 ~~(74)~~ (73) Ortho-methyl acetylfentanyl;
 37 ~~(75)~~ (74) Ortho-methyl methoxyacetyl fentanyl;
 38 ~~(76)~~ (75) Para-chloroisobutyryl fentanyl (N-(4-chlorophenyl)-N-(1-
 39 phenethylpiperidin-4-yl) isobutyramide);
 40 ~~(77)~~ (76) Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-
 41 phenethylpiperidin-4-yl) butyramide);
 42 ~~(78)~~ (77) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phen-
 43 ethyl)-4-piperidinyl] propanamide);
 44 ~~(79)~~ (78) Para-fluoro furanyl fentanyl;
 45 ~~(80)~~ (79) Para-methoxybutyryl fentanyl (N-(4-methoxyphenyl)-N-(1-
 46 phenethylpiperidin-4-yl) butyramide);
 47 ~~(81)~~ (80) Para-methylfentanyl;
 48 ~~(82)~~ (81) PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
 49 ~~(83)~~ (82) Phenadoxone;
 50 ~~(84)~~ (83) Phenampromide;

~~(85)~~ (84) Phenomorphan;
~~(86)~~ (85) Phenoperidine;
~~(87)~~ (86) Phenyl fentanyl;
~~(88)~~ (87) Piritramide;
~~(89)~~ (88) Proheptazine;
~~(90)~~ (89) Properidine;
~~(91)~~ (90) Propiram;
~~(92)~~ (91) Protonitazene (N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1h-benzimidazol-1-yl)ethan-1-amine);
~~(93)~~ (92) Racemoramide;
~~(94)~~ (93) Tetrahydrofuranlyl fentanyl (N-(1-phenethylpiperidine-4-yl)-N-phenyltetrahydrofuran-2-carboxamide);
~~(95)~~ (94) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyll]-propanamide);
~~(96)~~ (95) Tilidine;
~~(97)~~ (96) Trimeperidine;
~~(98)~~ (97) u-47700 (3,4-Dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide);
~~(99)~~ (98) Valeryl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide);
(99) Zipeprol (1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol).

(c) Any of the following opium derivatives, their salts, isomers and salts of isomers, unless specifically excepted, whenever the existence of these salts, isomers and salts of isomers is possible within the specific chemical designation:

(1) Acetorphine;
(2) Acetyldihydrocodeine;
(3) Benzylmorphine;
(4) Codeine methylbromide;
(5) Codeine-N-Oxide;
(6) Cyprenorphine;
(7) Desomorphine;
(8) Dihydromorphine;
(9) Drotebanol;
(10) Etorphine (except hydrochloride salt);
(11) Heroin;
(12) Hydromorphenol;
(13) Methyldesorphine;
(14) Methyldihydromorphine;
(15) Morphine methylbromide;
(16) Morphine methylsulfonate;
(17) Morphine-N-Oxide;
(18) Myrophine;
(19) Nicocodeine;
(20) Nicomorphine;
(21) Normorphine;
(22) Pholcodine;
(23) Thebacon.

1 (d) Hallucinogenic substances. Any material, compound, mixture or
 2 preparation that contains any quantity of the following hallucinogenic
 3 substances, their salts, isomers and salts of isomers, unless specifically
 4 excepted, whenever the existence of these salts, isomers, and salts of iso-
 5 mers is possible within the specific chemical designation (for purposes of
 6 this subsection only, the term "isomer" includes the optical, position and
 7 geometric isomers):

8 (1) Dimethoxyphenethylamine, or any compound not specifically
 9 excepted or listed in another schedule that can be formed from
 10 dimethoxyphenethylamine by replacement of one (1) or more hydrogen
 11 atoms with another atom(s), functional group(s) or substructure(s)
 12 including, but not limited to, compounds such as DOB, DOC, 2C-B,
 13 25B-NBOMe;

14 (2) Methoxyamphetamine or any compound not specifically excepted or
 15 listed in another schedule that can be formed from methoxyamphetamine
 16 by replacement of one (1) or more hydrogen atoms with another atom(s),
 17 functional group(s) or substructure(s) including, but not limited to,
 18 compounds such as PMA and DOM;

19 (3) 5-methoxy-3,4-methylenedioxy-amphetamine;

20 (4) 5-methoxy-N,N-diisopropyltryptamine;

21 (5) Amphetamine or methamphetamine with a halogen substitution on the
 22 benzyl ring, including compounds such as fluorinated amphetamine and
 23 fluorinated methamphetamine;

24 (6) 3,4-methylenedioxy amphetamine;

25 (7) 3,4-methylenedioxymethamphetamine (MDMA);

26 (8) 3,4-methylenedioxy-N-ethylamphetamine (also known as N-et-
 27 hyl-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-et-
 28 hyl MDA, MDE, MDEA);

29 (9) N-hydroxy-3,4-methylenedioxyamphetamine (also known as N-hyd-
 30 roxy-alpha-methyl-3,4 (methylenedioxy) phenethylamine, and N-hyd-
 31 roxy MDA);

32 (10) 3,4,5-trimethoxy amphetamine;

33 (11) 5-methoxy-N,N-dimethyltryptamine (also known as 5-methoxy-3-2[2-
 34 (dimethylamino)ethyl]indole and 5-MeO-DMT);

35 (12) Alpha-ethyltryptamine (some other names: etryptamine, 3-(2-am-
 36 inobutyl) indole);

37 (13) Alpha-methyltryptamine;

38 (14) Bufotenine;

39 (15) Diethyltryptamine (DET);

40 (16) Dimethyltryptamine (DMT);

41 (17) Ibogaine;

42 (18) Lysergic acid diethylamide;

43 (19) Marijuana;

44 (20) Mescaline;

45 (21) Methoxetamine;

46 ~~(21)~~ (22) Parahexyl;

47 ~~(22)~~ (23) Peyote;

48 ~~(23)~~ (24) N-ethyl-3-piperidyl benzilate;

49 ~~(24)~~ (25) N-methyl-3-piperidyl benzilate;

1 ~~(25)~~ (26) Para-methoxymethamphetamine (PMMA), 1-(4-methoxyphenyl)-N-
2 methylpropan-2-amine;

3 ~~(26)~~ (27) Psilocybin;

4 ~~(27)~~ (28) Psilocyn;

5 ~~(28)~~ (29) Tetrahydrocannabinols or synthetic equivalents of the sub-
6 stances contained in the plant, or in the resinous extractives of
7 Cannabis, sp. and/or synthetic substances, derivatives, and their iso-
8 mers with similar chemical structure such as the following:

9 i. Tetrahydrocannabinols, except for the permitted amount of
10 tetrahydrocannabinol found in industrial hemp, or nabiximols in a
11 drug product approved by the United States food and drug adminis-
12 tration:

13 a. Δ^1 cis or trans tetrahydrocannabinol, and their opti-
14 cal isomers, excluding dronabinol in sesame oil and encapsu-
15 lated in either a soft gelatin capsule or in an oral solution
16 in a drug product approved by the U.S. Food and Drug Adminis-
17 tration.

18 b. Δ^6 cis or trans tetrahydrocannabinol, and their optical
19 isomers.

20 c. $\Delta^{3,4}$ cis or trans tetrahydrocannabinol, and its optical
21 isomers. (Since nomenclature of these substances is not in-
22 ternationally standardized, compounds of these structures,
23 regardless of numerical designation of atomic positions are
24 covered.)

25 d. [(6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2methyl-
26 octan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-
27 1-ol)], also known as 6aR-trans-3-(1,1-dimethylhep-
28 tyl)-6a,7,10,10a-tetrahydro-1-hydroxy-6,6-dimethyl-6H-
29 dibenzo[b,d]pyran-9-methanol (HU-210) and its geometric
30 isomers (HU211 or dexanabinol).

31 ii. The following synthetic drugs:

32 a. Any compound structurally derived from (1H-indole-3-
33 yl)(cycloalkyl, cycloalkenyl, aryl)methanone, or (1H-in-
34 dole-3-yl)(cycloalkyl, cycloalkenyl, aryl)methane, or
35 (1H-indole-3-yl)(cycloalkyl, cycloalkenyl, aryl), methyl
36 or dimethyl butanoate, amino-methyl (or dimethyl)-1-oxobu-
37 tan-2-yl) carboxamide by substitution at the nitrogen atoms
38 of the indole ring or carboxamide to any extent, whether or
39 not further substituted in or on the indole ring to any ex-
40 tent, whether or not substituted to any extent in or on the
41 cycloalkyl, cycloalkenyl, aryl ring(s) (substitution in the
42 ring may include, but is not limited to, heteroatoms such as
43 nitrogen, sulfur and oxygen).

44 b. N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluo-
45 ropentyl)-1 H-indazole-3-carboxamide (5F-AB-PINACA).

46 c. 1-(1.3-benzodioxol-5-yl)-2-(ethylamino)-pentan-1-one
47 (N-ethylpentylone, ephylone).

48 d. 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1 H-inda-
49 zole-3-carboxamide (4-cn-cumyl-BUTINACA).

- 1 e. Ethyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxam-
2 ido)-3,3-dimethylbutanoate * (5F-EDMB-PINACA).
- 3 f. (1-(4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-tetra-
4 ethylcyclopropyl)methanone (~~fub~~ FUB-144).
- 5 g. 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-inda-
6 zole-3-carboxamide (5f-cumyl-pinaca; ~~sgt25~~ SGT-25).
- 7 h. (1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1
8 H-pyrrolo[2.3-B]pyridine-3-carboxamide (5fcumyl-P7AICA).
- 9 i. FUB-AMB, MMB- FUBINACA (Methyl 2-(1-(4-fluoroben-
10 zyl)-1H-indazole-3-carboxamido)-3-methylbutanoate.
- 11 j. Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxam-
12 ido)-3-methylbutanoate (MMB-CHMICA, AMB-CHMICA).
- 13 k. Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxam-
14 ido)-3,3-dimethylbutanoate (MDMB-CHMICA).
- 15 l. Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxam-
16 ido)-3,3-dimethylbutanoate (MDMB-FUBINACA).
- 17 m. Methyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxam-
18 ido)-3,3-dimethylbutanoate (5F-MDMBPICA).
- 19 n. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxam-
20 ido)-3,3-dimethylbutanoate (5F-ADB, 5FMDMB-PINACA).
- 21 o. Methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-carboxam-
22 ido)-3-methylbutanoate (5FAMB).
- 23 p. N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluo-
24 robenzyl)-1H-indazole-3-carboxamide (ADB-FUBINACA).
- 25 q. N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-
26 carboxamide (FUB-AKB48; FUB-APINACA).
- 27 r. N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-
28 carboxamide (5F-APINACA, 5F-AKB48).
- 29 s. N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(Cyclohexyl-
30 methyl)-1H-indazole-3-carboxamide (AB-CHMINACA).
- 31 t. Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-car-
32 boxylate (NM2201; CBL2201).
- 33 u. Any compound structurally derived from 3-(1-naph-
34 thoyl)pyrrole by substitution at the nitrogen atom of the
35 pyrrole ring to any extent, whether or not further sub-
36 stituted in the pyrrole ring to any extent, whether or not
37 substituted in the naphthyl ring to any extent.
- 38 v. Any compound structurally derived from 1-(1-naphthyl-
39 methyl)indene by substitution at the 3-position of the in-
40 dene ring to any extent, whether or not further substituted
41 in the indene ring to any extent, whether or not substituted
42 in the naphthyl ring to any extent.
- 43 w. Any compound structurally derived from 3-phenyl-
44 acetylindole by substitution at the nitrogen atom of the
45 indole ring to any extent, whether or not further substi-
46 tuted in the indole ring to any extent, whether or not sub-
47 stituted in the phenyl ring to any extent.
- 48 x. Any compound structurally derived from 2-(3-hydroxycy-
49 clohexyl)phenol by substitution at the 5-position of the

- 1 phenolic ring to any extent, whether or not substituted in
 2 the cyclohexyl ring to any extent.
- 3 y. Any compound structurally derived from 3-(benzoyl)in-
 4 dolo structure with substitution at the nitrogen atom of
 5 the indole ring to any extent, whether or not further sub-
 6 stituted in the indole ring to any extent and whether or not
 7 substituted in the phenyl ring to any extent.
- 8 z. [2,3-dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrol-
 9 o[1,2,3-de]-1,4-benzoxazin-6-yl]-1-naphthalenylmethanone
 10 (WIN-55,212-2).
- 11 aa. 3-dimethylheptyl-11-hydroxyhexahydrocannabinol (HU-
 12 243).
- 13 bb. [(6S, 6aR, 9R, 10aR)-9-hydroxy-6-methyl-3-[(2R)-
 14 5-phenylpentan-2-yl]oxy-5,6,6a,7,8,9,10,10a-octahy-
 15 drophenanthridin-1-yl]acetate (CP 50,5561).
- 16 ~~(29)~~ (30) Ethylamine analog of phencyclidine: N-ethyl-1-phenylcy-
 17 clohexylamine (1-phenylcyclohexyl) ethylamine; N-(1-phenylcy-
 18 clohexyl) ethylamine, cyclohexamine, PCE;
- 19 ~~(30)~~ (31) Pyrrolidine analog of phencyclidine: 1-(phenylcyclohex-
 20 yl) -pyrrolidine, PCPy, PHP;
- 21 ~~(31)~~ (32) Thiophene analog of phencyclidine 1-[1-(2-thienyl)-cy-
 22 clohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP;
- 23 ~~(32)~~ (33) Thiofuranyl fentanyl;
- 24 ~~(33)~~ (34) 1-[1-(2-thienyl) cyclohexyl] pyrrolidine another name: TCPy;
- 25 ~~(34)~~ (35) Spores or mycelium capable of producing mushrooms that contain
 26 psilocybin or psilocin.
- 27 (e) Unless specifically excepted or unless listed in another schedule,
 28 any material, compound, mixture or preparation which contains any quantity
 29 of the following substances having a depressant effect on the central ner-
 30 vous system, including its salts, isomers, and salts of isomers whenever the
 31 existence of such salts, isomers, and salts of isomers is possible within the
 32 specific chemical designation:
- 33 (1) Gamma hydroxybutyric acid (some other names include GHB; gam-
 34 ma-hydroxybutyrate, 4-hydroxybutyrate; 4-hydroxybutanoic acid; sod-
 35 ium oxybate; sodium oxybutyrate);
- 36 (2) Flunitrazepam (also known as R2, Rohypnol);
- 37 (3) Mecloqualone;
- 38 (4) Methaqualone.
- 39 (f) Stimulants. Unless specifically excepted or unless listed in an-
 40 other schedule, any material, compound, mixture, or preparation which con-
 41 tains any quantity of the following substances having a stimulant effect on
 42 the central nervous system, including its salts, isomers, and salts of iso-
 43 mers:
- 44 (1) Amineptine (7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5-
 45 yl)amino]heptanoic acid);
- 46 ~~(1)~~ (2) Aminorex (some other names: aminoxaphen, 2-amino-5-phenyl-2-
 47 oxazoline, or 4,5-dihydro-5-phenyl-2-oxazolamine), 4,4'-dimethylam-
 48 inorex (4,4'-DMAR; 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazo-
 49 lamine) or (4,5-dihydro-5-phenyl-2-oxazolamine);

- 1 ~~(2)~~ (3) Cathinone (some other names: 2-amino-1-phenol-1-propanone,
2 alpha-aminopropiophenone, - 2-aminopropiophenone and norephedrone);
3 ~~(3)~~ (4) Substituted cathinones. Any compound, except bupropion or
4 compounds listed under a different schedule, structurally derived
5 from 2-aminopropan-1-one by substitution at the 1-position with either
6 phenyl, naphthyl or thiophene ring systems, whether or not the compound
7 is further modified in any of the following ways:
8 i. By substitution in the ring system to any extent with alkyl,
9 alkylenedioxy, alkoxy, haloalkyl, hydroxyl or halide sub-
10 stituents, whether or not further substituted in the ring system
11 by one (1) or more other univalent substituents;
12 ii. By substitution at the 3-position with an acyclic alkyl sub-
13 stituent;
14 iii. By substitution at the 2-amino nitrogen atom with alkyl,
15 dialkyl, benzyl or methoxybenzyl groups, or by inclusion of the
16 2-amino nitrogen atom in a cyclic structure.
17 ~~(4)~~ (5) Alpha-pyrrolidinoheptaphenone* (PV8);
18 ~~(5)~~ (6) Alpha-pyrrolidinohexanophenone* (A-PHP);
19 ~~(6)~~ (7) 4-chloro-alpha-pyrrolidinovalerophenone* (4chloro-a-pvp);
20 (8) Eutylone (1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-one);
21 ~~(7)~~ (9) Fenethylamine;
22 (10) Mesocarb (N-phenyl-N'-(3-(1-phenylpropan-2-yl)-1,2,3-oxadia-
23 zol-3-ium-5-yl)carbamimidate);
24 ~~(8)~~ (11) Methcathinone (some other names: 2-(methyl-amino)-pro-
25 piophenone, alpha-(methylamino)-propiophenone, N-methylcathin-
26 one, AL-464, AL-422, AL-463 and UR1423);
27 (12) Methiopropamine (N-methyl-1-(thiophen-2-yl)propan-2-amine);
28 ~~(9)~~ (13) (+/-) cis-4-methylaminorex [(+/-) cis-4,5-dihydro-4-meth-
29 yl-5-phenyl-2-oxazolamine];
30 ~~(10)~~ (14) 4-methyl-alpha-ethylaminopentiophenone* (4-MEAP);
31 ~~(11)~~ (15) 4'-methyl-alpha-pyrrolidinohexiophenone* (MPHP);
32 ~~(12)~~ (16) N-benzylpiperazine (also known as: BZP, 1-benzylpiperazine);
33 ~~(13)~~ (17) N-ethylamphetamine;
34 ~~(14)~~ (18) N-ethylhexedrone*;
35 ~~(15)~~ (19) N,N-dimethylamphetamine (also known as: N,N-al-
36 pha-trimethyl-benzeneethanamine).

37 SECTION 2. SEVERABILITY. The provisions of this act are hereby declared
38 to be severable and if any provision of this act or the application of such
39 provision to any person or circumstance is declared invalid for any reason,
40 such declaration shall not affect the validity of the remaining portions of
41 this act.

42 SECTION 3. An emergency existing therefor, which emergency is hereby
43 declared to exist, this act shall be in full force and effect on and after its
44 passage and approval.