

January 25, 2022

SENATE BILL No. 411

DIGEST OF SB 411 (Updated January 21, 2022 8:21 am - DI 140)

Citations Affected: IC 5-28; IC 8-1.

Synopsis: Commercial solar and wind energy. Establishes within the Indiana economic development corporation (IEDC) the commercial solar and wind energy ready communities development center (center). Sets forth the following duties of the center: (1) Providing and making easily accessible comprehensive information concerning permits required for comprehensive information concerning permits required for commercial solar projects, wind power projects, and related business activities in Indiana. (2) Working with permit authorities for such projects. Provides that in addition to these duties, the center shall create and administer: (1) a program to certify a unit as a commercial solar energy ready community; and (2) a program to certify a unit as a wind energy ready community, and (2) a program to IEDC shall certify a unit as a commercial solar energy ready community if the unit meets certain requirements, including the adoption of a commercial solar regulation that includes standards that are not more restrictive than the default standards for commercial solar energy systems set forth in the bill. Provides that if: (1) a unit receives certification as a commercial solar energy ready community; and (2) after the unit's certification, a project owner develops a commercial solar project in the unit; the IEDC shall authorize the unit to receive for a period of 10 years, beginning with the start date of the commercial solar project's full commercial operation, \$1 per megawatt hour of electricity generated by the commercial solar project, if the IEDC determines that the procedures and standards set forth in the unit's commercial solar regulation were adhered to in the development of the (Continued next page)

Effective: July 1, 2022.

Messmer

January 12, 2022, read first time and referred to Committee on Utilities. January 24, 2022, reported favorably — Do Pass.



Digest Continued

project. Provides that if the IEDC determines at any time during this 10 year period that the unit has failed to continue to maintain: (1) the standards and procedural framework set forth in the unit's commercial solar regulation; and (2) all applicable zoning, land use, and planning regulations; with respect to the project, the corporation shall discontinue the incentive and shall require the unit to return to the project owner any amounts collected by the unit after the unit's breach. Sets forth the same requirements for a unit to receive: (1) certification as a wind energy ready community; and (2) the per megawatt hour incentive for wind energy produced by a wind power project approved under the unit's wind power regulation. Establishes default standards concerning the following with respect to wind power projects in units that are certified as wind energy ready communities, or that otherwise adopt the standards: (1) Setback requirements. (2) Height restrictions. (3) Shadow flicker limitations. (4) Signal interference. (5) Sound level limitations. (6) Wind turbine light mitigation technology. (7) Required repairs to drainage related infrastructure. (8) Project decommissioning. Establishes default standards concerning the following with respect to commercial solar projects in units that are certified as commercial solar energy ready communities, or that otherwise adopt the standards: (1) Setback requirements. (3) Ground cover. (4) Fencing. (5) Cables. (6) Glare. (7) Signal interference. (8) Sound level limitations. (9) Required repairs to drainage related infrastructure. (10) Project decommissioning.



January 25, 2022

Second Regular Session of the 122nd General Assembly (2022)

PRINTING CODE. Amendments: Whenever an existing statute (or a section of the Indiana Constitution) is being amended, the text of the existing provision will appear in this style type, additions will appear in this style type, and deletions will appear in this style type.

Additions: Whenever a new statutory provision is being enacted (or a new constitutional provision adopted), the text of the new provision will appear in **this style type**. Also, the word **NEW** will appear in that style type in the introductory clause of each SECTION that adds a new provision to the Indiana Code or the Indiana Constitution.

Conflict reconciliation: Text in a statute in *this style type* or *this style type* reconciles conflicts between statutes enacted by the 2021 Regular Session of the General Assembly.

SENATE BILL No. 411

A BILL FOR AN ACT to amend the Indiana Code concerning utilities.

Be it enacted by the General Assembly of the State of Indiana:

1 SECTION 1. IC 5-28-28.6 IS ADDED TO THE INDIANA CODE 2 AS A NEW CHAPTER TO READ AS FOLLOWS [EFFECTIVE 3 JULY 1, 2022]: 4 Chapter 28.6. Commercial Solar and Wind Energy Ready 5 **Communities** 6 Sec. 1. As used in this chapter, "center" refers to the 7 commercial solar and wind energy ready communities 8 development center established by section 11 of this chapter. 9 Sec. 2. As used in this chapter, "commercial solar project" 10 means a project involving the construction, installation, siting, 11 modification, operation, or decommissioning of one (1) or more 12 commercial solar energy systems (as defined in IC 8-1-42-2) in a

13 unit.

Sec. 3. As used in this chapter, "commercial solar regulation"
has the meaning set forth in IC 8-1-42-3.



1 Sec. 4. As used in this chapter, "permit", with respect to a 2 project, means any state or local permit, license, certificate, 3 approval, registration, or similar form of approval required by 4 statute, administrative rule, regulation (including a commercial 5 solar regulation or a wind power regulation), ordinance, or 6 resolution. 7 Sec. 5. As used in this chapter, "permit authority" has the 8 meaning set forth in: 9 (1) IC 8-1-41-4, in the case of a wind power project; or 10 (2) IC 8-1-42-6, in the case of a commercial solar project. 11 Sec. 6. A used in this chapter, "project" refers to: 12 (1) a wind power project; or 13 (2) a commercial solar project. 14 Sec. 7. As used in this chapter, "project owner" has the meaning 15 set forth in: 16 (1) IC 8-1-41-5, in the case of a wind power project; or 17 (2) IC 8-1-42-7, in the case of a commercial solar project. 18 Sec. 8. As used in this chapter, "unit" means a county or a 19 municipality, as specified in: 20 (1) IC 8-1-41-6, in the case of a wind power project; or 21 (2) IC 8-1-42-8, in the case of a commercial solar project. 22 Sec. 9. As used in this chapter, "wind power project" means a 23 project involving the construction, installation, siting, modification, 24 operation, or decommissioning of one (1) or more wind power 25 devices (as defined in IC 8-1-41-7) in a unit. 26 Sec. 10. As used in this chapter, "wind power regulation" has 27 the meaning set forth in IC 8-1-41-8. 28 Sec. 11. (a) The commercial solar and wind energy ready 29 communities development center is established within the 30 corporation. The center has the following duties: 31 (1) Providing comprehensive information concerning permits 32 required for projects and related business activities in 33 Indiana, and making the information available and easily 34 accessible to: 35 (A) project owners; 36 (B) state and local government offices, departments, and 37 administrative entities; and 38 (C) the public. 39 (2) Working with permit authorities to encourage the timely 40 and efficient issuance of permits and the resolution of related 41 issues. 42 (b) In addition to the duties set forth in subsection (a), the center



1 shall create and administer the following programs: 2 (1) A program to certify a unit as a commercial solar energy 3 ready community under section 12 of this chapter. 4 (2) A program to certify a unit as a wind energy ready 5 community under section 13 of this chapter. 6 Sec. 12. (a) A unit may apply to the corporation for certification 7 as a commercial solar energy ready community. The application 8 must be in a form and manner prescribed by the corporation. The 9 corporation shall approve an application and certify a unit as a 10 commercial solar energy ready community if the corporation 11 determines the following: 12 (1) That the unit has adopted a resolution indicating support 13 for the development of commercial solar projects in the unit. 14 (2) That the unit has adopted a commercial solar regulation 15 that includes clear standards for the construction, installation, 16 siting, modification, operation, or decommissioning of one (1) 17 or more commercial solar energy systems (as defined in 18 IC 8-1-42-2) in the unit. 19 (3) That the unit's commercial solar regulation: 20 (A) includes standards that are not more restrictive, 21 directly or indirectly, than the default standards for 22 commercial solar energy systems set forth in IC 8-1-42; 23 (B) provides a clear and transparent process for project 24 owners to identify potential commercial solar project sites; 25 (C) does not unreasonably eliminate portions of the unit as 26 sites for commercial solar projects; 27 (D) provides for a fair review and approval process for 28 proposed commercial solar projects, including final 29 approval that cannot be revoked; and 30 (E) includes a specific plan for using any funds from an 31 incentive granted by the corporation under subsection (b): 32 (i) for economic development purposes within or near 33 the commercial solar project's footprint; or 34 (ii) to otherwise benefit residents and businesses within 35 or near the commercial solar project's footprint. 36 (4) That the unit has demonstrated a commitment to 37 maintain: 38 (A) the standards and procedural framework set forth in 39 the unit's commercial solar regulation; and 40 (B) all applicable zoning, land use, and planning 41 regulations; 42 with respect to any particular commercial solar project that

SB 411-LS 7174/DI 101



1 is approved under the unit's commercial solar regulation, for 2 a period of at least ten (10) years, beginning with the start 3 date of the commercial solar project's full commercial 4 operation. 5 (b) If: 6 (1) a unit receives certification as a commercial solar energy 7 ready community by the corporation under this section; and 8 (2) after the unit's certification, a project owner develops a 9 commercial solar project in the unit; 10 the corporation shall authorize the unit to receive for a period of 11 ten (10) years, beginning with the start date of the commercial 12 solar project's full commercial operation, one dollar (\$1) per 13 megawatt hour of electricity generated by the commercial solar 14 project, if the corporation determines that the procedures and 15 standards set forth in the unit's commercial solar regulation were 16 adhered to in the development of the project. However, if the 17 corporation determines at any time after the start of the 18 commercial solar project's full commercial operation that the unit 19 has failed to continue to meet the requirement for certification set 20 forth in subsection (a)(4), the corporation shall discontinue the 21 incentive granted under this subsection and shall require the unit 22 to return to the project owner any amounts collected by the unit 23 under this subsection after the unit's breach of the requirement for 24 certification set forth in subsection (a)(4). 25 Sec. 13. (a) A unit may apply to the corporation for certification 26 as a wind energy ready community. The application must be in a 27 form and manner prescribed by the corporation. The corporation 28 shall approve an application and certify a unit as a wind energy 29 ready community if the corporation determines the following: 30 (1) That the unit has adopted a resolution indicating support 31 for the development of wind power projects in the unit. 32 (2) That the unit has adopted a wind power regulation that 33 includes clear standards for the construction, installation, 34 siting, modification, operation, or decommissioning of one (1) 35 or more wind power devices (as defined in IC 8-1-41-7) in the 36 unit. 37 (3) That the unit's wind power regulation: 38 (A) includes standards that are not more restrictive, 39 directly or indirectly, than the default standards for wind 40 power devices set forth in IC 8-1-41; 41 (B) provides a clear and transparent process for project

owners to identify potential wind power project sites;

SB 411—LS 7174/DI 101



1	(C) does not unreasonably eliminate portions of the unit as
2	sites for wind power projects;
3	(D) provides for a fair review and approval process for
4	proposed wind power projects, including final approval
5	that cannot be revoked; and
6	(E) includes a specific plan for using any funds from an
7	incentive granted by the corporation under subsection (b):
8	(i) for economic development purposes within or near
9	the wind power project's footprint; or
10	(ii) to otherwise benefit residents and businesses within
11	or near the wind power project's footprint.
12	(4) That the unit has demonstrated a commitment to
13	maintain:
14	(A) the standards and procedural framework set forth in
15	the unit's wind power regulation; and
16	(B) all applicable zoning, land use, and planning
17	regulations;
18	with respect to any particular wind power project that is
19	approved under the unit's commercial solar regulation, for a
20	period of at least ten (10) years, beginning with the start date
21	of the wind power project's full commercial operation.
22	(b) If:
23	(1) a unit receives certification as a wind energy ready
24	community by the corporation under this section; and
25	(2) after the unit's certification, a project owner develops a
26	wind power project in the unit;
27	the corporation shall authorize the unit to receive for a period of
28	ten (10) years, beginning with the start date of the wind power
29	project's full commercial operation, one dollar (\$1) per megawatt
30	hour of electricity generated by the wind power project, if the
31	corporation determines that the procedures and standards set
32	forth in the unit's wind power regulation were adhered to in the
33	development of the project. However, if the corporation determines
34	at any time after the start of the wind power project's full
35	commercial operation that the unit has failed to continue to meet
36	the requirement for certification set forth in subsection (a)(4), the
37	corporation shall discontinue the incentive granted under this
38	subsection and shall require the unit to return to the project owner
39	any amounts collected by the unit under this subsection after the
40	unit's breach of the requirement for certification set forth in
41	subsection (a)(4).
42	Sec. 14. A unit may be certified as both:

1 (1) a commercial solar energy ready community under section 2 12 of this chapter; and 3 (2) a wind energy ready community under section 13 of this 4 chapter; 5 if the unit meets the requirements for certification set forth in both 6 sections 12 and 13 of this chapter. 7 SECTION 2. IC 8-1-41 IS ADDED TO THE INDIANA CODE AS 8 A NEW CHAPTER TO READ AS FOLLOWS [EFFECTIVE JULY 9 1, 2022]: 10 **Chapter 41. Default Standards for Wind Power Devices** 11 Sec. 1. (a) Except as provided in subsections (c) and (d), and 12 subject to section 9(b) of this chapter, the standards set forth in 13 sections 10 through 16 of this chapter apply to a project owner 14 that, after June 30, 2022, submits an initial request for a project to 15 install or locate one (1) or more wind power devices in a unit that 16 has been certified as a wind energy ready community under 17 IC 5-28-28.6. 18 (b) Except as provided in subsections (c) and (d), and subject to 19 section 9(b) of this chapter, one (1) or more particular standards 20 set forth in sections 10 through 16 of this chapter apply to a project 21 owner that submits an initial request for a project to install or 22 locate one (1) or more wind power devices in a unit that has in 23 effect a wind power regulation that includes those particular 24 standards at the time the project owner's initial request is 25 submitted. 26 (c) Subject to a unit's planning and zoning powers under 27 IC 36-7, this chapter does not apply to a property owner that seeks 28 to install a wind power device on the property owner's premises for 29 the purpose of generating electricity to meet or offset all or part of 30 the need for electricity on the premises, whether through 31 distributed generation, participation in a net metering or 32 feed-in-tariff program offered by an electricity supplier (as defined 33 in IC 8-1-40-4), or otherwise. 34 (d) A standard set forth in sections 10 through 16 of this chapter 35 does not apply to any of the following, unless the standard is 36 already agreed to before July 1, 2022, by the parties involved: 37 (1) Any proposal, request, or application that: 38 (A) concerns the construction, installation, siting, 39 modification, operation, or decommissioning of one (1) or 40 more wind power devices in a unit; 41 (B) is submitted by a project owner to a unit before July 1, 42 2022; and



1	(C) is pending as of July 1, 2022;
2	as set forth in IC 36-7-4-1109.
$\frac{2}{3}$	(2) The:
4	(A) construction;
5	(B) installation;
6	(C) siting;
7	(D) modification;
8	(E) operation; or
9	(F) decommissioning;
10	of one (1) or more wind power devices in a unit that before
11	July 1, 2022, has approved such construction, installation,
12	siting, modification, operation, or decommissioning.
13	(3) Any:
14	(A) economic development agreement; or
15	(B) other agreement;
16	entered into before July 1, 2022, with respect to the
17	construction, installation, siting, modification, operation, or
18	decommissioning of one (1) or more wind power devices in
19	one (1) or more units.
20	Sec. 2. As used in this chapter, "dwelling" means any building,
21	structure, or part of a building or structure that is occupied as, or
22	is designed or intended for occupancy as, a residence by one (1) or
23	more families or individuals.
24	Sec. 3. (a) As used in this chapter, "nonparticipating property"
25	means a lot or parcel of real property:
26	(1) that is not owned by a project owner; and
27	(2) with respect to which:
28	(A) the project owner does not seek:
29	(i) to install or locate one (1) or more wind power devices
30	or other facilities related to a wind power project
31	(including power lines, temporary or permanent access
32	roads, or other temporary or permanent infrastructure);
33	or
34	(ii) to otherwise enter into a lease or any other
35	agreement with the owner of the property for use of all
36	or part of the property in connection with a wind power
37	project; or
38	(B) the owner of the property does not consent:
39	(i) to having one (1) or more wind power devices or other
40	facilities related to a wind power project (including
41	power lines, temporary or permanent access roads, or
42	other temporary or permanent infrastructure) installed



1	
1	or located; or
2 3	(ii) to otherwise enter into a lease or any other
	agreement with the project owner for use of all or part
4	of the property in connection with a wind power project.
5	(b) The term does not include a lot or parcel of real property
6	otherwise described in subsection (a) if the owner of the lot or
7	parcel consents to participate in a wind power project through a
8	neighbor agreement, a participation agreement, or another similar
9	arrangement or agreement with a project owner.
10	Sec. 4. (a) As used in this chapter, "permit authority" means:
11	(1) a unit; or
12	(2) a board, a commission, or any other governing body of a
13	unit;
14	that makes legislative or administrative decisions concerning the
15	construction, installation, siting, modification, operation, or
16	decommissioning of wind power devices in the unit.
17	(b) The term does not include:
18	(1) the state or any of its agencies, departments, boards,
19	commissions, authorities, or instrumentalities; or
20	(2) a court or other judicial body that reviews decisions or
21	rulings made by a permit authority.
22	Sec. 5. (a) As used in this chapter, "project owner" means a
23	person that:
24	(1) will own one (1) or more wind power devices proposed to
25	be located in a unit; or
26	(2) owns one (1) or more wind power devices located in a unit.
27	(b) The term includes an agent or a representative of a person
28	described in subsection (a).
29	(c) The term does not include an electricity supplier (as defined
30	in IC 8-1-2.3-2).
31	Sec. 6. (a) As used in this chapter, "unit" refers to:
32	(1) a county, if a project owner, as part of a single wind power
33	project or development, seeks to locate one (1) or more wind
34	power devices:
35	(A) entirely within unincorporated areas of the county;
36	(B) within both unincorporated areas of the county and
37	one (1) or more municipalities within the county; or
38	(C) entirely within two (2) or more municipalities within
39 40	the county; or
40	(2) a municipality, if:
41	(A) a project owner, as part of a single wind power project
42	or development, seeks to locate one (1) or more wind



1	power devices entirely within the boundaries of the
2 3	municipality; and
	(B) subdivision (1)(B) or (1)(C) does not apply.
4	(b) The term refers to:
5	(1) each county described in subsection (a)(1) in which a
6	project owner seeks to locate one (1) or more wind power
7	devices, if the project owner seeks to locate wind power
8	devices in more than one (1) county as part of a single wind
9	power project or development; and
10	(2) each municipality described in subsection (a)(2) in which
11	a project owner seeks to locate one (1) or more wind power
12	devices, if the project owner seeks to locate wind power
13	devices in two (2) or more municipalities, each of which is
14	located in a different county.
15	Sec. 7. As used in this chapter, "wind power device" means a
16	device, including a windmill or a wind turbine, that is designed to
17	use the kinetic energy of moving air to provide mechanical energy
18	or to produce electricity.
19	Sec. 8. As used in this chapter, "wind power regulation" refers
20	to any ordinance or regulation, including any:
21	(1) zoning or land use ordinance or regulation; or
22	(2) general or specific planning ordinance or regulation;
23	that is adopted by a unit and that concerns the construction,
24	installation, siting, modification, operation, or decommissioning of
25	wind power devices in the unit.
26	Sec. 9. (a) A permit authority for a unit described in section 1(a)
27	or 1(b) of this chapter is responsible for enforcing compliance with
28	any standards set forth in sections 10 through 16 of this chapter
29	that apply in the unit under section 1(a) or 1(b) of this chapter.
30	(b) A unit may:
31	(1) adopt and enforce a wind power regulation that includes
32	standards that:
33	(A) concern the construction, installation, siting,
34	modification, operation, or decommissioning of wind
35	power devices in the unit; and
36	(B) are less restrictive than the standards set forth in this
37	chapter;
38	(2) waive or make less restrictive any standard set forth in
39	this chapter with respect to any particular:
40	(A) wind power device; or
41	(B) project to install one (1) or more wind power devices in
42	the unit; or



1 (3) waive or make less restrictive any standard that is not set 2 forth in this chapter but that is included in a wind power 3 regulation adopted by the unit with respect to any particular: 4 (A) wind power device; or 5 (B) project to install one (1) or more wind power devices in 6 the unit. 7 (c) This chapter does not affect a unit's planning and zoning 8 powers under IC 36-7 with respect to the installation or siting of 9 one (1) or more wind power devices in the unit. 10 Sec. 10. (a) Subject to subsection (h), and except as otherwise 11 allowed by IC 36-7-4-1109, a project owner may not install or 12 locate a wind power device on property in a unit unless the 13 distance, measured as a straight line, from the vertical centerline 14 of the base of the wind power device to: 15 (1) the centerline of any: 16 (A) runway located on a public use airport, private use 17 airport, or municipal airport; 18 (B) public use highway, street, or road; or 19 (C) railroad easement or right-of-way; or 20 (2) the property line of any nonparticipating property; 21 is equal to a distance that is at least one and one-tenth (1.1) times 22 the wind power device's blade tip height, as measured from the 23 ground to the tip of the blade. 24 (b) Subject to subsection (h), and except as otherwise allowed by 25 IC 36-7-4-1109, a project owner may not install or locate a wind 26 power device on property in a unit unless the distance, measured 27 as a straight line, from the vertical centerline of the base of the 28 wind power device to the nearest point on the outer wall of a 29 dwelling located on a nonparticipating property is equal to a 30 distance that is at least three (3) times the wind power device's 31 blade tip height, as measured from the ground to the tip of the 32 blade. 33 (c) Except as otherwise allowed by IC 36-7-4-1109, a project 34 owner may not install or locate a wind power device on property 35 in a unit unless the distance, measured as a straight line, from the 36 vertical centerline of the base of the wind power device to the 37 nearest edge of the right-of-way for any utility transmission or 38 distribution line is equal to a distance that is at least one and 39 two-tenths (1.2) times the wind power device's blade tip height, as 40 measured from the ground to the tip of the blade. 41 (d) Except as otherwise allowed by IC 36-7-4-1109, a project 42 owner may not install or locate a wind power device on property

in a unit unless the distance, measured as a straight line, from the vertical centerline of the base of the wind power device to the property line of any undeveloped land within the unit that is zoned or platted for residential use is equal to a distance that is at least two (2) times the wind power device's blade tip height, as measured from the ground to the tip of the blade.

(e) Except as otherwise allowed by IC 36-7-4-1109, a project
owner may not install or locate a wind power device on property
in a unit unless the distance, measured as a straight line, from the
vertical centerline of the base of the wind power device to the
property line of a state park is equal to a distance of at least one (1)
mile.

13 (f) A project owner may not install or locate a wind power 14 device within a county unless the distance, measured as a straight 15 line, from the vertical centerline of the base of the wind power 16 device to the corporate boundaries of any municipality within the 17 county is equal to a distance of at least one (1) mile. However, a 18 municipality may waive or reduce the minimum distance 19 prescribed by this subsection with respect to the installation of one 20 (1) or more wind power devices.

(g) Except as otherwise allowed by IC 36-7-4-1109, a permit
authority, with respect to the siting or construction of any wind
power device within the unit, may not set a blade tip height
limitation, through a wind power regulation or otherwise, that is
more restrictive than the standards of the Federal Aviation
Administration under 14 CFR Part 77 concerning the safe, efficient
use and preservation of the navigable airspace.

(h) The distance requirements set forth in subsections (a)(2) and
(b) may be waived with respect to the siting of any one (1) wind power device, subject to the written consent of the owner of each affected nonparticipating property.

Sec. 11. (a) Subject to subsection (c), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate one (1) or more wind power devices in a unit unless the project owner demonstrates to the permit authority that with respect to each wind power device that the project owner seeks to install or locate in the unit:

(1) the project owner has used shadow flicker computer modeling to estimate the amount of shadow flicker anticipated to be caused by the wind power device; and

41 (2) the wind power device has been designed such that 42 industry standard computer modeling indicates that any

SB 411-LS 7174/DI 101



1

2

3

4

5

6

28

29

30

31

32

33

34

35

36

37

38

39

1 dwelling on a nonparticipating property within the unit will 2 not experience more than thirty (30) hours per year of shadow 3 flicker under planned operating conditions for the wind 4 power device. 5 (b) After a project owner installs or locates a wind power device 6 in a unit, the project owner shall work with the owner of any 7 affected dwelling on a nonparticipating property to mitigate the 8 effects of shadow flicker to the extent reasonably practicable. 9 (c) The requirement set forth in subsection (a)(2) may be waived 10 with respect to any one (1) wind power device, subject to the 11 written consent of the owner of each affected nonparticipating 12 property. 13 Sec. 12. Except as otherwise allowed by IC 36-7-4-1109, a wind 14 power device installed in a unit must be installed in a manner so as 15 to minimize and mitigate impacts to: 16 (1) television signals; 17 (2) microwave signals; 18 (3) agricultural global positioning systems; 19 (4) military defense radar; 20 (5) radio reception; or 21 (6) weather and doppler radar. 22 Sec. 13. (a) Subject to subsection (b), and except as otherwise 23 allowed by IC 36-7-4-1109, a project owner may not install or 24 locate a wind power device in a unit unless the project owner 25 demonstrates to the permit authority that the wind power device 26 will operate in a manner such that the sound attributable to the 27 wind power device will not exceed an hourly average sound level 28 of fifty (50) A-weighted decibels, as modeled at the outer wall of an 29 affected dwelling. 30 (b) The requirement set forth in subsection (a) may be waived 31 with respect to any one (1) wind power device, subject to the 32 written consent of the owner of each affected property. 33 Sec. 14. (a) As used in this section, "wind turbine light 34 mitigation technology" means any technology used in connection 35 with a wind power device to shield, limit, or otherwise mitigate the 36 amount, intensity, character, or visibility of light emitted from the 37 wind power device. 38 (b) Except as otherwise allowed by IC 36-7-4-1109, after 39 January 1, 2023, and to the extent permissible under federal law or 40 regulations, a project owner may not commence construction on a 41 wind power device on property in a unit unless the wind power 42 device is equipped with a wind turbine light mitigation technology,

1 subject to any supply chain constraints with respect to the 2 technology. However, a permit authority shall waive this 3 requirement if: 4 (1) the Federal Aviation Administration denies the project 5 owner's application to use a wind turbine light mitigation 6 technology; or 7 (2) the project owner determines that the use of a wind 8 turbine light mitigation technology is not economically 9 feasible. 10 Sec. 15. This section applies with respect to a wind power device 11 that is constructed or installed in a unit after June 30, 2022. Except 12 as otherwise allowed by IC 36-7-4-1109, all damages to waterways, 13 drainage ditches, field tiles, or other drainage related 14 infrastructure caused by the construction, installation, or 15 maintenance of a wind power device must be completely repaired 16 by the project owner to near original condition so as to not impede 17 the natural flow of water. All repairs must be completed within a 18 reasonable period of time and: 19 (1) to the satisfaction of the unit; and 20 (2) as stated in an applicable lease or another agreement with 21 the landowner: 22 subject to applicable federal, state, and local drainage laws and 23 regulations. 24 Sec. 16. (a) Subject to subsection (b), and except as otherwise 25 allowed by IC 36-7-4-1109, a project owner may not install or 26 locate a wind power device in a unit unless the project owner 27 submits to the permit authority a decommissioning and site 28 restoration plan, and posts a surety bond, or an equivalent means 29 of security acceptable to the permit authority, including a parent 30 company guarantee or an irrevocable letter of credit, in an amount 31 equal to the estimated cost of decommissioning the wind power 32 device, as calculated by a third party licensed or registered 33 engineer, or by another person with suitable experience in the 34 decommissioning of wind power devices, as agreed upon by the 35 project owner and the permit authority. The required bond or 36 other security shall be posted in increments such that the total 37 amount of the bond or security posted is as follows: 38 (1) An amount equal to twenty-five percent (25%) of the total 39 estimated decommissioning costs not later than the start date 40

of the wind power device's full commercial operation. For purposes of this subdivision, the total estimated decommissioning costs shall be reevaluated by a third party

SB 411-LS 7174/DI 101



41

licensed or registered engineer (or by another person with suitable experience in the decommissioning of wind power devices, as agreed upon by the project owner and the permit authority) in connection with the:

(A) fifth anniversary; and

(B) tenth anniversary;

1

2

3

4

5

6

7 of the start date of the wind power device's full commercial
8 operation, and the total amount of the bond or security posted
9 under this subdivision shall be adjusted as necessary after
10 each reevaluation.

11 (2) An amount equal to fifty percent (50%) of the total 12 estimated decommissioning costs not later than the fifteenth 13 anniversary of the start date of the wind power device's full 14 commercial operation. For purposes of this subdivision, the 15 total estimated decommissioning costs shall be reevaluated by 16 a third party licensed or registered engineer (or by another 17 person with suitable experience in the decommissioning of 18 wind power devices, as agreed upon by the project owner and 19 the permit authority) in connection with the fifteenth 20 anniversary of the start date of the wind power device's full 21 commercial operation, and the total amount of the bond or 22 security posted under this subdivision shall be adjusted as 23 necessary after the reevaluation.

24 (3) An amount equal to one hundred percent (100%) of the 25 total estimated decommissioning costs not later than the 26 twentieth anniversary of the start date of the wind power 27 device's full commercial operation. For purposes of this 28 subdivision, the total estimated decommissioning costs shall 29 be reevaluated by a third party licensed or registered 30 engineer (or by another person with suitable experience in the 31 decommissioning of wind power devices, as agreed upon by 32 the project owner and the permit authority):

(A) in connection with the twentieth anniversary of the start date of the wind power device's full commercial operation; and

36 (B) at least once every succeeding five (5) year period after
37 the twentieth anniversary of the start date of the wind
38 power device's full commercial operation;

39and the total amount of the bond or security posted under this40subdivision shall be adjusted as necessary after each41reevaluation.

(b) For purposes of this section, the estimated cost of

SB 411-LS 7174/DI 101



33

34

35

1 decommissioning a wind power device, as calculated by a licensed 2 or registered professional engineer (or by another person with 3 suitable experience in the decommissioning of wind power devices, 4 as agreed upon by the project owner and the permit authority), 5 shall be net of any estimated salvage value attributable to the wind 6 power device at the time of decommissioning, unless the unit and 7 the project owner agree to include any such value in the estimated 8 cost.

9 SECTION 3. IC 8-1-42 IS ADDED TO THE INDIANA CODE AS
10 A NEW CHAPTER TO READ AS FOLLOWS [EFFECTIVE JULY
11 1, 2022]:

12 Chapter 42. Default Standards for Commercial Solar Energy13 Systems

14Sec. 1. (a) Except as provided in subsections (b) and (c), and15subject to section 9(b) of this chapter, the standards set forth in16sections 10 through 20 of this chapter apply to a project owner17that, after June 30, 2022, submits an initial request for a project to18install or locate one (1) or more CSE systems in a unit that has19been certified as a commercial solar energy ready community20under IC 5-28-28.6.

21 (b) Except as provided in subsections (c) and (d), and subject to 22 section 9(b) of this chapter, one (1) or more particular standards 23 set forth in sections 10 through 20 of this chapter apply to a project 24 owner that submits an initial request for a project to install or 25 locate one (1) or more CSE systems in a unit that has in effect a 26 commercial solar regulation that includes those particular 27 standards at the time the project owner's initial request is 28 submitted.

(c) Subject to a unit's planning and zoning powers under IC 36-7, this chapter does not apply to a property owner who seeks to install a solar energy device (as defined in IC 32-23-4-3) on the property owner's premises for the purpose of generating electricity to meet or offset all or part of the need for electricity on the premises, whether through distributed generation, participation in a net metering or feed-in-tariff program offered by an electricity supplier (as defined in IC 8-1-40-4), or otherwise.

(d) A standard set forth in sections 10 through 20 of this chapter does not apply to any of the following, unless the standard is already agreed to before July 1, 2022, by the parties involved:

(1) Any proposal, request, or application that:

(A) concerns the construction, installation, siting, modification, operation, or decommissioning of one (1) or

SB 411-LS 7174/DI 101



29

30

31

32

33

34

35

36

37

38

39

40

41

1	more CSE systems in a unit;
2	(B) is submitted by a project owner to a unit before July 1,
3	2022; and
4	(C) is pending as of July 1, 2022;
5	as set forth in IC 36-7-4-1109.
6	(2) The:
7	(A) construction;
8	(B) installation;
9	(C) siting;
10	(D) modification;
11	(E) operation; or
12	(F) decommissioning;
13	of one (1) or more CSE systems in a unit that before July 1,
14	2022, has approved such construction, installation, siting,
15	modification, operation, or decommissioning.
16	(3) Any:
17	(A) economic development agreement; or
18	(B) other agreement;
19	entered into before July 1, 2022, with respect to the
20	construction, installation, siting, modification, operation, or
21	decommissioning of one (1) or more CSE systems in one (1) or
22	more units.
23	Sec. 2. (a) As used in this chapter, "commercial solar energy
24	system", or "CSE system", means a system that:
25	(1) has a nameplate capacity of at least ten (10) megawatts;
26	and
27	(2) captures and converts solar energy into electricity:
28	(A) for the purpose of selling the electricity at wholesale;
29	and
30	(B) for use in locations other than where it is generated.
31	(b) The term includes collection and feeder lines, generation tie
32	lines, substations, ancillary buildings, solar monitoring stations,
33	and accessory equipment or structures.
34	Sec. 3. As used in this chapter, "commercial solar regulation"
35	refers to any ordinance or regulation, including any:
36	(1) zoning or land use ordinance or regulation; or
37	(2) general or specific planning ordinance or regulation;
38	that is adopted by a unit and that concerns the construction,
39	installation, siting, modification, operation, or decommissioning of
40	CSE systems in the unit.
41	Sec. 4. As used in this chapter, "dwelling" means any building,
42	structure, or part of a building or structure that is occupied as, or



1	is designed or intended for occupancy as, a residence by one (1) or
2	more families or individuals.
3	Sec. 5. (a) As used in this chapter, "nonparticipating property"
4	means a lot or parcel of real property:
5	(1) that is not owned by a project owner; and
6	(2) with respect to which:
7	(A) the project owner does not seek:
8	(i) to install or locate one (1) or more CSE systems or
9	other facilities related to a CSE system project (including
10	power lines, temporary or permanent access roads, or
11	other temporary or permanent infrastructure); or
12	(ii) to otherwise enter into a lease or any other
13	agreement with the owner of the property for use of all
14	or part of the property in connection with a CSE system
15	project; or
16	(B) the owner of the property does not consent:
17	(i) to having one (1) or more CSE systems or other
18	facilities related to a CSE system project (including
19	power lines, temporary or permanent access roads, or
20	other temporary or permanent infrastructure) installed
21	or located; or
22	(ii) to otherwise enter into a lease or any other
23	agreement with the project owner for use of all or part
24	of the property in connection with a CSE system project.
25	(b) The term does not include a lot or parcel of real property
26	otherwise described in subsection (a) if the owner of the lot or
27	parcel consents to participate in a CSE system project through a
28	neighbor agreement, a participation agreement, or another similar
29	arrangement or agreement with a project owner.
30	Sec. 6. (a) As used in this chapter, "permit authority" means:
31	(1) a unit; or
32	(2) a board, a commission, or any other governing body of a
33	unit;
34	that makes legislative or administrative decisions concerning the
35	construction, installation, siting, modification, operation, or
36	decommissioning of CSE systems in the unit.
37	(b) The term does not include:
38	(1) the state or any of its agencies, departments, boards,
39	commissions, authorities, or instrumentalities; or
40	(2) a court or other judicial body that reviews decisions or
41	rulings made by a permit authority.
42	Sec. 7. (a) As used in this chapter, "project owner" means a
. –	and the second s



1	person that:
2	(1) will own one (1) or more CSE systems proposed to be
3	located in a unit; or
4	(2) owns one (1) or more CSE systems located in a unit.
5	(b) The term includes an agent or a representative of a person
6	described in subsection (a).
7	(c) The term does not include an electricity supplier (as defined
8	in IC 8-1-2.3-2).
9	Sec. 8. (a) As used in this chapter, "unit" refers to:
10	(1) a county, if a project owner, as part of a single CSE system
11	project or development, seeks to locate one (1) or more CSE
12	systems:
13	(A) entirely within unincorporated areas of the county;
14	(B) within both unincorporated areas of the county and
15	one (1) or more municipalities within the county; or
16	(C) entirely within two (2) or more municipalities within
17	the county; or
18	(2) a municipality, if:
19	(A) a project owner, as part of a single CSE system project
20	or development, seeks to locate one (1) or more CSE
21	systems entirely within the boundaries of the municipality;
22	and
23	(B) subdivision (1)(B) or (1)(C) does not apply.
24	(b) The term refers to:
25	(1) each county described in subsection (a)(1) in which a
26	project owner seeks to locate one (1) or more CSE systems, if
27	the project owner seeks to locate CSE systems in more than
28	one (1) county as part of a single CSE system project or
29	development; and
30	(2) each municipality described in subsection (a)(2) in which
31	a project owner seeks to locate one (1) or more CSE systems,
32	if the project owner seeks to locate CSE systems in two (2) or
33	more municipalities, each of which is located in a different
34 35	county.
33 36	Sec. 9. (a) A permit authority for a unit described in section 1(a)
30 37	or 1(b) of this chapter is responsible for enforcing compliance with any standards set forth in sections 10 through 20 of this chapter
37	that apply in the unit under section 1(a) or 1(b) of this chapter.
38 39	(b) A unit may:
39 40	(1) adopt and enforce a commercial solar regulation that
40 41	(1) adopt and emoree a commercial solar regulation that includes standards that:
42	(A) concern the construction, installation, siting,
74	(A) concern the construction, instanation, stung,



1	modification, operation, or decommissioning of CSE
2	systems in the unit; and
3	(B) are less restrictive than the standards set forth in this
4	chapter;
5	(2) waive or make less restrictive any standard set forth in
6	this chapter with respect to any particular:
7	(A) CSE system; or
8	(B) project to install one (1) or more CSE systems in the
9	unit; or
10	(3) waive or make less restrictive any standard that is not set
11	forth in this chapter but that is included in a commercial solar
12	regulation adopted by the unit with respect to any particular:
13	(A) CSE system; or
14	(B) project to install one (1) or more CSE systems in the
15	unit.
16	(c) This chapter does not affect a unit's planning and zoning
17	powers under IC 36-7 with respect to the installation or siting of
18	one (1) or more CSE systems in the unit.
19	Sec. 10. (a) Subject to subsection (e), and except as otherwise
20	allowed by IC 36-7-4-1109, a project owner may not install or
21	locate a CSE system on property in a unit unless the distance,
22	measured as a straight line, from the nearest outer edge of the CSE
23	system to:
24	(1) the nearest edge of the right-of-way for any:
25	(A) federal interstate highway, federal highway, state
26	highway, or county highway is at least forty (40) feet;
27	(B) collector road is at least thirty (30) feet; or
28	(C) local road is at least ten (10) feet; or
29	(2) the property line of any nonparticipating property is at
30	least fifty (50) feet.
31	(b) Subject to subsection (e), and except as otherwise allowed by
32	IC 36-7-4-1109, a project owner may not install or locate a CSE
33	system on property in a unit unless the distance, measured as a
34	straight line, from the nearest outer edge of the CSE system to the
35	nearest point on the outer wall of a dwelling located on a
36 37	nonparticipating property is at least one hundred fifty (150) feet.
37 38	(c) Subject to subsection (e), and except as otherwise allowed by
38 39	IC 36-7-4-1109, if a project owner installs a CSE system within a distance of two hundred fifty (250) foot measured as a straight
39 40	distance of two hundred fifty (250) feet, measured as a straight line, from the nearest outer edge of the CSE system to the nearest
40 41	point on the outer wall of a dwelling located on a nonparticipating
41	property, the project owner shall install a landscape buffer in the
⊤ ∠	property, the project owner shall install a fandscape buller in the



area between the nearest outer edge of the CSE system and the 1 2 outer wall of the dwelling located on the nonparticipating 3 property: 4 (1) in a location; and 5 (2) constructed from such materials; 6 as set forth in a plan submitted to the unit during the permitting 7 and approval process for the CSE system. 8 (d) Except as otherwise allowed by IC 36-7-4-1109, a project 9 owner may not install or locate a CSE system on property in a unit 10 unless the height of the CSE system solar panels are not more than 11 twenty-five (25) feet above ground level when the CSE system's 12 arrays are at full tilt. However, a permit authority or a unit may 13 not impose a clearance requirement between the ground and the 14 bottom edge of a CSE system's solar panels. 15 (e) The: 16 (1) distance requirements set forth in subsection (a)(2) and 17 subsection (b); and 18 (2) requirement for the installation of a landscape buffer set 19 forth in subsection (c); 20 may be waived with respect to the siting of any one (1) CSE system, 21 subject to the written consent of the owner of each affected 22 nonparticipating property. 23 Sec. 11. Except as otherwise allowed by IC 36-7-4-1109, if a 24 project owner installs a CSE system in a unit, the project owner 25 shall plant, establish, and maintain for the life of the CSE system 26 perennial vegetated ground cover on the ground around and under 27 solar panels, and in project site buffer areas. The use of pollinator 28 seed mixes in the planting of ground cover required by this section 29 is encouraged. A unit or permit authority may require a project 30 owner to prepare for a project site a vegetation plan that: 31 (1) is compatible with each CSE system on the project site; 32 (2) provides for the planting of noninvasive species and the 33 use of native or naturalized species if the planting and use of 34 noninvasive and native or naturalized species are: 35 (A) appropriate to the region; 36 (B) economically feasible; and 37 (C) agreed to by the landowner; 38 in order to reduce storm water runoff and erosion at the site 39 and to provide habitat for wildlife and insects; and 40 (3) provides for site preparation and maintenance practices 41 designed to control invasive species and noxious weeds (as 42 defined in IC 15-16-7-2).

1 Sec. 12. Except as otherwise allowed by IC 36-7-4-1109, if a 2 project owner installs a CSE system in a unit, the project owner 3 shall completely enclose the CSE system with fencing that is at 4 least six (6) feet high. 5 Sec. 13. Except as otherwise allowed by IC 36-7-4-1109, if a 6 project owner installs a CSE system in a unit, all cables of up to 7 thirty-four and one-half (34.5) kilovolts that are located between 8 inverter locations and project substations shall be located and 9 maintained underground. Other solar infrastructure, such as 10 module-to-module collection cables, transmission lines, substations, 11 junction boxes, and other typical aboveground infrastructure may 12 be located and maintained above ground. Buried cables shall be at 13 a depth of at least thirty-six (36) inches below grade or, if 14 necessitated by onsite conditions, at a greater depth. Cables and 15 lines located oabove ground; or 16 (1) be located above ground; or 17 (2) in the case of cables or lines of up to thirty-four and 18 one-half (34.5) kilovolts, be buried underground at: 19 (A) a depth of at least forty-e		
 shall completely enclose the CSE system with fencing that is at least six (6) feet high. Sec. 13. Except as otherwise allowed by IC 36-7-4-1109, if a project owner installs a CSE system in a unit, all cables of up to thirty-four and one-half (34.5) kilovolts that are located between inverter locations and project substations shall be located and maintained underground. Other solar infrastructure, such as module-to-module collection cables, transmission lines, substations, junction boxes, and other typical aboveground infrastructure may be located and maintained above ground. Buried cables shall be at a depth of at least thirty-six (36) inches below grade or, if necessitated by onsite conditions, at a greater depth. Cables and lines located outside of the CSE system project site may: (1) be located above ground; or (2) in the case of cables or lines of up to thirty-four and one-half (34.5) kilovolts, be buried underground at: (A) a depth of at least forty-eight (48) inches below grade, so as to not interfere with drainage tile or ditch repairs; or (B) another depth, as necessitated by conditions; as determined in consultation with the landowner. Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed by a project owner must be designed and constructed to: (1) minimize glare on adjacent properties and roadways; and (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-11		1 0
4least six (6) feet high.5Sec. 13. Except as otherwise allowed by IC 36-7-4-1109, if a6project owner installs a CSE system in a unit, all cables of up to7thirty-four and one-half (34.5) kilovolts that are located between8inverter locations and project substations shall be located and9maintained underground. Other solar infrastructure, such as10module-to-module collection cables, transmission lines, substations,11junction boxes, and other typical aboveground infrastructure may12be located and maintained above ground. Buried cables shall be at13a depth of at least thirty-six (36) inches below grade or, if14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vchicular traffic, including air traffic.28 <td></td> <td></td>		
5Sec. 13. Except as otherwise allowed by IC 36-7-4-1109, if a6project owner installs a CSE system in a unit, all cables of up to7thirty-four and one-half (34.5) kilovolts that are located between8inverter locations and project substations shall be located and9maintained underground. Other solar infrastructure, such as10module-to-module collection cables, transmission lines, substations,11junction boxes, and other typical aboveground infrastructure may12be located and maintained above ground. Buried cables shall be at13a depth of at least thirty-six (36) inches below grade or, if16necessitated by onsite conditions, at a greater depth. Cables and17(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to29minimize and mitigate impacts to:		
6project owner installs a CSE system in a unit, all cables of up to thirty-four and one-half (34.5) kilovolts that are located between inverter locations and project substations shall be located and maintained underground. Other solar infrastructure, such as module-to-module collection cables, transmission lines, substations, junction boxes, and other typical aboveground infrastructure may be located and maintained above ground. Buried cables shall be at a depth of at least thirty-six (36) inches below grade or, if necessitated by onsite conditions, at a greater depth. Cables and lines located outside of the CSE system project site may: (1) be located above ground; or (2) in the case of cables or lines of up to thirty-four and one-half (34.5) kilovolts, be buried underground at: (A) a depth of at least forty-eight (48) inches below grade, so as to not interfere with drainage tile or ditch repairs; or (B) another depth, as necessitated by conditions; as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed by a project owner must be designed and constructed to: (1) minimize glare on adjacent properties and roadways; and (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operat		
7thirty-four and one-half (34.5) kilovolts that are located between8inverter locations and project substations shall be located and9maintained underground. Other solar infrastructure, such as10module-to-module collection cables, transmission lines, substations,11junction boxes, and other typical aboveground infrastructure may12be located and maintained above ground. Buried cables shall be at13a depth of at least thirty-six (36) inches below grade or, if14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to29system installed in a unit must be installed in a manner so as to31(1) television signals; <td< td=""><td></td><td></td></td<>		
 inverter locations and project substations shall be located and maintained underground. Other solar infrastructure, such as module-to-module collection cables, transmission lines, substations, junction boxes, and other typical aboveground infrastructure may be located and maintained above ground. Buried cables shall be at a depth of at least thirty-six (36) inches below grade or, if necessitated by onsite conditions, at a greater depth. Cables and lines located outside of the CSE system project site may: (1) be located above ground; or (2) in the case of cables or lines of up to thirty-four and one-half (34.5) kilovolts, be buried underground at: (A) a depth of at least forty-eight (48) inches below grade, so as to not interfere with drainage tile or ditch repairs; or (B) another depth, as necessitated by conditions; as determined in consultation with the landowner. Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed by a project owner must be designed and constructed to: (1) minimize glare on adjacent properties and roadways; and (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner 		
9maintained underground. Other solar infrastructure, such as10module-to-module collection cables, transmission lines, substations,11junction boxes, and other typical aboveground infrastructure may12be located and maintained above ground. Buried cables shall be at13a depth of at least thirty-six (36) inches below grade or, if14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to29minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar.35(5) radio reception; or </td <td></td> <td>•</td>		•
10module-to-module collection cables, transmission lines, substations,11junction boxes, and other typical aboveground infrastructure may12be located and maintained above ground. Buried cables shall be at13a depth of at least thirty-six (36) inches below grade or, if14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar. </td <td></td> <td></td>		
11junction boxes, and other typical aboveground infrastructure may12be located and maintained above ground. Buried cables shall be at13a depth of at least thirty-six (36) inches below grade or, if14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowe	-	
12be located and maintained above ground. Buried cables shall be at13a depth of at least thirty-six (36) inches below grade or, if14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a		
13a depth of at least thirty-six (36) inches below grade or, if14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demostrates to the p		
14necessitated by onsite conditions, at a greater depth. Cables and15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40dependent and nonstrates to the permit authority that the CSE system will31operate		be located and maintained above ground. Buried cables shall be at
15lines located outside of the CSE system project site may:16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25(1) minimize glare on adjacent properties and roadways; and26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demonstrates to the permit authority that the CSE system will <td>13</td> <td>a depth of at least thirty-six (36) inches below grade or, if</td>	13	a depth of at least thirty-six (36) inches below grade or, if
16(1) be located above ground; or17(2) in the case of cables or lines of up to thirty-four and18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demonstrates to the permit authority that the CSE system will41operate in a manner such that the sound attributable to the CSE		
17(2) in the case of cables or lines of up to thirty-four and one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade, so as to not interfere with drainage tile or ditch repairs; or (B) another depth, as necessitated by conditions; as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed by a project owner must be designed and constructed to: (1) minimize glare on adjacent properties and roadways; and (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE	15	lines located outside of the CSE system project site may:
18one-half (34.5) kilovolts, be buried underground at:19(A) a depth of at least forty-eight (48) inches below grade,20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner	16	(1) be located above ground; or
19(A) a depth of at least forty-eight (48) inches below grade, so as to not interfere with drainage tile or ditch repairs; or (B) another depth, as necessitated by conditions; as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed by a project owner must be designed and constructed to: (1) minimize glare on adjacent properties and roadways; and (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE	17	(2) in the case of cables or lines of up to thirty-four and
20so as to not interfere with drainage tile or ditch repairs; or21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40docate a to the permit authority that the CSE system will41operate in a manner such that the sound attributable to the CSE	18	one-half (34.5) kilovolts, be buried underground at:
21(B) another depth, as necessitated by conditions;22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demonstrates to the permit authority that the CSE system will41operate in a manner such that the sound attributable to the CSE	19	(A) a depth of at least forty-eight (48) inches below grade,
22as determined in consultation with the landowner.23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demonstrates to the permit authority that the CSE system will41operate in a manner such that the sound attributable to the CSE	20	so as to not interfere with drainage tile or ditch repairs; or
23Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demonstrates to the permit authority that the CSE system will41operate in a manner such that the sound attributable to the CSE		(B) another depth, as necessitated by conditions;
24system installed by a project owner must be designed and25constructed to:26(1) minimize glare on adjacent properties and roadways; and27(2) not interfere with vehicular traffic, including air traffic.28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demonstrates to the permit authority that the CSE system will41operate in a manner such that the sound attributable to the CSE	22	as determined in consultation with the landowner.
 constructed to: (1) minimize glare on adjacent properties and roadways; and (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 	23	Sec. 14. Except as otherwise allowed by IC 36-7-4-1109, a CSE
 (1) minimize glare on adjacent properties and roadways; and (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 	24	system installed by a project owner must be designed and
 (2) not interfere with vehicular traffic, including air traffic. Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 	25	constructed to:
28Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE29system installed in a unit must be installed in a manner so as to30minimize and mitigate impacts to:31(1) television signals;32(2) microwave signals;33(3) agricultural global positioning systems;34(4) military defense radar;35(5) radio reception; or36(6) weather and doppler radar.37Sec. 16. (a) Subject to subsection (b), and except as otherwise38allowed by IC 36-7-4-1109, a project owner may not install or39locate a CSE system in a unit unless the project owner40demonstrates to the permit authority that the CSE system will41operate in a manner such that the sound attributable to the CSE	26	(1) minimize glare on adjacent properties and roadways; and
 system installed in a unit must be installed in a manner so as to minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 		(2) not interfere with vehicular traffic, including air traffic.
 minimize and mitigate impacts to: (1) television signals; (2) microwave signals; (3) agricultural global positioning systems; (4) military defense radar; (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 	28	Sec. 15. Except as otherwise allowed by IC 36-7-4-1109, a CSE
 31 (1) television signals; 32 (2) microwave signals; 33 (3) agricultural global positioning systems; 34 (4) military defense radar; 35 (5) radio reception; or 36 (6) weather and doppler radar. 37 Sec. 16. (a) Subject to subsection (b), and except as otherwise 38 allowed by IC 36-7-4-1109, a project owner may not install or 39 locate a CSE system in a unit unless the project owner 40 demonstrates to the permit authority that the CSE system will 41 operate in a manner such that the sound attributable to the CSE 	29	system installed in a unit must be installed in a manner so as to
 32 (2) microwave signals; 33 (3) agricultural global positioning systems; 34 (4) military defense radar; 35 (5) radio reception; or 36 (6) weather and doppler radar. 37 Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 		minimize and mitigate impacts to:
 33 (3) agricultural global positioning systems; 34 (4) military defense radar; 35 (5) radio reception; or 36 (6) weather and doppler radar. 37 Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 		(1) television signals;
 34 (4) military defense radar; 35 (5) radio reception; or 36 (6) weather and doppler radar. 37 Sec. 16. (a) Subject to subsection (b), and except as otherwise 38 allowed by IC 36-7-4-1109, a project owner may not install or 39 locate a CSE system in a unit unless the project owner 40 demonstrates to the permit authority that the CSE system will 41 operate in a manner such that the sound attributable to the CSE 		(2) microwave signals;
 (5) radio reception; or (6) weather and doppler radar. Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 	33	(3) agricultural global positioning systems;
 36 (6) weather and doppler radar. 37 Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 		(4) military defense radar;
 Sec. 16. (a) Subject to subsection (b), and except as otherwise allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 		(5) radio reception; or
 allowed by IC 36-7-4-1109, a project owner may not install or locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 		
 locate a CSE system in a unit unless the project owner demonstrates to the permit authority that the CSE system will operate in a manner such that the sound attributable to the CSE 		
 40 demonstrates to the permit authority that the CSE system will 41 operate in a manner such that the sound attributable to the CSE 		
41 operate in a manner such that the sound attributable to the CSE		
42 system will not exceed an hourly average sound level of fifty (50)		
	42	system will not exceed an hourly average sound level of fifty (50)



1 A-weighted decibels, as modeled at the outer wall of a dwelling 2 located on an adjacent nonparticipating property. 3 (b) The requirement set forth in subsection (a) may be waived 4 with respect to any one (1) CSE system, subject to the written 5 consent of the owner of each adjacent nonparticipating property. 6 Sec. 17. This section applies with respect to a CSE system that 7 is constructed or installed in a unit after June 30, 2022. Except as 8 otherwise allowed by IC 36-7-4-1109, all damages to waterways, 9 drainage ditches, field tiles, or other drainage related 10 infrastructure caused by the construction, installation, or 11 maintenance of a CSE system must be completely repaired by the 12 project owner to near original condition so as to not impede the 13 natural flow of water. All repairs must be completed within a 14 reasonable period of time and: 15 (1) to the satisfaction of the unit; and 16 (2) as stated in an applicable lease or another agreement with 17 the landowner; 18 subject to applicable federal, state, and local drainage laws and 19 regulations. 20 Sec. 18. (a) Subject to subsection (b), and except as otherwise 21 allowed by IC 36-7-4-1109, a project owner may not install or 22 locate a CSE system in a unit unless the project owner submits to 23 the permit authority a decommissioning and site restoration plan, 24 and posts a surety bond, or an equivalent means of security 25 acceptable to the permit authority, including a parent company 26 guarantee or an irrevocable letter of credit, in an amount equal to 27 the estimated cost of decommissioning the CSE system, as 28 calculated by a third party licensed or registered engineer or by 29 another person with suitable experience in the decommissioning of 30 CSE systems, as agreed upon by the project owner and the permit 31 authority. The required bond or other security shall be posted in 32 increments such that the total amount of the bond or security 33 posted is as follows: 34 (1) An amount equal to twenty-five percent (25%) of the total 35 estimated decommissioning costs not later than the start date 36 of the CSE system's full commercial operation. 37 (2) An amount equal to fifty percent (50%) of the total 38 estimated decommissioning costs not later than the fifth 39 anniversary of the start date of the CSE system's full 40 commercial operation. 41 (3) An amount equal to one hundred percent (100%) of the 42 total estimated decommissioning costs not later than the tenth

1 anniversary of the start date of the CSE system's full 2 commercial operation. For purposes of this subdivision, the 3 total estimated decommissioning costs shall be reevaluated by 4 a third party licensed or registered engineer (or by another 5 person with suitable experience in the decommissioning of 6 CSE systems, as agreed upon by the project owner and the 7 permit authority): 8 (A) in connection with the tenth anniversary of the start 9 date of the CSE system's full commercial operation; and 10 (B) at least once every succeeding five (5) year period after 11 the tenth anniversary of the start date of the CSE system's 12 full commercial operation; 13 and the total amount of the bond or security posted under this 14 subdivision shall be adjusted as necessary after each 15 reevaluation. 16 (b) For purposes of this section, the estimated cost of 17 decommissioning a CSE system, as calculated by a licensed or 18 registered professional engineer (or by another person with 19 suitable experience in the decommissioning of CSE systems, as 20 agreed upon by the project owner and the permit authority), shall 21 be net of any estimated salvage value attributable to the CSE 22 system at the time of decommissioning, unless the unit and the 23 project owner agree to include any such value in the estimated cost. 24 (c) A project owner shall provide to the permit authority 25 written notice of the project owner's intent to decommission a CSE 26 system not later than sixty (60) days before the discontinuation of 27 commercial operation by the CSE system. Except as provided in 28 subsection (e), after the discontinuation of commercial operation 29 by the CSE system, and as part of the decommissioning process: 30 (1) all structures, foundations, roads, gravel areas, and cables 31 associated with the project shall be removed to a depth of at 32 least thirty-six (36) inches below grade; and 33 (2) the ground shall be restored to a condition reasonably 34 similar to its condition before the start of construction 35 activities in connection with the CSE system project. 36 (d) Except as provided in subsection (e), if the project owner 37 fails to remove all CSE system project assets not later than one (1) 38 year after the proposed date of final decommissioning, as set forth 39 in the notice to the permit authority under subsection (c), the 40 permit authority may engage qualified contractors to: 41 (1) enter the project site; 42 (2) remove the CSE system project assets;

1	(3) sell any assets removed; and
2	(4) remediate the site;
3	and may initiate proceedings to recover any costs incurred.
4	(e) Project assets may remain in place after decommissioning is
5	complete if:
6	(1) the location and condition of the assets conform with local
7	regulations at the time of decommissioning; and
8	(2) the written consent of the landowner is obtained.
9	Sec. 19. (a) If a CSE system installed in a unit does not generate
10	electricity for eighteen (18) consecutive months:
11	(1) the CSE system is considered abandoned as of the date
12	that is five hundred forty (540) days after the date on which
13	the CSE system last generated electricity; and
14	(2) all CSE system project assets shall be removed in
15	accordance with section 18(c) of this chapter not later than
16	one (1) year after the date of abandonment specified in
17	subdivision (1).
18	(b) In the case of abandonment, as described in subsection (a),
19	if the project owner fails to remove the CSE system project assets
20	not later than one (1) year after the date of abandonment, as
21	required by subsection (a)(2), the permit authority may engage
22	qualified contractors to:
23	(1) enter the project site;
24	(2) remove the CSE system project assets;
25	(3) sell any assets removed; and
26	(4) remediate the site;
27	and may initiate proceedings to recover any costs incurred.
28	Sec. 20. (a) As used in this section, "force majeure event"
29	includes the following:
30	(1) Fire, flood, tornado, or other natural disasters or acts of
31	God.
32	(2) War, civil strife, a terrorist attack, or other similar acts of
33	violence.
34	(3) Other unforeseen events or events over which a project
35	owner has no control.
36	(b) If a force majeure event results in a CSE system not
37	generating electricity, the project owner shall:
38	(1) as soon as practicable after the occurrence of the force
39	majeure event, provide notice to the permit authority of the
40	event and of the resulting cessation of generating operations;
41	and
42	(2) demonstrate to the permit authority that the CSE system

1	will be substantially operational and generating electricity not
2	later than twelve (12) months after the occurrence of the force
$\frac{2}{3}$	majeure event.
4	(c) If the CSE system does not become substantially operational
5	
	and resume generating electricity within the time set forth in
6	subsection b(2):
7	(1) the CSE system is considered abandoned as of the date
8	that is three hundred sixty-five (365) days after the date on
9	which the CSE system last generated electricity; and
10	(2) all CSE system project assets shall be removed in
11	accordance with section 18(c) of this chapter not later than
12	one (1) year after the date of abandonment specified in
13	subdivision (1).
14	(d) In the case of presumed abandonment, as described in
15	subsection (c), if the project owner fails to remove the CSE system
16	project assets not later than one (1) year after the date of
17	abandonment, as required by subsection (c)(2), the permit
18	authority may engage qualified contractors to:
19	(1) enter the project site;
20	(2) remove the CSE system project assets;
21	(3) sell any assets removed; and
22	(4) remediate the site;
23	and may initiate proceedings to recover any costs incurred.
20	and may instate proceedings to recover any costs incurred.



COMMITTEE REPORT

Madam President: The Senate Committee on Utilities, to which was referred Senate Bill No. 411, has had the same under consideration and begs leave to report the same back to the Senate with the recommendation that said bill DO PASS.

(Reference is to SB 411 as introduced.)

KOCH, Chairperson

Committee Vote: Yeas 7, Nays 1

