PRINTING CODE. Amendments: Whenever an existing statute (or a section of the Indiana Constitution) is being amended, the text of the existing provision will appear in this style type, additions will appear in this style type, and deletions will appear in this style type.

Additions: Whenever a new statutory provision is being enacted (or a new constitutional provision adopted), the text of the new provision will appear in **this style type**. Also, the word **NEW** will appear in that style type in the introductory clause of each SECTION that adds a new provision to the Indiana Code or the Indiana Constitution.

Conflict reconciliation: Text in a statute in *this style type* or *this style type* reconciles conflicts between statutes enacted by the 2018 Regular and Special Session of the General Assembly.

## SENATE ENROLLED ACT No. 631

AN ACT to amend the Indiana Code concerning criminal law and procedure.

Be it enacted by the General Assembly of the State of Indiana:

SECTION 1. IC 35-31.5-2-130.5 IS ADDED TO THE INDIANA CODE AS A **NEW** SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2019]: **Sec. 130.5.** "Fentanyl related substance", for purposes of IC 35-48, has the meaning set forth in IC 35-48-1-16.6.

SECTION 2. IC 35-31.5-2-321, AS AMENDED BY P.L.89-2018, SECTION 1, IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2019]: Sec. 321. "Synthetic drug" means:

- (1) a substance containing one (1) or more of the following chemical compounds, including an analog of the compound:
  - (A) JWH-015 ((2-Methyl-1-propyl-1H-indol-3-yl)-1-naphthalenylmethanone).
  - (B) JWH-018 (1-pentyl-3-(1-naphthoyl)indole).
  - (C) JWH-019 (1-hexyl-3-(naphthalen-1-oyl)indole).
  - (D) JWH-073
  - (naphthalen-1-yl-(1-butylindol-3-yl)methanone).
  - (E) JWH-081 (4-methoxynaphthalen- 1-yl- (1-pentylindol-3-yl)methanone).
  - (F) JWH-122 (1-Pentyl-3-(4-methyl-1-naphthoyl)indole).
  - (G) JWH-200 ((1-(2-morpholin-4-ylethyl)indol-3-yl)-naphthalen-1-yl-methanone).



- (H) JWH-250 (1-pentyl-3-(2-methoxyphenylacetyl)indole).
- (I) JWH-251 (1-pentyl-3-(2-methylphenylacetyl)indole).
- (J) JWH-398 (1-pentyl-3-(4-chloro-1-naphthoyl)indole).
- (K) HU-210 ((6aR,10aR)- 9-(Hydroxymethyl)- 6,6-dimethyl-3-(2-methyloctan-2-yl)-
- 6a,7,10,10a-tetrahydrobenzo [c]chromen- 1-ol).
- (L) HU-211 ((6aS,10aS)-9-(Hydroxymethyl)- 6,6-dimethyl-3-(2-methyloctan-2-yl)- 6a,7,10,10a-tetrahydrobenzo [clchromen-1-ol).
- (M) HU-308 ([(1R,2R,5R)-2-[2,6-dimethoxy-4-(2-methyloctan- 2-yl)phenyl]-
- 7,7-dimethyl-4-bicyclo[3.1.1]hept-3-enyl] methanol).
- (N) HU-331 (3-hydroxy-2- [(1R,6R)-3-methyl-6- (1-methylethenyl)-2 cyclohexen-1-yl]-5 -pentyl-2,5-cyclohexadiene-1,4-dione).
- (O) CP 55,940
- (2-[(1R,2R,5R)-5-hydroxy-2-(3-hydroxypropyl) cyclohexyl]-5- (2-methyloctan-2-yl)phenol).
- (P) CP 47,497 (2-[(1R,3S)-3-hydroxycyclohexyl]- 5-(2-methyloctan-2-yl)phenol) and its homologues, or 2-[(1R,3S)-3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl) phenol), where side chain n=5, and homologues where side chain n=4, 6, or 7.
- (Q) WIN 55212-2
- ((R)-(+)-[2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl) pyrrolo [1,2,3-de)- 1,4- benzoxazin-
- 6-yl]-1-napthalenylmethanone).
- (R) RCS-4 ((4-methoxyphenyl)
- (1-pentyl-1H-indol-3-yl)methanone).
- (S) RCS-8 (1-(1-(2-cyclohexylethyl)-1H-
- indol-3-yl)-2-(2-methoxyphenyl)ethanone).
- (T) 4-Methylmethcathinone. Other name: mephedrone.
- (U) 3,4-Methylenedioxymethcathinone. Other name: methylone.
- (V) Fluoromethcathinone.
- (W) 4-Methoxymethcathinone. Other name: methedrone.
- (X) 4-Ethylmethcathinone (4-EMC).
- (Y) Methylenedioxypyrovalerone. Other name: MDPV.
- (Z) JWH-007, or 1-pentyl-2-methyl-3-(1-naphthoyl)indole.
- (AA) JWH-098, or
- 1-pentyl-2-methyl-3-(4-methoxy-1-naphthoyl)indole.
- (BB) JWH-164, or




- 1-pentyl-3-(7-methoxy-1-naphthoyl)indole.
- (CC) JWH-210, or 1-pentyl-3-(4-ethyl-1-naphthoyl)indole.
- (DD) JWH-201, or
- 1-pentyl-3-(4-methoxyphenylacetyl)indole.
- (EE) JWH-203, or 1-pentyl-3-(2-chlorophenylacetyl)indole.
- (FF) AM-694, or
- 1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole.
- (GG) CP 50,556-1, or
- [(6S,6aR,9R,10aR)-9-hydroxy-6-methyl-3-[(2R)-5-phenylpe ntan-2-yl]oxy-5,6,6a,7,8,9,10,10a-octahydrophenanthridin-1-yl] acetate.
- (HH) Dimethylheptylpyran, or DMHP.
- (II) 4-Methyl-alpha-pyrrolidinobutiophenone, or MPBP.
- (JJ) 6-APB [6-(2-aminopropyl)benzofuran].
- (LL) 7-hydroxymitragynine.
- (MM) α-PPP [α-pyrrolidinopropiophenone].
- (NN)  $\alpha$ -PVP (desmethylpyrovalerone).
- (OO) AM-251.
- (PP) AM-1241.
- (QQ) AM-2201.
- (RR) AM-2233.
- (SS) Buphedrone (α-methylamino-butyrophenone (MABP)).
- (TT) Butylone.
- (UU) CP-47,497-C7.
- (VV) CP-47,497-C8.
- (WW) Desoxypipradol.
- (XX) Ethylone.
- (YY) Eutylone.
- (ZZ) Flephedrone.
- (AAA) JWH-011.
- (BBB) JWH-020.
- (CCC) JWH-022.
- (DDD) JWH-030.
- (EEE) JWH-182.
- (FFF) JWH-302.
- (GGG) MDAI [5,6-methylenedioxy-2-aminoindane].
- (HHH) Mitragynine.
- (III) Naphyrone.
- (JJJ) Pentedrone.
- (LLL) Pentylone.
- (MMM) Methoxetamine
- [2-(3-methoxyphenyl)-2-(ethylamino)- cyclohexanone].



```
(NNN) A796,260
[1-(2-morpholin-4-ylethyl)-1H-indol-3-yl]-
(2,2,3,3-tetramethylcyclopropyl)methanone].
(OOO) AB-001[(1s,3s)-admantan-1-yl)
(1-pentyl-1H-indol-3-yl)methanone]
                                          [1-Pentyl-3-
                                     or
(1-adamantoyl)indole].
(PPP) AM-356 [Methanandamide].
(QQQ) AM 1248 [1-[(1-methyl-2- piperidinyl) methyl]-
1H-indol-3-yl] tricyclo[3.3.1.13,7] dec-1-yl-methanone]or
[(1-[(N-methylpiperindin-2-yl)
Methyl]-3-(Adamant-1-oyl)indole)].
(RRR) AM 2233 Azepane isomer [(2-iodophenyl)
(1-(1-methylazepan-3-yl)- 1H-indol-3-yl)methanone].
(SSS) CB-13 [1-Naphthalenyl
[4-(pentyoxy)- 1-naphthalenyl]methanone].
(TTT) UR-144 [(1-pentyl-1H-indol-3-yl)
(2,2,3,3-tetramethylcyclopropyl)-methanone].
(UUU) URB 597 [(3'-(aminocarbonyl) [1,1'-biphenyl]-3-yl)-
cyclohexylcarbamate].
(VVV) URB602 [[1,1'-biphenyl]- 3-yl-carbamic acid,
cyclohexyl ester].
(WWW) URB
                  754
                       [6-methyl-2-[(4-methylphenyl)
amino]-1-benzoxazin-4-one].
(XXX) XLR-11 or 5-fluoro UR-144
(1-(5-fluoropentyl)-1H-indol-3-yl)
(2,2,3,3-tetramethylcyclopropyl)methanone].
(YYY)
           AKB48
                      (Other
                                 names
                                            include:
N-Adamantyl-1-pentyl-1H-Indazole-3-carboxamide;
1-pentyl-N-tricyclo[3.3.1.13.7]dec-1-yl-1H-indazole-3-
carboxamide).
         25I-NBOMe
(ZZZ)
                         (Other
                                   names
4-Iodo-2,5-dimethoxy-N-[(2-methoxyphenyl)methyl]-
benzeneethanamine);
2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)
methyl]ethanamine).
(AAAA) 2C-C-NBOMe (Other names include:
25C-NBOMe:
2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)
methyl]ethanamine;
2,5-Dimethoxy-4-chloro-N-(2-methoxybenzyl)
phenethylamine).
```

(BBBB) 2NE-1 (Other names include: 1-Pentyl-3-





(1-adamantylamido)indole).

(CCCC) STS-135 (Other names include: N-Adamantyl-1-fluoropentylindole-3- carboxamide (1-5-fluoropentyl)-N-tricyclo[3.3.1.13.7]dec-1-yl-1H-indole-3-carboxamide).

(DDDD) PB-22 (Other names include: 1-Pentyl-8-quinolinlyl ester-1H-indole-2-carboxylic acid).

(EEEE) 5-Fluoro-PB-22 (Other names include: 1-(5-Fluropentyl)-8-quinolinyl ester1H-indole-3-carboxylic acid).

(FFFF) Benocyclidine (Other names include: BCP, BTCP, and Benzothiophenylcyclohexylpiperidine).

(GGGG) 25B-NBOMe (Other names include: 2C-B-NBOMe and 4-Bromo-2,

5-dimenthoxy-N-[(2-Methozyphenyl)methyl] benzeneethanamine).

(HHHH) APB (Other names include: (2-Aminopropyl) Benzofuran).

(IIII) AB-PINACA

(N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-3-carboxamide.

(JJJJ) AB-FUBINACA

(N-(1-Amino-3-methyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-carboxamide).

(KKKK) ADB-PINACA

(N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-in daole-3-carboxamide).

(LLLL) Fluoro ADBICA (N-(1-Amino-3,3-

dimethyl-1-oxobutan-2-yl)-(fluoropentyl)-1H-indole-3-carboxamide).

(MMMM) APDB (Other names include: -EMA, -Desoxy-MDA, and (2-Aminopropyl)-2,3-dihydrobenzofuran).

(NNNN) THJ-2201 (Other names include: AM2201 indazole analog, Fluoropentyl-JWH-018 indazole, and 5-Fluoro-THJ-018).

(OOOO) AM 2201 benzimidazole analog (Other names include: FUBIMINA, FTHJ, and (1-(5-fluoropentyl)-1H-benzo[d]imidazol-2-yl)(naphthalene-1-yl)methanone).

(PPPP) MN-25 (Other names include: 7-methoxy-1-

[2-(4-morpholinyl)ethyl]-N-[1S, 2S, 4R)-1,3,3-

trimethylbicyclo[2.2.1]hept-2-yl]-1H-indole-3-carboxamide



and UR-12).

(QQQQ) FUB-PB-22 (Other names include: Quinolin-8-yl-1-(4-fluorobenzyl)-1H-indole-3-carboxylate). (RRRR) FUD-PB-22 (Other names include: Naphthalen-1-yl-1-(4-fluorobenzyl)-1H-indole-3-carboxylate). (SSSS) 5-Fluoro-AB-PINACA (Other names include: AB-PINACA 5-fluoro analog and N-(1-amino-3-methyl1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxaminde).

(TTTT) 4-MePPP (Other names include: 4-methyl-alpha-pyrrolidinopropiophenone).

(UUUU) alpha-PBP (Other names include: Alpha-pyrrolidinobutiophenone).

(VVVV) AB-CHMINACA (Other names include: (N-[1-(aminocarbonyl)-2-methylpropyl]-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide).

(WWWW) Acetyl fentanyl (Other names include: N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide).

(XXXX) (WWWW) Mexedrone (3-methoxy-2-(methylamino)-1-(p-tolyl)propan-1-one). (XXXX) MT-45,

(1-cyclohexyl-4-(1,2-diphenylethyl)piperazine).

(YYYY) methyl 2-(1-(5-fluoropentyl)- 1H-indazole-3-carboxamido) -3,3-dimethylbutanoate [5F-ADB; 5F-MDMB-PINACA].

(ZZZZ) methyl 2-(1-(5-fluoropentyl)-1H- indazole-3-carboxamido)-3-methylbutanoate [5F-AMB].

(AAAAA) N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl) -1-(4-fluorobenzyl) 1H-indazole-3-carboxamide [ADB-FUBINACA].

(BBBB) N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3- carboxamide [5F-APINACA, 5F-AKB48]. (CCCCC) methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate [MDMB-CHMICA, MMB-CHMINACA].

(DDDDD) methyl 2-(1-(4-fluorobenzyl)-1H-indazole-3-carboxamido)- 3,3-dimethylbutanoate [MDMB-FUBINACA].

(EEEEE) N-(1-amino-3,3-dimethyl-1 -oxobutan-2-yl)-1-(cyclohexylmethyl)- 1 H-indazole-3-carboxamide [MAB-CHMINACA and ADB-CHMINACA].

(FFFFF) Methyl 2-(1-(4-fluorobenzyl)-1H-indazole-



3-carboxamido)- 3-methylbutanoate [FUB-AMB, MMB-FUBINACA, AMB-FUBINACA].

(GGGGG) 3,4-dichloro-N-[(1dimethylamino)cyclohexylme thyl]benzamide) [AH7921].

(HHHHH) Naphthalen-1-yl 1-(5-fluoropentyl)-1 H-indole-3-carboxylate (trivial name: NM2201; CBL2201) (IIII) 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1 H-indazole-3-carboxamide (trivial name: 4-CN-CUMYL-BUTINACA; 4-cyano-CUMYL-BUTINACA; 4-CN-CUMYL BINACA; CUMYL-4CN-BINACA; SGT-78).

(JJJJJ) methyl 2-(1-(cyclohexylmethyl)-1 H-indole-3-carboxamido)-3-methylbutanoate (trivial names: MMB-CHMICA, AMB-CHMICA).

(KKKKK) 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1 H-pyrrolo[2,3-b]pyridine-3-carboxamide (trivial name: 5F-CUMYL-P7AICA).

 $(LLLLL) \quad N\text{-}1\text{-}(1,3\text{-}benzodioxol\text{-}5\text{-}yl)\text{-}2\text{-}(ethylamino)\text{-}1\text{-}p\\ entanone (N\text{-}ethylpentylone, ephylone).}$ 

(MMMMM) Synthetic cathinone,

- 1-(1,3-benzodioxol-5-yl)-2- (ethylamino)- pentan-1-one (N-ethylpentylone, ephylone) and its optical, positional, and geometric isomers, salts, and salts of isomers.
- (2) Any compound structurally derived from 3-(1-naphthoyl)indole or 1H-indol-3-yl-(1-naphthyl)methane by substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, or 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the naphthyl ring to any extent.
- (3) Any compound structurally derived from 3-(1-naphthoyl) pyrrole by substitution at the nitrogen atom of the pyrrole ring by alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, or 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted in the pyrrole ring to any extent and whether or not substituted in the naphthyl ring to any extent.
- (4) Any compound structurally derived from



- 1-(1-naphthylmethyl)indene by substitution at the 3-position of the indene ring by alkyl, haloalkyl, cyanoalkyl, alkenyl, c y c l o a l k y l m e t h y l, c y c l o a l k y l e t h y l, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, or 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted in the indene ring to any extent and whether or not substituted in the naphthyl ring to any extent.
- (5) Any compound structurally derived from 3-phenylacetylindole by substitution at the nitrogen atom of the indole ring with alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, or 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent.
- (6) Any compound structurally derived from 2-(3-hydroxycyclohexyl)phenol by substitution at the 5-position of the phenolic ring by alkyl, haloalkyl, cyanoalkyl, alkenyl, c y c l o a l k y l m e t h y l, c y c l o a l k y l e t h y l, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, or 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not substituted in the cyclohexyl ring to any extent.
- (7) Any compound containing a 3-(benzoyl)indole structure with substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, or 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent.
- (8) Any compound, except bupropion or a compound listed under a different schedule, structurally derived from 2-aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl, or thiophene ring systems, whether or not the compound is further modified:
  - (A) by substitution in the ring system to any extent with alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further substituted in the ring system by one or more other univalent substituents;
  - (B) by substitution at the 3-position with an acyclic alkyl



substituent;

- (C) by substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or methoxybenzyl groups; or
- (D) by inclusion of the 2-amino nitrogen atom in a cyclic structure.
- (9) Any compound structurally derived from 3-tetramethyl cyclopropanoylindole with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, c y c l o a l k y l m e t h y l, c y c l o a l k y l e t h y l, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl) ethyl, 1-(N-methyl-2-pyrrolidinyl) methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted in the indole ring to any extent and whether or not substituted in the tetramethylcyclopropyl ring to any extent.
- (10)Any compound containing a N-(1-adamantyl)-1H-indazole-3-carboxamide structure with substitution at the nitrogen atom of the indazole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2- piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, 1 - (N - m e t h y 1 - 2 - p y r r o l i d i n y 1) m e t h y 1, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted at the nitrogen atom of the carboxamide to any extent, whether or not further substituted in the indazole ring to any extent, and whether or not further substituted on the adamantyl ring system to any extent. An example of this structural class includes AKB48.
- (11) Any compound containing a N-(1-adamantyl)-1H-indole-3-carboxamide structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2- piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted at the nitrogen atom of the carboxamide to any extent, whether or not further substituted in the indole ring to any extent, and whether or not further substituted on the adamantyl ring system to any extent. An example of this structural class includes STS-135.
- (12) Any compound containing a 3-(1-adamantoyl)indole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl,



cycloalkylethyl, 1-(N-methyl-2- piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, 1-(N-methyl-2- pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or tetrahydropyranylmethyl group, whether or not further substituted on the adamantyl ring system to any extent. An example of this structural class includes AM-1248.

(13) Any compound determined to be a synthetic drug by rule adopted under IC 25-26-13-4.1.

SECTION 3. IC 35-48-1-16.6 IS ADDED TO THE INDIANA CODE AS A **NEW** SECTION TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2019]: **Sec. 16.6.** "Fentanyl related substance" means any substance not listed in schedule I through V of IC 35-48-2 that is structurally related to fentanyl by one (1) or more of the following modifications:

- (1) Replacement of the phenyl portion of the phenethyl group by any monocycle, whether or not further substituted in or on the monocycle.
- (2) Substitution in or on the phenethyl group with alkyl, alkenyl, alkoxyl, hydroxyl, halo, haloalkyl, amino, or nitro groups.
- (3) Substitution in or on the piperidine ring with alkyl, alkenyl, alkoxyl, ester, ether, hydroxyl, halo, haloalkyl, amino, or nitro groups.
- (4) Replacement of the aniline ring with any aromatic monocycle whether or not further substituted in or on the aromatic monocycle.
- (5) Replacement of the N-propionyl group by another acyl group.

SECTION 4. IC 35-48-2-4, AS AMENDED BY P.L.89-2018, SECTION 2, IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2019]: Sec. 4. (a) The controlled substances listed in this section are included in schedule I.

(b) Opiates. Any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, unless specifically excepted by rule of the board or unless listed in another schedule, whenever the existence of these isomers, esters, ethers, and salts is possible within the specific chemical designation:

## 4-fluoroisobutyryl fentanyl

Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide) (9815)

Acetyl fentanyl (Other names include: N-(1-phenethylpiperidin-4-vl)-N-phenylacetamide)



Acrylfentanyl. Other name: N-(1-phenethylpiperidin-4-yl)-

Acetylmethadol (9601)

N-phenylacrylamide Allylprodine (9602) Alpha-methylthiofentanyl (N-[1-methyl-2-(2thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide) (9832) Alphacetylmethadol (9603) Alphameprodine (9604) Alphamethadol (9605) Alphamethylfentanyl (9814) Benzethidine (9606) Beta-hydroxy-3-methylfentanyl (9831). name: N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl ]-N-phenylpropanamide Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2phenethyl)-4-piperidinyl]-N-phenylpropanamide) (9830) Betacetylmethadol (9607) Betameprodine (9608) Betamethadol (9609) Betaprodine (9611) Clonitazene (9612) Cyclopenty1 fentany1. Other name: N-(1-phenethylpiperidin-4-yl)-N-phenylcyclopentanecarboxamide Dextromoramide (9613) Diampromide (9615) Diethylthiambutene (9616) Difenoxin (9168) Dimenoxadol (9617) Dimepheptanol (9618) Dimethylthiambutene (9619) Dioxaphetyl butyrate (9621) Dipipanone (9622) Ethylmethylthiambutene (9623) Etonitazene (9624) Etoxeridine (9625) Fentanyl related substances. Furanyl fentanyl. Furethidine (9626) Hydroxypethidine (9627) Isobutyryl fentanyl. Other name: N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide Ketobemidone (9628)



Levomoramide (9629)

Levophenacylmorphan (9631)

Methoxyacetyl fentanyl. Other name:

2-methoxy-N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide

 $3-Methyl fentanyl\ [N-[3-methyl-1-(2-phenylethyl)-4-$ 

piperidyl]-N-phenyl-propanimide](9813)

3-Methylthiofentanyl (N-[(3-methyl-1-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide) (9833)

MPPP (1-methyl-4-phenyl-4-propionoxypiperidine) (9961) Morpheridine (9632)

N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl), including any isomers, salts, or salts of isomers (9818)

N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl] 25 piperidin-4-yl]-N-phenylpropionamide, also known as N-[1-[2-hydroxy-2-(2-thienyl)ethyl] -4- piperidinyl]- N-phenylpropanamide, (beta-hydroxythiofentanyl)

N-(4-chlorophenyl)- N-(1-phenethylpiperidin-4-yl) isobutyramide (para-chloroisobutyryl fentanyl)

N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl) acetamide (ocfentanil)

N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl) butyramide (para-fluorobutyryl fentanyl)

N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, also known as N-(1-phenethylpiperidin-4-yl)-N-phenylbutanamide, (butyryl fentanyl)

N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide (valeryl fentanyl)

N-(4-methoxyphenyl)-N-(1-phenethylpiperidin -4-yl) butyramide (para-methoxybutyryl fentanyl)

N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl), including any isomers, salts, or salts of isomers (9834)

N-(1-phenethylpiperidin-4-yl)-N-phenylisobutyramide (isobutyryl fentanyl)

N - (1 - p h e n e t h y l p i p e r i d i n - 4 - y l) - Nphenylcyclopentanecarboxamide (cyclopentyl fentanyl)


Noracymethadol (9633)

Norlevorphanol (9634)

Normethadone (9635)

Norpipanone (9636)

O c f e n t a n i 1. O t h e r n a m e : N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl)





acetamide

Ortho-fluorofentanyl or 2-fluorofentanyl. Other name:

N-(2-fluorophenyl)-N-

(1-phenethylpiperidin-4-yl)propionamide

Para-chloroisobutyryl fentanyl. Other name:

N-(4-chlorophenyl)-N-(1-phenethylpiperidin-4-yl)isobutyramide Para-fluorobutyryl fentanyl. Other name:

N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide

Para-fluorofentanyl (N-(4-fluorophenyl)-N-

[1-(2-phenethyl)-4-piperidinyl] propanamide (9812)

Para-methoxybutyryl fentanyl. Other name:

N-(4-methoxyphenyl)-N-(1-phenethylpiperidin-4-yl)butyramide

Phenadoxone (9637)

Phenampromide (9638)

Phenomorphan (9647)

Phenoperidine (9641)

PEPAP [1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine] (9663)

Piritramide (9642)

Proheptazine (9643)

Properidine (9644)

Propiram (9649)

Racemoramide (9645)

Tetrahydrofuranyl fentanyl. Other name:

N-(1-phenethylpiperidin-4-yl)-N-phenyltetrahydrofuran-2-carb oxamide

Thiofentanyl (N-phenyl-N-[ 1-(2-thienyl)ethyl-4-

piperidinyl]-propanamide) (9835)

Tilidine (9750)

Trimeperidine (9646)

U47700 (3,4-dichloro- N- [2-dimethylamino)cyclohexyl]-

N-methyl-benzamide)

Valeryl fentanyl. Other name:

N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide

(c) Opium derivatives. Any of the following opium derivatives, their salts, isomers, and salts of isomers, unless specifically excepted by rule of the board or unless listed in another schedule, whenever the existence of these salts, isomers, and salts of isomers is possible within the specific chemical designation:

Acetorphine (9319)

Acetyldihydrocodeine (9051)

Benzylmorphine (9052)

Codeine methylbromide (9070)

SEA 631 — Concur



Codeine-N-Oxide (9053)

Cyprenorphine (9054)

Desomorphine (9055)

Dihydromorphine (9145)

Drotebanol (9335)

Etorphine (except hydrochloride salt) (9056)

Heroin (9200)

Hydromorphinol (9301)

Methyldesorphine (9302)

Methyldihydromorphine (9304)

Morphine methylbromide (9305)

Morphine methylsulfonate (9306)

Morphine-N-Oxide (9307)

Myrophine (9308)

Nicocodeine (9309)

Nicomorphine (9312)

Normorphine (9313)

Pholcodine (9314)

Thebacon (9315)

- (d) Hallucinogenic substances. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following hallucinogenic, psychedelic, or psychogenic substances, their salts, isomers, and salts of isomers whenever the existence of these salts, isomers, and salts of isomers is possible within the specific chemical designation (for purposes of this subsection only, the term "isomer" includes the optical, position, and geometric isomers):
  - (1) 1-[1-(2-thienyl)cyclohexyl]pyrrolidine (7473). Other name: TCPy.
  - (2) 4-Bromo-2, 5-Dimethoxyamphetamine (7391). Some trade or other names: 4-Bromo-2, 5-Dimethoxy-a-methylphenethylamine; 4-Bromo-2, 5-DMA.
  - (3) 4-Bromo-2, 5-dimethoxyphenethylamine (7392). Some trade or other names:
  - 2-[4-bromo-2,5-dimethoxyphenyl]-1-aminoethane; alpha-desmethyl DOB; 2C-B, Nexus.
  - (4) 2, 5-Dimethoxy-4-ethylamphet-amine (7399). Other name: DOET.
  - (5) 2, 5-Dimethoxy-4-(n)-propylthiophenethylamine (7348). Other name: 2C-T-7.
  - (6) 2, 5-Dimethoxyamphetamine (7396). Some trade or other names: 2, 5-Dimethoxy-a-methylphenethylamine; 2, 5-DMA.



- (7) 4-Methoxyamphetamine (7411). Some trade or other names: 4-Methoxy-a-methylphenethylamine; Paramethoxyamphetamine; PMA.
- (8) 5-Methoxy-3, 4-methylenedioxy amphetamine (7401). Other Name: MMDA.
- (9) 5-Methoxy-N, N-diisopropyltryptamine, including any isomers, salts, or salts of isomers (7439). Other name: 5-MeO-DIPT.
- (10) 4-methyl-2, 5-dimethoxyamphetamine (7395). Some trade and other names: 4-methyl-2,
- 5-dimethoxy-a-methylphenethylamine; DOM; and STP.
- (11) 3, 4-methylenedioxy amphetamine (7400). Other name: MDA.
- (12) 3,4-methylenedioxy-N-ethylamphetamine (7404). Other names: N-ethyl-alpha-methyl-3,4(methylenedioxy) phenethylamine; N-ethyl MDA; MDE; and MDEA.
- (13) 3, 4-methylenedioxymethamphetamine (MDMA) (7405).
- (14) 3, 4, 5-trimethoxy amphetamine (7390). Other name: TMA.
- (15) Alpha-ethyltryptamine (7249). Some trade and other names: Etryptamine; Monase; [alpha]-ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole; [alpha]-ET; and AET.
- (16) Alpha-methyltryptamine (7432). Other name: AMT.
- (17) Bufotenine (7433). Some trade and other names:
- 3-(B-Dimethylaminoethyl)-5-hydroxyindole;
- 3-(2-dimethylaminonethyl)-5-indolol; N, N-dimethylserotonin; 5-hydroxy-N, N-dimethyltryptamine; mappine.
- (18) Diethyltryptamine (7434). Some trade or other names: N, N-Diethyltryptamine; DET.
- (19) Dimethyltryptamine (7435). Some trade or other names: DMT.
- (20) Ibogaine (7260). Some trade and other names: 7-Ethyl-6, 6b, 7, 8, 9, 10, 12, 13-octahydro-2-methoxy-6, 9-methano-5H-pyrido (1', 2': 1, 2, azepino 4, 5-b) indole; tabernanthe iboga.
- (21) Lysergic acid diethylamide (7315). Other name: LSD.
- (22) Marijuana (7360).
- (23) Mescaline (7381).
- (24) Parahexyl (7374). Some trade or other names: 3-Hexyl-1-hydroxy-7, 8, 9, 10-Tetrahydro-6, 6, 9-trimethyl-6H-dibenzo (b,d) pyran; Snyhexyl.
- (25) Peyote (7415), including:
  - (A) all parts of the plant that are classified botanically as lophophora williamsii lemaire, whether growing or not;



- (B) the seeds thereof;
- (C) any extract from any part of the plant; and
- (D) every compound, manufacture, salt, derivative, mixture, or preparation of the plant, its seeds, or extracts.
- (26) N-ethyl-3-piperidyl benzilate (7482). Other name: DMZ.
- (27) N-hydroxy-3,4-methylenedioxyamphetamine (7402). Other names: N-hydroxy-alpha-methyl-3,4
- (methylenedioxy)phenethylamine; and N-hydroxy MDA.
- (28) N-methyl-3-piperidyl benzilate (7484). Other name: LBJ.
- (29) Psilocybin (7437).
- (30) Psilocyn (7438).
- (31) Tetrahydrocannabinols (7370), including synthetic equivalents of the substances contained in the plant, or in the resinous extractives of Cannabis, sp. and synthetic substances, derivatives, and their isomers with similar chemical structure and pharmacological activity such as:
  - (A)  $\pi^1$  cis or trans tetrahydrocannabinol, and their optical isomers:
  - (B)  $\pi^6$  cis or trans tetrahydrocannabinol, and their optical isomers; and
  - (C)  $\pi^{3}$ , cis or trans tetrahydrocannabinol, and their optical isomers.

Since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of numerical designation of atomic positions are covered. Other name: THC.

- (32) Ethylamine analog of phencyclidine (7455). Some trade or other names: N-Ethyl-1-phenylcyclohexylamine; (1-phenylcyclohexyl) ethylamine; N-(1-phenylcyclohexyl) ethylamine; cyclohexamine; PCE.
- (33) Pyrrolidine analog of phencyclidine (7458). Some trade or other names: 1-(1-phenylcyclohexyl)-pyrrolidine; PCP<sub>v</sub>; PHP.
- (34) Thiophene analog of phencyclidine (7470). Some trade or other names: 1-(1-(2-thienyl) cyclohexyl) piperidine; 2-Thienyl Analog of Phencyclidine; TPCP.
- (35) Salvia divinorum or salvinorin A, including:
  - (A) all parts of the plant that are classified botanically as salvia divinorum, whether growing or not;
  - (B) the seeds of the plant;
  - (C) any extract from any part of the plant; and
  - (D) every compound, manufacture, salt, derivative, mixture, or preparation of the plant, its seeds, or extracts.



- (36) 5-Methoxy-N,N-Dimethyltryptamine. Some trade or other names: 5-methoxy-3-[2- (dimethylamino)ethyl]indole; 5-MeO-DMT.
- (37) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E).
- (38) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D).
- (39) 2-(4-Chloro-2,5-dimethoxyphenyl) ethanamine (2C-C).
- (40) 2-(4-Iodo-2,5-dimethoxyphenyl) ethanamine (2C-I).
- (41) 2-[4-(Ethylthio)-2,5-dimethoxyphenyl] ethanamine (2C-T-2).
- (42) 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl] ethanamine (2C-T-4).
- (43) 2-(2,5-Dimethoxyphenyl) ethanamine (2C-H).
- (44) 2-(2,5-Dimethoxy-4-nitro-phenyl) ethanamine (2C-N).
- (45) 2-(2,5-Dimethoxy-4-(n)-propylphenyl) ethanamine (2C-P).
- (46) Deschloroketamine (2-Phenyl-2-
- (methylamino)cyclohexanone).
- (47) 4-Hydroxy-MET (4-Hydroxy-N-methyl-N-ethyltryptamine).
- (48) N-methyltryptamine (1H-Indole-3-ethanamine, N-methyl-).
- (e) Depressants. Unless specifically excepted in a rule adopted by the board or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

Etizolam (4-(2- chlorophenyl)-2- ethyl-9- methyl- 6H-thieno[3,2-f] [1,2,4] triazolo[4,3-a] [1,4diazepine) (other names include: Etilaam, Etizest, Depas, Etizola, Sedekopan, and Pasaden)

Flubromazolam (8-bromo-6-(2-fluorophenyl)-1-methyl-

4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine)

Gamma-hydroxybutyric acid (other names include GHB; gamma-hydroxybutyrate; 4-hydroxybutanoic acid; sodium oxybate; sodium oxybutyrate) (2010)

Mecloqualone (2572)

Methaqualone (2565)

(f) Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation that contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers:

([+/-]) cis-4-methylaminorex (([+/-])cis-4,5-



dihydro-4-methyl-5-phenyl-2-oxazolamine) (1590)

Aminorex (1585). Other names: aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or

4,5-dihydro-5-phenyl-2-oxazolamine.

Cathinone (1235). Some trade or other names: 2-amino-1-phenyl-1-propanone; alpha-aminopropiophenone; 2-aminopropiophenone; and norephedrone.

Fenethylline (1503).

N-Benzylpiperazine (7493). Other names: BZP; and 1-benzylpiperazine.

N-ethylamphetamine (1475).

Methcathinone (1237). Some other trade names: 2-Methylamino-1-Phenylpropan-I-one; Ephedrone; Monomethylpropion; UR 1431.

- N, N-dimethylamphetamine (1480). Other names: N, N-alpha-trimethyl-benzeneethanamine; and N, N-alpha-trimethylphenethylamine.
- (g) Synthetic drugs as defined in IC 35-31.5-2-321.

SECTION 5. IC 35-48-2-6, AS AMENDED BY P.L.89-2018, SECTION 3, IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2019]: Sec. 6. (a) The controlled substances listed in this section are included in schedule II.

- (b) Any of the following substances, except those narcotic drugs listed in other schedules, whether produced directly or indirectly by extraction from substances of vegetable origin, or independently by means of chemical synthesis, or by combination of extraction and chemical synthesis:
  - (1) Opium and opiate, and any salt, compound, derivative, or preparation of opium or opiate, excluding apomorphine, dextrorphan, nalbuphine, naloxone, naltrexone, and their respective salts but including:
    - (A) raw opium (9600);
    - (B) opium extracts (9610);
    - (C) opium fluid extracts (9620);
    - (D) powdered opium (9639);
    - (E) granulated opium (9640);
    - (F) tincture of opium (9630);
    - (G) codeine (9050);
    - (H) dihydroetorphine (9334);
    - (I) ethylmorphine (9190);
    - (J) etorphine hydrochloride (9059);
    - (K) hydrocodone (9193), and any hydrocodone combination



product, as determined by the federal Food and Drug Administration;

- (L) hydromorphone (9150);
- (M) metopon (9260);
- (N) morphine (9300);
- (O) oxycodone (9143);
- (P) oxymorphone (9652);
- (Q) thebaine (9333); and
- (R) oripavine.
- (2) Any salt, compound, isomer, derivative, or preparation thereof which is chemically equivalent or identical with any of the substances referred to in subdivision (b)(1) of this section, but not including the isoquinoline alkaloids of opium.
- (3) Opium poppy and poppy straw.
- (4) Cocaine (9041).
- (5) Concentrate of poppy straw (the crude extract of poppy straw in either liquid, solid, or powder form which contains the phenanthrene alkaloids of the opium poppy) (9670).
- (c) Opiates. Any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers whenever the existence of these isomers, esters, ethers, and salts is possible within the specific chemical designation:

Alfentanil (9737)

Alphaprodine (9010)

Anileridine (9020)

Bezitramide (9800)

Bulk dextropropoxyphene (nondosage forms) (9273)

Carfentanil (9743)

Dihydrocodeine (9120)

Diphenoxylate (9170)

Fentanyl (9801)

Isomethadone (9226)

Levo-alphacetylmethadol (9648). Other names

Levo-alpha-acetylmethadol; levomethadyl acetate; and LAAM.

Levomethorphan (9210)

Levorphanol (9220)

Metazocine (9240)

Methadone (9250)

Methadone-Intermediate, 4-cyano-2-dimethyl-amino-4,

4-diphenyl butane (9254)

Moramide-Intermediate, 2-methyl-3-morpholino-1,

1-diphenylpropane- carboxylic acid (9802)



Pethidine (Meperidine) (9230)

Pethidine-Intermediate- A, 4-cyano-1-methyl-4-phenylpiperidine (9232)

Pethidine-Intermediate-B,

ethyl-4-phenylpiperidine-4-carboxylate (9233)

Pethidine-Intermediate-C,1-methyl-4-phenylpiperidine-4-carbo xylic acid (9234)

Phenazodine (9715)

Piminodine (9730)

Racemethorphan (9732)

Racemorphan (9733)

Remifentanil (9739)

Sufentanil (9740)

**Tapentadol** 

## **Thiafentanil**

- (d) Stimulants. Any material compound, mixture, or preparation which contains any quantity of the following substances having a potential for abuse associated with a stimulant effect on the central nervous system:
  - (1) Amphetamine, its salts, optical isomers, and salts of its optical isomers (1100).
  - (2) Methamphetamine, including its salts, isomers, and salts of its isomers (1105).
  - (3) Phenmetrazine and its salts (1631).
  - (4) Methylphenidate (1724).
  - (5) Lisdexamfetamine, its salts, its isomers, and salts of its isomers.
- (e) Depressants. Unless specifically excepted by rule of the board or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

Amobarbital (2125)

Glutethimide (2550)

Pentobarbital (2270)

Phencyclidine (7471)

Secobarbital (2315)

(f) Immediate precursors. Unless specifically excepted by rule of the board or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following



## substances:

- (1) Immediate precursor to amphetamine and methamphetamine: Phenylacetone (8501). Some trade or other names: phenyl-2-propanone; P2P; benzyl methyl ketone; methyl benzyl ketone.
- (2) Immediate precursors to phencyclidine (PCP):
  - (A) 1-phenylcyclohexylamine (7460); or
  - (B) 1-piperidinocyclohexanecarbonitrile (PCC) (8603).
- (3) Immediate precursor to fentanyl: 4-Anilino-N-Phenethyl-4-Piperidine (ANPP).
- (g) Hallucinogenic substances:

Dronabinol **oral solution.** Other name: (-)-delta-9-trans-tetrahydrocannabinol (delta-9-THC).

Nabilone (7379). Other name: (+/-)-trans-3-(1,1-dimethylheptyl)-6, 6a, 7, 8, 10, 10a-hexahydro-1-hydroxy-6, 6-dimethyl-9H-dibenzo [b,d] pyran-9-one.

SECTION 6. IC 35-48-2-12, AS AMENDED BY P.L.283-2013, SECTION 4, IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2019]: Sec. 12. (a) The controlled substances listed in this section are included in schedule V.

- (b) Narcotic drugs containing nonnarcotic active medicinal ingredients. Any compound, mixture, or preparation containing any of the following narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid, in the following quantities, which shall include one (1) or more nonnarcotic active medicinal ingredients in sufficient proportion to confer upon the compound, mixture, or preparation, valuable medicinal qualities other than those possessed by the narcotic drug alone:
  - (1) Not more than 200 milligrams of codeine per 100 milliliters or per 100 grams.
  - (2) Not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100 grams.
  - (3) Not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100 grams.
  - (4) Not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of atropine sulfate per dosage unit.
  - (5) Not more than 100 milligrams of opium per 100 milliliters or per 100 grams.
  - (6) Not more than 0.5 milligrams of difenoxin (9168), and not less than 25 micrograms of atropine sulfate per dosage unit.
- (c) Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-yl] butanamide)).



- (d) Pregabalin (2782).
- (d) (e) Pyrovalerone (1485).
- (e) (f) Lacosamide [(R)-2-acetoamido-N-benzyl-3-methoxy-propionamide].
  - (g) Epidiolex.



President of the Senate	
President Pro Tempore	
Constant Calculation of December 1	
Speaker of the House of Represe	ntatives
Governor of the State of Indiana	
Solvenior of the State of Indiana	
Date:	Time:

