Representative Paul Ray proposes the following substitute bill:

1	CONTROLLED SUBSTANCE AMENDMENTS
2	2017 GENERAL SESSION
3	STATE OF UTAH
4	Chief Sponsor: Paul Ray
5	Senate Sponsor:
6	Cosponsor: Carol Spackman Moss
7	
8	LONG TITLE
9	General Description:
10	This bill modifies the Utah Controlled Substances Act.
11	Highlighted Provisions:
12	This bill:
13	 adds the following to the list of controlled substances under Schedule I:
14	• 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide, also
15	known as U-47700 or "pink";
16	• Acetyl fentanyl: (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
17	• Butyryl fentanyl: N-(1-(2-phenylethyl)-4-piperidinyl)-N-phenylbutyramide;
18	• Furanyl fentanyl: and
19	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]furan-2-carboxamide; and
20	 adds the following to listed controlled substances:
21	• ADB-CHMINACA: N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]
22	-1-(cyclohexylmethyl)indazole-3-carboxamide;
23	• ADB-FUBINACA: (N-(1-amino-3,3-dimethyl-1oxobutan-2-yl)
24	-1-(4-fluorobenzyl)-1H-indazole-3-caboxamide); and

25	• FUB-AMB; methyl (1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)valinate.
26	Money Appropriated in this Bill:
27	None
28	Other Special Clauses:
29	This bill provides a special effective date.
30	Utah Code Sections Affected:
31	AMENDS:
32	58-37-4, as last amended by Laws of Utah 2015, Chapter 258
33	58-37-4.2, as last amended by Laws of Utah 2014, Chapter 23
34	
35	Be it enacted by the Legislature of the state of Utah:
36	Section 1. Section 58-37-4 is amended to read:
37	58-37-4. Schedules of controlled substances Schedules I through V Findings
38	required Specific substances included in schedules.
39	(1) There are established five schedules of controlled substances known as Schedules I,
40	II, III, IV, and V which consist of substances listed in this section.
41	(2) Schedules I, II, III, IV, and V consist of the following drugs or other substances by
42	the official name, common or usual name, chemical name, or brand name designated:
43	(a) Schedule I:
44	(i) Unless specifically excepted or unless listed in another schedule, any of the
45	following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and
46	ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific
47	chemical designation:
48	(A) Acetyl-alpha-methylfentanyl
49	(N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);
50	(B) Acetyl fentanyl: (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide);
51	[(B)] (C) Acetylmethadol;
52	[(C)] <u>(D)</u> Allylprodine;
53	[(D)] (E) Alphacetylmethadol, except levo-alphacetylmethadol also known as
54	levo-alpha-acetylmethadol, levomethadyl acetate, or LAAM;
55	[(E)] <u>(F)</u> Alphameprodine;

56	[(F)] (G) Alphamethadol;
57	[(G)] (H) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-phenyl)ethyl-4-piperidyl]
58	propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-propanilido) piperidine);
59	[(H)] (I) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-thienyl)ethyl-4-
60	piperidinyl]-N-phenylpropanamide);
61	[(I)] (J) Benzylpiperazine;
62	[(J)] <u>(K)</u> Benzethidine;
63	[(K)] <u>(L)</u> Betacetylmethadol;
64	[(L)] (M) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-
65	piperidinyl]-N-phenylpropanamide);
66	[(M)] (N) Beta-hydroxy-3-methylfentanyl, other name: N-[1-(2-hydroxy-2-
67	phenethyl)-3-methyl-4-piperidinyl]-N-phenylpropanamide;
68	[(N)] (O) Betameprodine;
69	$[(\Theta)]$ (P) Betamethadol;
70	[(P)] (Q) Betaprodine;
71	(R) Butyryl fentanyl: N-(1-(2-phenylethyl)-4-piperidinyl)-N-phenylbutyramide;
72	[(Q)] (S) Clonitazene;
73	[(R)] (T) Dextromoramide;
74	[(S)] <u>(U)</u> Diampromide;
75	[(T)] (V) Diethylthiambutene;
76	[(U)] (W) Difenoxin;
77	$[(\forall)]$ (X) Dimenoxadol;
78	[(W)] (Y) Dimepheptanol;
79	[(X)] (Z) Dimethylthiambutene;
80	[(Y)] (AA) Dioxaphetyl butyrate;
81	[(Z)] <u>(BB)</u> Dipipanone;
82	[(AA)] (CC) Ethylmethylthiambutene;
83	[(BB)] (DD) Etonitazene;
84	[(CC)] <u>(EE)</u> Etoxeridine;
85	(FF) Furanyl fentanyl: N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]
86	furan-2-carboxamide

87	[(DD)] <u>(GG)</u> Furethidine;
88	[(EE)] <u>(HH)</u> Hydroxypethidine;
89	[(FF)] <u>(II)</u> Ketobemidone;
90	[(GG)] <u>(JJ)</u> Levomoramide;
91	[(IIII)] (KK) Levophenacylmorphan;
92	[(II)] <u>(LL)</u> Morpheridine;
93	[(JJ)] (MM) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
94	[(KK)] (NN) Noracymethadol;
95	[(LL)] <u>(OO)</u> Norlevorphanol;
96	[(MM)] <u>(PP)</u> Normethadone;
97	[(NN)] <u>(QQ)</u> Norpipanone;
98	[(OO)] (RR) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-4-
99	piperidinyl] propanamide;
100	[(PP)] (SS) PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine);
101	[(QQ)] <u>(TT)</u> Phenadoxone;
102	[(RR)] <u>(UU)</u> Phenampromide;
103	[(SS)] <u>(VV)</u> Phenomorphan;
104	[(TT)] <u>(WW)</u> Phenoperidine;
105	[(UU)] (XX) Piritramide;
106	[(VV)] (YY) Proheptazine;
107	[(WW)] <u>(ZZ)</u> Properidine;
108	[(XX)] <u>(AAA)</u> Propiram;
109	[(YY)] <u>(BBB)</u> Racemoramide;
110	[(ZZ)] (CCC) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-piperidinyl]-
111	propanamide;
112	[(AAA)] <u>(DDD)</u> Tilidine;
113	[(BBB)] (EEE) Trimeperidine;
114	[(CCC)] (FFF) 3-methylfentanyl, including the optical and geometric isomers
115	(N-[3-methyl-1-(2-phenylethyl)-4-piperidyl]- N-phenylpropanamide); [and]
116	[(DDD)] (GGG) 3-methylthiofentanyl
117	(N-[(3-methyl-1-(2-thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide)[-]; and

118	[(EEE)] (HHH) 3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide
119	also known as U-47700.
120	(ii) Unless specifically excepted or unless listed in another schedule, any of the
121	following opium derivatives, their salts, isomers, and salts of isomers when the existence of the
122	salts, isomers, and salts of isomers is possible within the specific chemical designation:
123	(A) Acetorphine;
124	(B) Acetyldihydrocodeine;
125	(C) Benzylmorphine;
126	(D) Codeine methylbromide;
127	(E) Codeine-N-Oxide;
128	(F) Cyprenorphine;
129	(G) Desomorphine;
130	(H) Dihydromorphine;
131	(I) Drotebanol;
132	(J) Etorphine (except hydrochloride salt);
133	(K) Heroin;
134	(L) Hydromorphinol;
135	(M) Methyldesorphine;
136	(N) Methylhydromorphine;
137	(O) Morphine methylbromide;
138	(P) Morphine methylsulfonate;
139	(Q) Morphine-N-Oxide;
140	(R) Myrophine;
141	(S) Nicocodeine;
142	(T) Nicomorphine;
143	(U) Normorphine;
144	(V) Pholcodine; and
145	(W) Thebacon.
146	(iii) Unless specifically excepted or unless listed in another schedule, any material,
147	compound, mixture, or preparation which contains any quantity of the following hallucinogenic
148	substances, or which contains any of their salts, isomers, and salts of isomers when the

149	existence of the salts, isomers, and salts of isomers is possible within the specific chemical
150	designation; as used in this Subsection (2)(a)(iii) only, "isomer" includes the optical, position,
151	and geometric isomers:
152	(A) Alpha-ethyltryptamine, some trade or other names: etryptamine; Monase;
153	α -ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole; α -ET; and AET;
154	(B) 4-bromo-2,5-dimethoxy-amphetamine, some trade or other names:
155	4-bromo-2,5-dimethoxy-α-methylphenethylamine; 4-bromo-2,5-DMA;
156	(C) 4-bromo-2,5-dimethoxyphenethylamine, some trade or other names:
157	2-(4-bromo-2,5-dimethoxyphenyl)-1-aminoethane; alpha-desmethyl DOB; 2C-B, Nexus;
158	(D) 2,5-dimethoxyamphetamine, some trade or other names:
159	2,5-dimethoxy-α-methylphenethylamine; 2,5-DMA;
160	(E) 2,5-dimethoxy-4-ethylamphetamine, some trade or other names: DOET;
161	(F) 4-methoxyamphetamine, some trade or other names:
162	4-methoxy-α-methylphenethylamine; paramethoxyamphetamine, PMA;
163	(G) 5-methoxy-3,4-methylenedioxyamphetamine;
164	(H) 4-methyl-2,5-dimethoxy-amphetamine, some trade and other names:
165	4-methyl-2,5-dimethoxy-α-methylphenethylamine; "DOM"; and "STP";
166	(I) 3,4-methylenedioxy amphetamine;
167	(J) 3,4-methylenedioxymethamphetamine (MDMA);
168	(K) 3,4-methylenedioxy-N-ethylamphetamine, also known as N-ethyl-
169	alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl MDA, MDE, MDEA;
170	(L) N-hydroxy-3,4-methylenedioxyamphetamine, also known as
171	N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine, and N-hydroxy MDA;
172	(M) 3,4,5-trimethoxy amphetamine;
173	(N) Bufotenine, some trade and other names:
174	3-(β-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,
175	N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine;
176	(O) Diethyltryptamine, some trade and other names: N,N-Diethyltryptamine; DET;
177	(P) Dimethyltryptamine, some trade or other names: DMT;
178	(Q) Ibogaine, some trade and other names:
179	7-Ethyl-6,66,7,8,9,10,12,13-octahydro-2-methoxy-6,9-methano-5H-pyrido [1', 2':1,2] azepino

- 180 [5,4-b] indole; Tabernanthe iboga;
- 181 (R) Lysergic acid diethylamide;
- 182 (S) Marijuana;
- 183 (T) Mescaline;
- 184 (U) Parahexyl, some trade or other names:
- 185 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran; Synhexyl;
- 186 (V) Peyote, meaning all parts of the plant presently classified botanically as
- 187 Lophophora williamsii Lemaire, whether growing or not, the seeds thereof, any extract from
- 188 any part of such plant, and every compound, manufacture, salts, derivative, mixture, or
- 189 preparation of such plant, its seeds or extracts (Interprets 21 USC 812(c), Schedule I(c) (12));
- 190 (W) N-ethyl-3-piperidyl benzilate;
- 191 (X) N-methyl-3-piperidyl benzilate;
- 192 (Y) Psilocybin;
- 193 (Z) Psilocyn;
- 194 (AA) Tetrahydrocannabinols, naturally contained in a plant of the genus Cannabis 195 (cannabis plant), as well as synthetic equivalents of the substances contained in the cannabis 196 plant, or in the resinous extractives of Cannabis, sp. and/or synthetic substances, derivatives, 197 and their isomers with similar chemical structure and pharmacological activity to those 198 substances contained in the plant, such as the following: $\Delta 1$ cis or trans tetrahydrocannabinol, 199 and their optical isomers $\Delta 6$ cis or trans tetrahydrocannabinol, and their optical isomers $\Delta 3.4$ 200 cis or trans tetrahydrocannabinol, and its optical isomers, and since nomenclature of these substances is not internationally standardized, compounds of these structures, regardless of 201 202 numerical designation of atomic positions covered;
- 203 (BB) Ethylamine analog of phencyclidine, some trade or other names:
- 204 N-ethyl-1-phenylcyclohexylamine, (1-phenylcyclohexyl)ethylamine,
- 205 N-(1-phenylcyclohexyl)ethylamine, cyclohexamine, PCE;
- 206 (CC) Pyrrolidine analog of phencyclidine, some trade or other names:
- 207 1-(1-phenylcyclohexyl)-pyrrolidine, PCPy, PHP;
- 208 (DD) Thiophene analog of phencyclidine, some trade or other names:
- 209 1-[1-(2-thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine, TPCP, TCP; and
- 210 (EE) 1-[1-(2-thienyl)cyclohexyl]pyrrolidine, some other names: TCPy.

211	(iv) Unless specifically excepted or unless listed in another schedule, any material
212	compound, mixture, or preparation which contains any quantity of the following substances
213	having a depressant effect on the central nervous system, including its salts, isomers, and salts
214	of isomers when the existence of the salts, isomers, and salts of isomers is possible within the
215	specific chemical designation:
216	(A) Mecloqualone; and
217	(B) Methaqualone.
218	(v) Any material, compound, mixture, or preparation containing any quantity of the
219	following substances having a stimulant effect on the central nervous system, including their
220	salts, isomers, and salts of isomers:
221	(A) Aminorex, some other names: aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or
222	4,5-dihydro-5-phenyl-2-oxazolamine;
223	(B) Cathinone, some trade or other names: 2-amino-1-phenyl-1-propanone,
224	alpha-aminopropiophenone, 2-aminopropiophenone, and norephedrone;
225	(C) Fenethylline;
226	(D) Methcathinone, some other names: 2-(methylamino)-propiophenone;
227	alpha-(methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1-one;
228	alpha-N-methylaminopropiophenone; monomethylpropion; ephedrone; N-methylcathinone;
229	methylcathinone; AL-464; AL-422; AL-463 and UR1432, its salts, optical isomers, and salts of
230	optical isomers;
231	(E) (\pm)cis-4-methylaminorex ((\pm)cis-4,5-dihydro-4-methyl-5-phenyl-2-oxazolamine);
232	(F) N-ethylamphetamine; and
233	(G) N,N-dimethylamphetamine, also known as
234	N,N-alpha-trimethyl-benzeneethanamine; N,N-alpha-trimethylphenethylamine.
235	(vi) Any material, compound, mixture, or preparation which contains any quantity of
236	the following substances, including their optical isomers, salts, and salts of isomers, subject to
237	temporary emergency scheduling:
238	(A) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide (benzylfentanyl); and
239	(B) N-[1- (2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl).
240	(vii) Unless specifically excepted or unless listed in another schedule, any material,
241	compound, mixture, or preparation which contains any quantity of gamma hydroxy butyrate

242	(gamma hydrobutyric acid), including its salts, isomers, and salts of isomers.
243	(b) Schedule II:
244	(i) Unless specifically excepted or unless listed in another schedule, any of the
245	following substances whether produced directly or indirectly by extraction from substances of
246	vegetable origin, or independently by means of chemical synthesis, or by a combination of
247	extraction and chemical synthesis:
248	(A) Opium and opiate, and any salt, compound, derivative, or preparation of opium or
249	opiate, excluding apomorphine, dextrorphan, nalbuphine, nalmefene, naloxone, and naltrexone,
250	and their respective salts, but including:
251	(I) Raw opium;
252	(II) Opium extracts;
253	(III) Opium fluid;
254	(IV) Powdered opium;
255	(V) Granulated opium;
256	(VI) Tincture of opium;
257	(VII) Codeine;
258	(VIII) Ethylmorphine;
259	(IX) Etorphine hydrochloride;
260	(X) Hydrocodone;
261	(XI) Hydromorphone;
262	(XII) Metopon;
263	(XIII) Morphine;
264	(XIV) Oxycodone;
265	(XV) Oxymorphone; and
266	(XVI) Thebaine;
267	(B) Any salt, compound, derivative, or preparation which is chemically equivalent or
268	identical with any of the substances referred to in Subsection (2)(b)(i)(A), except that these
269	substances may not include the isoquinoline alkaloids of opium;
270	(C) Opium poppy and poppy straw;
271	(D) Coca leaves and any salt, compound, derivative, or preparation of coca leaves, and
272	any salt, compound, derivative, or preparation which is chemically equivalent or identical with

272	any of these substances and includes excering and excerning their selfs, is more devicesting
273	any of these substances, and includes cocaine and ecgonine, their salts, isomers, derivatives,
274	and salts of isomers and derivatives, whether derived from the coca plant or synthetically
275	produced, except the substances may not include decocainized coca leaves or extraction of coca
276	leaves, which extractions do not contain cocaine or ecgonine; and
277	(E) Concentrate of poppy straw, which means the crude extract of poppy straw in either
278	liquid, solid, or powder form which contains the phenanthrene alkaloids of the opium poppy.
279	(ii) Unless specifically excepted or unless listed in another schedule, any of the
280	following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and
281	ethers, when the existence of the isomers, esters, ethers, and salts is possible within the specific
282	chemical designation, except dextrorphan and levopropoxyphene:
283	(A) Alfentanil;
284	(B) Alphaprodine;
285	(C) Anileridine;
286	(D) Bezitramide;
287	(E) Bulk dextropropoxyphene (nondosage forms);
288	(F) Carfentanil;
289	(G) Dihydrocodeine;
290	(H) Diphenoxylate;
291	(I) Fentanyl;
292	(J) Isomethadone;
293	(K) Levo-alphacetylmethadol, some other names: levo-alpha-acetylmethadol,
294	levomethadyl acetate, or LAAM;
295	(L) Levomethorphan;
296	(M) Levorphanol;
297	(N) Metazocine;
298	(O) Methadone;
299	(P) Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-diphenyl butane;
300	(Q) Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-diphenylpropane-carboxylic
301	acid;
302	(R) Pethidine (meperidine);
303	(S) Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine;

1st Sub. (Buff) H.B. 110

304 (T) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-carboxylate; 305 (U) Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-4-carboxylic acid; 306 (V) Phenazocine; 307 (W) Piminodine; 308 (X) Racemethorphan; 309 (Y) Racemorphan; 310 (Z) Remifentanil; and (AA) Sufentanil. 311 312 (iii) Unless specifically excepted or unless listed in another schedule, any material, 313 compound, mixture, or preparation which contains any quantity of the following substances 314 having a stimulant effect on the central nervous system: 315 (A) Amphetamine, its salts, optical isomers, and salts of its optical isomers; 316 (B) Methamphetamine, its salts, isomers, and salts of its isomers: (C) Phenmetrazine and its salts; and 317 318 (D) Methylphenidate. 319 (iv) Unless specifically excepted or unless listed in another schedule, any material, 320 compound, mixture, or preparation which contains any quantity of the following substances 321 having a depressant effect on the central nervous system, including its salts, isomers, and salts 322 of isomers when the existence of the salts, isomers, and salts of isomers is possible within the specific chemical designation: 323 324 (A) Amobarbital; 325 (B) Glutethimide; 326 (C) Pentobarbital; 327 (D) Phencyclidine; 328 (E) Phencyclidine immediate precursors: 1-phenylcyclohexylamine and 329 1-piperidinocyclohexanecarbonitrile (PCC); and 330 (F) Secobarbital. 331 (v) (A) Unless specifically excepted or unless listed in another schedule, any material, 332 compound, mixture, or preparation which contains any quantity of Phenylacetone. 333 (B) Some of these substances may be known by trade or other names: 334 phenyl-2-propanone; P2P; benzyl methyl ketone; and methyl benzyl ketone.

335 (vi) Nabilone, another name for nabilone:

336 (±)-trans-3-(1,1-dimethylheptyl)-6,6a,7,8,10,10a-hexahydro-1-hydroxy-6,

337 6-dimethyl-9H-dibenzo[b,d]pyran-9-one.

338 (c) Schedule III:

(i) Unless specifically excepted or unless listed in another schedule, any material,
compound, mixture, or preparation which contains any quantity of the following substances
having a stimulant effect on the central nervous system, including its salts, isomers whether
optical, position, or geometric, and salts of the isomers when the existence of the salts, isomers,
and salts of isomers is possible within the specific chemical designation:

(A) Those compounds, mixtures, or preparations in dosage unit form containing any
stimulant substances listed in Schedule II, which compounds, mixtures, or preparations were
listed on August 25, 1971, as excepted compounds under Section 1308.32 of Title 21 of the
Code of Federal Regulations, and any other drug of the quantitive composition shown in that
list for those drugs or which is the same except that it contains a lesser quantity of controlled
substances;

- 350 (B) Benzphetamine;
- 351 (C) Chlorphentermine;

352 (D) Clortermine; and

353 (E) Phendimetrazine.

(ii) Unless specifically excepted or unless listed in another schedule, any material,

355 compound, mixture, or preparation which contains any quantity of the following substances356 having a depressant effect on the central nervous system:

(A) Any compound, mixture, or preparation containing amobarbital, secobarbital,
pentobarbital, or any salt of any of them, and one or more other active medicinal ingredients
which are not listed in any schedule;

360 (B) Any suppository dosage form containing amobarbital, secobarbital, or
361 pentobarbital, or any salt of any of these drugs which is approved by the Food and Drug
362 Administration for marketing only as a suppository;

363 (C) Any substance which contains any quantity of a derivative of barbituric acid or any
 364 salt of any of them;

365 (D) Chlorhexadol;

366	(E) Buprenorphine;
367	(F) Any drug product containing gamma hydroxybutyric acid, including its salts,
368	isomers, and salts of isomers, for which an application is approved under the federal Food,
369	Drug, and Cosmetic Act, Section 505;
370	(G) Ketamine, its salts, isomers, and salts of isomers, some other names for ketamine:
371	± -2-(2-chlorophenyl)-2-(methylamino)-cyclohexanone;
372	(H) Lysergic acid;
373	(I) Lysergic acid amide;
374	(J) Methyprylon;
375	(K) Sulfondiethylmethane;
376	(L) Sulfonethylmethane;
377	(M) Sulfonmethane; and
378	(N) Tiletamine and zolazepam or any of their salts, some trade or other names for a
379	tiletamine-zolazepam combination product: Telazol, some trade or other names for tiletamine:
380	2-(ethylamino)-2-(2-thienyl)-cyclohexanone, some trade or other names for zolazepam:
381	4-(2-fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo-[3,4-e] [1,4]-diazepin-7(1H)-one,
382	flupyrazapon.
383	(iii) Dronabinol (synthetic) in sesame oil and encapsulated in a soft gelatin capsule in a
384	U.S. Food and Drug Administration approved drug product, some other names for dronabinol:
385	(6aR-trans)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol, or
386	(-)-delta-9-(trans)-tetrahydrocannabinol.
387	(iv) Nalorphine.
388	(v) Unless specifically excepted or unless listed in another schedule, any material,
389	compound, mixture, or preparation containing limited quantities of any of the following
390	narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid:
391	(A) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90
392	milligrams per dosage unit, with an equal or greater quantity of an isoquinoline alkaloid of
393	opium;
394	(B) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90
395	milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized
396	therapeutic amounts;

397	(C) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more
398	than 15 milligrams per dosage unit, with a fourfold or greater quantity of an isoquinoline
399	alkaloid of opium;
400	(D) Not more than 300 milligrams of dihydrocodeinone per 100 milliliters or not more
401	than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in
402	recognized therapeutic amounts;
403	(E) Not more than 1.8 grams of dihydrocodeine per 100 milliliters or not more than 90
404	milligrams per dosage unit, with one or more active non-narcotic ingredients in recognized
405	therapeutic amounts;
406	(F) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not more
407	than 15 milligrams per dosage unit, with one or more active, non-narcotic ingredients in
408	recognized therapeutic amounts;
409	(G) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams, or not
410	more than 25 milligrams per dosage unit, with one or more active, non-narcotic ingredients in
411	recognized therapeutic amounts; and
412	(H) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams with
413	one or more active, non-narcotic ingredients in recognized therapeutic amounts.
414	(vi) Unless specifically excepted or unless listed in another schedule, anabolic steroids
415	including any of the following or any isomer, ester, salt, or derivative of the following that
416	promotes muscle growth:
417	(A) Boldenone;
418	(B) Chlorotestosterone (4-chlortestosterone);
419	(C) Clostebol;
420	(D) Dehydrochlormethyltestosterone;
421	(E) Dihydrotestosterone (4-dihydrotestosterone);
422	(F) Drostanolone;
423	(G) Ethylestrenol;
424	(H) Fluoxymesterone;
425	(I) Formebulone (formebolone);
426	(J) Mesterolone;
427	(K) Methandienone;

400	
428	(L) Methandranone;
429	(M) Methandriol;
430	(N) Methandrostenolone;
431	(O) Methenolone;
432	(P) Methyltestosterone;
433	(Q) Mibolerone;
434	(R) Nandrolone;
435	(S) Norethandrolone;
436	(T) Oxandrolone;
437	(U) Oxymesterone;
438	(V) Oxymetholone;
439	(W) Stanolone;
440	(X) Stanozolol;
441	(Y) Testolactone;
442	(Z) Testosterone; and
443	(AA) Trenbolone.
444	(vii) Anabolic steroids expressly intended for administration through implants to cattle
445	or other nonhuman species, and approved by the Secretary of Health and Human Services for
446	use, may not be classified as a controlled substance.
447	(d) Schedule IV:
448	(i) Unless specifically excepted or unless listed in another schedule, any material,
449	compound, mixture, or preparation containing not more than 1 milligram of difenoxin and not
450	less than 25 micrograms of atropine sulfate per dosage unit, or any salts of any of them.
451	(ii) Unless specifically excepted or unless listed in another schedule, any material,
452	compound, mixture, or preparation which contains any quantity of the following substances,
453	including its salts, isomers, and salts of isomers when the existence of the salts, isomers, and
454	salts of isomers is possible within the specific chemical designation:
455	(A) Alprazolam;
456	(B) Barbital;
457	(C) Bromazepam;
458	(D) Butorphanol;

459	(E) Camazepam;
460	(F) Carisoprodol;
461	(G) Chloral betaine;
462	(H) Chloral hydrate;
463	(I) Chlordiazepoxide;
464	(J) Clobazam;
465	(K) Clonazepam;
466	(L) Clorazepate;
467	(M) Clotiazepam;
468	(N) Cloxazolam;
469	(O) Delorazepam;
470	(P) Diazepam;
471	(Q) Dichloralphenazone;
472	(R) Estazolam;
473	(S) Ethchlorvynol;
474	(T) Ethinamate;
475	(U) Ethyl loflazepate;
476	(V) Fludiazepam;
477	(W) Flunitrazepam;
478	(X) Flurazepam;
479	(Y) Halazepam;
480	(Z) Haloxazolam;
481	(AA) Ketazolam;
482	(BB) Loprazolam;
483	(CC) Lorazepam;
484	(DD) Lormetazepam;
485	(EE) Mebutamate;
486	(FF) Medazepam;
487	(GG) Meprobamate;
488	(HH) Methohexital;
489	(II) Methylphenobarbital (mephobarbital);

- 490 (JJ) Midazolam;
 491 (KK) Nimetazepam;
 492 (LL) Nitrazepam;
- 493 (MM) Nordiazepam;
- 494 (NN) Oxazepam;
- 495 (OO) Oxazolam;
- 496 (PP) Paraldehyde;
- 497 (QQ) Pentazocine;
- 498 (RR) Petrichloral;
- 499 (SS) Phenobarbital;
- 500 (TT) Pinazepam;
- 501 (UU) Prazepam;
- 502 (VV) Quazepam;
- 503 (WW) Temazepam;
- 504 (XX) Tetrazepam;
- 505 (YY) Triazolam;
- 506 (ZZ) Zaleplon; and
- 507 (AAA) Zolpidem.

(iii) Any material, compound, mixture, or preparation of fenfluramine which contains
any quantity of the following substances, including its salts, isomers whether optical, position,
or geometric, and salts of the isomers when the existence of the salts, isomers, and salts of
isomers is possible.

(iv) Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers whether optical, position, or geometric isomers, and salts of the isomers when the existence of the salts, isomers, and salts of isomers is possible within the specific chemical designation:

- 517 (A) Cathine ((+)-norpseudoephedrine);
- 518 (B) Diethylpropion;
- 519 (C) Fencamfamine;
- 520 (D) Fenproprex;

521	(E) Mazindol;
522	(F) Mefenorex;
523	(G) Modafinil;
524	(H) Pemoline, including organometallic complexes and chelates thereof;
525	(I) Phentermine;
526	(J) Pipradrol;
527	(K) Sibutramine; and
528	(L) SPA ((-)-1-dimethylamino-1,2-diphenylethane).
529	(v) Unless specifically excepted or unless listed in another schedule, any material,
530	compound, mixture, or preparation which contains any quantity of dextropropoxyphene
531	(alpha-(+)-4-dimethylamino-1, 2-diphenyl-3-methyl-2-propionoxybutane), including its salts.
532	(e) Schedule V: Any compound, mixture, or preparation containing any of the
533	following limited quantities of narcotic drugs, or their salts calculated as the free anhydrous
534	base or alkaloid, which includes one or more non-narcotic active medicinal ingredients in
535	sufficient proportion to confer upon the compound, mixture, or preparation valuable medicinal
536	qualities other than those possessed by the narcotic drug alone:
537	(i) not more than 200 milligrams of codeine per 100 milliliters or per 100 grams;
538	(ii) not more than 100 milligrams of dihydrocodeine per 100 milliliters or per 100
539	grams;
540	(iii) not more than 100 milligrams of ethylmorphine per 100 milliliters or per 100
541	grams;
542	(iv) not more than 2.5 milligrams of diphenoxylate and not less than 25 micrograms of
543	atropine sulfate per dosage unit;
544	(v) not more than 100 milligrams of opium per 100 milliliters or per 100 grams;
545	(vi) not more than 0.5 milligram of difenoxin and not less than 25 micrograms of
546	atropine sulfate per dosage unit;
547	(vii) unless specifically exempted or excluded or unless listed in another schedule, any
548	material, compound, mixture, or preparation which contains Pyrovalerone having a stimulant
549	effect on the central nervous system, including its salts, isomers, and salts of isomers; and
550	(viii) all forms of Tramadol.
551	Section 2. Section 58-37-4.2 is amended to read:

552	58-37-4.2. Listed controlled substances.
553	The following substances, their analogs, homologs, and synthetic equivalents are listed
554	controlled substances:
555	(1) AB-001;
556	(2) AB-PINACA;
557	N-[1-(aminocarbonyl)-2-methylpropyl]-1-pentyl-1H-indazole-3-carboxamide;
558	(3) AB-FUBINACA; N-[1-(aminocarbonyl)-2-methylpropyl]-1-[(4-fluorophenyl)
559	methyl]-1H-indazole-3-carboxamide;
560	(4) ADB-CHMINACA: N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-
561	(cyclohexylmethyl)indazole-3-carboxamide;
562	(5) ADB-FUBINACA: (N-(1-amino-3,3-dimethyl-1oxobutan-2-yl)-1-
563	(4-fluorobenzyl)-1H-indazole-3-caboxamide):
564	[(4)] <u>(6)</u> AKB48;
565	[(5)] <u>(7)</u> alpha-Pyrrolidinovalerophenone (alpha-PVP);
566	[(6)] (8) AM-694; 1-[(5-fluoropentyl)-1H-indol-3-yl]-(2-iodophenyl)methanone;
567	[(7)] <u>(9)</u> AM-1248;
568	[(8)] <u>(10)</u> AM-2201; 1-(5-fluoropentyl)-3-(1-naphthoyl)indole;
569	[(9)] <u>(11)</u> AM-2233;
570	[(10)] <u>(12)</u> AM-679;
571	[(11)] <u>(13)</u> A796,260;
572	[(12)] (14) Butylone;
573	[(13)] <u>(15)</u> CP 47,497 and its C6, C8, and C9 homologs;
574	2-[(1R,3S)-3-hydroxycyclohexyl] -5-(2-methyloctan-2-yl)phenol;
575	[(14)] <u>(16)</u> Diisopropyltryptamine (DiPT);
576	[(15)] (17) Ethylone;
577	[(16)] <u>(18)</u> Ethylphenidate;
578	[(17)] <u>(19)</u> Fluoroisocathinone;
579	[(18)] (20) Fluoromethamphetamine;
580	[(19)] <u>(21)</u> Fluoromethcathinone;
581	(22) FUB-AMB; methyl (1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)valinate;
582	[(20)] <u>(23)</u> HU-210;

01-24-17 3:11 PM

583	(6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)
584	-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
585	[(21)] (24) HU-211; Dexanabinol,(6aS,10aS)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-
586	methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol;
587	[(22)] (25) JWH-015; (2-methyl-1-propyl-1H-indol-3-yl)-1-naphthalenyl-methanone;
588	[(23)] (26) JWH-018; Naphthalen-1-yl-(pentylindol-3-yl)methanone {also known as
589	1-Pentyl-3-(1-naphthoyl)indole};
590	[(24)] <u>(27)</u> JWH-019; 1-hexyl-3-(1-naphthoyl)indole;
591	[(25)] (28) JWH-073; Naphthalen-1-yl(1-butylindol-3-yl)methanone {also known as
592	1-Butyl-3-(1-naphthoyl)indole};
593	[(26)] (29) JWH-081; 4-methoxynaphthalen-1-yl-(1-pentylindol-3-yl)methanone;
594	[(27)] <u>(30)</u> JWH-122; CAS#619294-47-2; (1-Pentyl-3-(4-methyl-1-naphthoyl)indole);
595	[(28)] (31) JWH-200; 1-(2-(4-(morpholinyl)ethyl))-3-(1-naphthoyl)indole;
596	[(29)] (32) JWH-203; 1-pentyl-3-(2-chlorophenylacetyl)indole;
597	[(30)] (33) JWH-210; 4-ethyl-1-naphthalenyl(1-pentyl-1H-indol-3-yl)-methanone;
598	[(31)] (34) JWH-250; 1-pentyl-3-(2-methoxyphenylacetyl)indole;
599	[(32)] (35) JWH-251; 2-(2-methylphenyl)-1-(1-pentyl-1H-indol-3-yl)ethanone;
600	[(33)] <u>(36)</u> JWH-398; 1-pentyl-3-(4-chloro-1-naphthoyl)indole;
601	[(34)] <u>(37)</u> MAM-2201;
602	[(35)] <u>(38)</u> MAM-2201;
603	(1-(5-fluoropentyl)-1H-indol-3-yl)(4-ethyl-1-naphthalenyl)-methanone;
604	$\left[\frac{(36)}{(39)}\right]$ Methoxetamine;
605	[(37)] <u>(40)</u> Naphyrone;
606	[(38)] (41) PB-22; 1-pentyl-1H-indole-3-carboxylic acid 8-quinolinyl ester;
607	[(39)] <u>(42)</u> Pentedrone;
608	[(40)] (43) Pentylone;
609	[(41)] (44) RCS-4; 1-pentyl-3-(4-methoxybenzoyl)indole;
610	[(42)] (45) RCS-8; 1-(2-cyclohexylethyl)-3-(2-methoxyphenylacetyl)indole {also
611	known as BTW-8 and SR-18};
612	[(43)] <u>(46)</u> STS-135;
613	[(44)] (47) UR-144:

613 [(44)] <u>(47)</u> UR-144;

- 614 [(45)] (48) UR-144 N-(5-chloropentyl) analog;
- 615 [(46)] <u>(49)</u> XLR11;
- 616 [(47)] <u>(50)</u> 2C-C;
- 617 [(48)] <u>(51)</u> 2C-D;
- 618 [(49)] <u>(52)</u> 2C-E;
- 619 [(50)] <u>(53)</u> 2C-H;
- 620 [(51)] <u>(54)</u> 2C-I;
- 621 [(52)] <u>(55)</u> 2C-N;
- 622 [(53)] <u>(56)</u> 2C-P;
- 623 [(54)] <u>(57)</u> 2C-T-2;
- 624 [(55)] <u>(58)</u> 2C-T-4;
- 625 [(56)] <u>(59)</u> 2NE1;
- 626 [(57)] <u>(60)</u> 25I-NBOMe;
- 627 [(58)] (61) 2,5-Dimethoxy-4-chloroamphetamine (DOC);
- 628 [(59)] (62) 4-methylmethcathinone {also known as mephedrone};
- 629 [(60)] (63) 3,4-methylenedioxypyrovalerone {also known as MDPV};
- 630 [(61)] (64) 3,4-Methylenedioxymethcathinone {also known as methylone};
- 631 [(62)] (65) 4-methoxymethcathinone;
- 632 [(63)] <u>(66)</u> 4-Methyl-alpha-pyrrolidinopropiophenone;
- [(64)] (67) 4-Methylethcathinone;
- 634 [(65)] <u>(68)</u> 5F-AKB48;
- 635 1-(5-flouropentyl)-N-tricyclo[3.3.1.13,7]dec-1-yl-1H-indazole-3- carboxamide;
- 636 [(66)] (69) 5-fluoro-PB-22; 1-(5-fluoropentyl)-1H-indole-3-carboxylic acid
- 637 8-quinolinyl ester;
- 638 [(67)] <u>(70)</u> 5-Iodo-2-aminoindane (5-IAI);
- 639 [(68)] <u>(71)</u> 5-MeO-DALT;
- 640 [(69)] (72) 25B-NBOMe; 2-(r-bromo-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)
- 641 methyl]ethanamine;
- 642 [(70)] (73) 25C-NBOMe; 2-(4Chloro-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)
- 643 methyl]ethanamine; and
- 644 [(71)] <u>(74)</u> 25H-NBOMe;

- 645 2-(2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine.
- 646 Section 3. Effective date.
- 647 If approved by two-thirds of all the members elected to each house, this bill takes effect
- 648 upon approval by the governor, or the day following the constitutional time limit of Utah
- 649 <u>Constitution, Article VII, Section 8, without the governor's signature, or in the case of a veto,</u>
- 650 <u>the date of veto override.</u>