1	TRAFFIC SAFETY LIGHTS ON VEHICLES
2	2015 GENERAL SESSION
3	STATE OF UTAH
4	Chief Sponsor: Lee B. Perry
5	Senate Sponsor:
6 7	LONG TITLE
8	General Description:
9	This bill modifies the Traffic Code by amending provisions relating to lighting
10	requirements on vehicles.
11	Highlighted Provisions:
12	This bill:
13	 defines continuously flashing light system;
14	 provides that a motor vehicle, trailer, semitrailer, and pole trailer may be equipped
15	with a continuously flashing light system;
16	 provides an exception for a continuously flashing light system to the prohibition on
17	a person using flashing lights on a vehicle; and
18	makes technical corrections.
19	Money Appropriated in this Bill:
20	None
21	Other Special Clauses:
22	None
23	Utah Code Sections Affected:
24	AMENDS:
25	41-6a-1604, as renumbered and amended by Laws of Utah 2005, Chapter 2
26	41-6a-1616, as last amended by Laws of Utah 2006, Chapter 100



27

20	Be it enacted by the Legistature of the state of Otan:
29	Section 1. Section 41-6a-1604 is amended to read:
30	41-6a-1604. Motor vehicle head lamps, tail lamps, stop lamps, and other lamps
31	Requirements.
32	(1) A motor vehicle shall be equipped with at least two head lamps with at least one on
33	each side of the front of the motor vehicle.
34	(2) (a) A motor vehicle, trailer, semitrailer, pole trailer, and any other vehicle which is
35	being drawn at the end of a combination of vehicles, shall be equipped with at least two tail
36	lamps and two or more red reflectors mounted on the rear.
37	(b) (i) Except as provided under Subsections (2)(b)(ii), (2)(c), and Section 41-6a-1612,
38	all stop lamps or other lamps and reflectors mounted on the rear of a vehicle shall display or
39	reflect a red color.
40	(ii) A turn signal or hazard warning light may be red or yellow.
41	(c) Either a tail lamp or a separate lamp shall be so constructed and placed as to
42	illuminate with a white light the rear registration plate.
43	(3) (a) A motor vehicle, trailer, semitrailer, and pole trailer shall be equipped with two
44	or more stop lamps and flashing turn signals.
45	(b) A supplemental stop lamp may be mounted on the rear of a vehicle, if the
46	supplemental stop lamp:
47	(i) emits a red light;
48	(ii) is mounted:
49	(A) and constructed so that no light emitted from the device, either direct or reflected,
50	is visible to the driver;
51	(B) not lower than 15 inches above the roadway; and
52	(C) on the vertical center line of the vehicle; and
53	(iii) is the size, design, and candle power that conforms to federal standards regulating
54	stop lamps.
55	(4) (a) Each head lamp, tail lamp, supplemental stop lamp, flashing turn lamp, other
56	lamp, or reflector required under this part shall comply with the requirements and limitations
57	established under Section 41-6a-1601.
58	(b) The department, by rules made under Section 41-6a-1601, may require trucks,

buses, motor homes, motor vehicles with truck-campers, trailers, semitrailers, and pole trailers
 to have additional lamps and reflectors.

(5) The department, by rules made under Section 41-6a-1601, may allow:

61

62

6364

65

66

67

68 69

70

71

7273

74

75

76

77

78

79

80

8182

83

84

85

8687

88 89

- (a) one tail lamp on any vehicle equipped with only one when it was made;
- (b) one stop lamp on any vehicle equipped with only one when it was made; and
- (c) passenger cars and trucks with a width less than 80 inches and manufactured or assembled prior to January 1, 1953, need not be equipped with electric turn signal lamps.
- (6) (a) As used in this section, "continuously flashing light system" means a light system for a supplemental stop lamp described in Subsection (3)(b) in which:
- (i) the stop lamp or reflector pulses rapidly for no more than five seconds when the brake is applied and then converts to a continuous light as a normal stop lamp or reflector until the time that the brake is released; and
- (ii) the rapid pulsing described in Subsection (6)(a)(i) may not be repeated upon a subsequent application of the brakes for a lock-out time period of at least five seconds after the release of the brakes under Subsection (6)(a)(i).
- (b) A motor vehicle, trailer, semitrailer, and pole trailer may be equipped with a continuously flashing light system.
 - Section 2. Section **41-6a-1616** is amended to read:
- 41-6a-1616. High intensity beams -- Red or blue lights -- Flashing lights -- Color of rear lights and reflectors.
- (1) (a) Except as provided under Subsection (1)(b), under the conditions specified under Subsection 41-6a-1603(1)(a), a lighted lamp or illuminating device on a vehicle, which projects a beam of light of an intensity greater than 300 candlepower shall be directed so that no part of the high intensity portion of the beam will strike the level of the roadway on which the vehicle stands at a distance of more than 75 feet from the vehicle.
- (b) The provisions of Subsection (1)(a) do not apply to head lamps, spot lamps, auxiliary lamps, flashing turn signals, hazard warning lamps, and school bus warning lamps.
- (c) A motor vehicle on a highway may not have more than a total of four lamps lighted on the front of the vehicle including head lamps, auxiliary lamps, spot lamps, or any other lamp if the lamp projects a beam of an intensity greater than 300 candlepower.
 - (2) (a) Except for an authorized emergency vehicle and a school bus, a person may not

H.B. 302 02-10-15 12:50 PM

90	operate or move any vehicle or equipment on a highway with a lamp or device capable of
91	displaying a red light that is visible from directly in front of the center of the vehicle.
92	(b) Except for a law enforcement vehicle, a person may not operate or move any
93	vehicle or equipment on a highway with a lamp or device capable of displaying a blue light that
94	is visible from directly in front of the center of the vehicle.
95	(3) A person may not use flashing lights on a vehicle except for:
96	(a) taillights of bicycles under Section 41-6a-1114;
97	(b) authorized emergency vehicles under rules made by the department under Section
98	41-6a-1601;
99	(c) turn signals under Section 41-6a-1604;
100	(d) hazard warning lights under Sections 41-6a-1608 and 41-6a-1611;
101	(e) school bus flashing lights under Section 41-6a-1302; [and]
102	(f) vehicles engaged in highway construction or maintenance under Section
103	41-6a-1617 <u>; and</u>
104	(g) a continuously flashing light system under Section 41-6a-1604.
105	(4) A person may not use a rotating light on any vehicle other than an authorized
106	emergency vehicle.

Legislative Review Note as of 2-10-15 9:32 AM

Office of Legislative Research and General Counsel

- 4 -